Inspection Information			
1. Location *			
MCJ and TTCF			
2. Date of Previous Inspection *			
7/14/2023			:::
3. Location			
	Courts	Jails	Sheriff Station
Location	\circ		\bigcirc
4. Commissioner(s) - (Select all that Apply) *			
Ingrid Archie			
✓ Mark - Anthony Clayton Johnson			
Bob Frutos			
Dr. Chery N. Grills			
Eric Miller			
✓ Alexander Sherman			
Joahanna Terrones			
Mary Veral			
Other			

7/14/2023	
	∷
ime *	
9:00am	
Facility Information	
acility Name *	
MCJ and TTCF	
ddress *	
Bauchet Street	
lame and Title of LASD Supervisor Contacted *	
Gallego, Slutsky	
ensus: Capacity *	
Tensus: Capacity * MCJ Population 3723	
MCJ Population 3723	
MCJ Population 3723	
MCJ Population 3723	
MCJ Population 3723	
MCJ Population 3723 Furrent Census * MCJ Population 3723	

	BOS	
	Officer in Charge	
	LASD	
] ISD	
	OIG	
	coc	
	Other	
14.	ame of the person(s) issues were reported to: *	
	Gallego	
15.	ontact Information of the person(s) contacted: *	
	N/A	
	Conditions of Confinement	
16.	Conditions of Confinement ondition of Confinement: Cells/Toilets/Sinks	
16.		
	ondition of Confinement: Cells/Toilets/Sinks	
	Unsatisfactory Unsatisfactory	
17.	Unsatisfactory Undition of Confinement: Cells/Toilets/Sinks Ondition of Confinement COMMENTS RE: Cells/Toilets/Sinks	
17.	Unsatisfactory Condition of Confinement: Cells/Toilets/Sinks Condition of Confinement COMMENTS RE: Cells/Toilets/Sinks Coilets out of order in dorms	
17.	Andition of Confinement: Cells/Toilets/Sinks Unsatisfactory Andition of Confinement COMMENTS RE: Cells/Toilets/Sinks Toilets out of order in dorms Andition of Confinement: Showers (water temperature, rust, mold etc.)	
17.	Unsatisfactory Condition of Confinement: Cells/Toilets/Sinks Condition of Confinement COMMENTS RE: Cells/Toilets/Sinks Coilets out of order in dorms Condition of Confinement: Showers (water temperature, rust, mold etc.) Unsatisfactory V	
17. 18.	Unsatisfactory Andition of Confinement: Cells/Toilets/Sinks Unsatisfactory Andition of Confinement COMMENTS RE: Cells/Toilets/Sinks Foilets out of order in dorms Andition of Confinement: Showers (water temperature, rust, mold etc.) Unsatisfactory Anditions of Confinement COMMENT RE: Showers (water temperature, rust, mold etc.)	

13. Issues reported to (Select all that Apply): *

	Mental health dorms continue to operate at maximum of	capacity of 87 people per dorm, in triple bunk units
22.	Condition of Confinement: Cleanliness/Graft	fiti
	Not Applicable	~
23.	Condition of Confinement: Safety, Conflict, 7	Tension
	Unsatisfactory	✓
24.	Conditions of Confinement COMMENT RE:	Safety, Conflict, Tension
		persons with MH stirring fights, leading to aggressive response by LASD involving use of pepper spray, including an oray gun at the back of his friends head. Incident was said to have occurred in May 2023 in 5800.
25.	Condition of Confinement: Common Areas	
	Not Applicable	∨
26.	Condition of Confinement: Air Quality/Temp	perature
	Unsatisfactory	∨
27.	Conditions of Confinement COMMENT RE:	Air Quality/Temperature
	Air smelled like smoke from burning fires.	
28.	Condition of Confinement: Deputy/Detained	e Relations (Including Specific Incidents or allegations of misconduct)
	Not Applicable	∨
29.	Condition of Confinement: Strip Search Issue	es
	Not Applicable	∨
30.	Condition of Confinement: Access (Drinking \	Water)
	Not Applicable	∨
31.	Condition of Confinement: Access (Mail/Read	ding Materials/Law Library)
	Not Applicable	∨
32.	Condition of Confinement: Access (Toilets for	Common Room)
	Not Applicable	∨

21. Conditions of Confinement COMMENT RE: Crowding

	Not Applicable	∨
34.	Condition of Confinement: Access (Exercise, Re	eligious Practice)
	Not Applicable	~
35.	Condition of Confinement: Access (Legal Cour	isel)
	Not Applicable	∨
36.	Condition of Confinement: Access (Visitation,	Correspondence)
	Not Applicable	~
37.	Condition of Confinement: Solitary Confinem	ent
	Not Applicable	~
38.	Condition of Confinement: Privacy/Dignity (sh	nowers, bathrooms)
	Not Applicable	~
	Condition of Confinement: Special needs pop disability)	pulations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental
	Unsatisfactory	~
	Conditions of Confinement COMMENT RE: S developmental disability)	special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions,
	MH population housed in overcrowded conditions (87 per facilities have been removed.	er dorm, triple bunks). Sheets and towels that had provided individuals with some sense of separation from overcrowded
41.	Condition of Confinement: Module Information	on Postings (re: time calculations, complaint, developmental disability)
	Not Applicable	-
42.	Condition of Confinement: Complaint Proced	lure (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC)
	Not Applicable	∨
43.	Condition of Confinement: Fees Assessed/ M	oney on Books
	Corrective Action Needed	∨
44.	Conditions of Confinement COMMENT RE: F	ees Assessed/ Money on Books

33. Condition of Confinement: Access (Toiletries, Appropriate Combs/Brushes)

Inmates said personal belongings (items purchased from commissary) had been taken from them / stolen after the module was cleaned following the pepper spray incident in May 2023

s. Condition of Confinement: Other		
46. Condition of Confinement: Other		
Select your answer	>	
Nutrition		
7. Nutrition: Quality/Concerns		
Unsatisfactory	~	
48. Nutrition COMMENT RE: Quality/Con	cerns	
Refrigerator in basement was broken. Hundreds	s of pre-prepared meals were to be stored in the broken refrigerator for the duration of weeker	nd.
10. No. 4. Company of the company of		
19. Nutrition: Access to special diets		
Not Applicable	\	
Trustees		
50. Trustees: Quarters		
Not Applicable	\	
51. Trustees: Training and Selection		
Not Applicable	\	
52. Trustees: Workload and Hours		
Not Applicable	✓	
33. Trustees: Calculation/Time Served		
Not Applicable	\	

Medical Services

54. Medical Services

	Satisfactory	Unsatisfactor y	Action Needed	Not Applicable
Access	\bigcirc	\bigcirc	\bigcirc	
Wait Times	\bigcirc	\bigcirc	\bigcirc	
Responsivenes s	\bigcirc	\circ	\circ	
TB and Other Medical Screening		\circ	\circ	
Dental	\bigcirc	\bigcirc	\bigcirc	
Vision	\bigcirc	\bigcirc		
Infectious Disease Protocol		\bigcirc	\circ	•
OMMENTS RE: Medical				
Mental Health				
Mental Health	Satisfactory	Unsatisfactor y	Corrective Action Needed	Not Applicable
Mental Health	Satisfactory		Action	
Mental Health Iental Health Services	Satisfactory	у	Action	
Mental Health Jental Health Services Access	Satisfactory	у	Action	
Mental Health Mental Health Services Access Wait Times Treatment	Satisfactory	у	Action	

At TTCF, individuals were being housed in solitary confinement HOH housing while LASD personnel including deputies watched a movie on LASD computers.

Telephones

	Satisfactory	Unsatisfactor y	Corrective Action Needed	Not Applicable
Access	\bigcirc	\bigcirc	\bigcirc	
Functionality		\bigcirc	\bigcirc	
COMMENTS RE: Telephones				
Education Based Incarcer	ation Programming (El	BI)		
Education Based Incarceration Pro	gramming (EBI)			
	Satisfactory	Unsatisfact ory	Corrective Action Needed	Not Applicable
Availability				
Туре		\bigcirc	\bigcirc	
Type Access	0	0	0	••
		OO	0	••
Access		0	0	•
Access				•
Access COMMENTS RE: EBI Programming	Satisfactory	Unsatisfactor	Corrective Action Needed	Not Applicable
Access COMMENTS RE: EBI Programming	Satisfactory		Action	Not
Access COMMENTS RE: EBI Programming EBI: Volunteer Services	Satisfactory		Action	Not Applicable

Clean Clothing and Bedding

64.	Clean Clothing and Bedding (including launc	lry practices)
	Not Applicable	
	Facilities/Maintenance	
65.	Facilities/Maintenance: Back Log Unfilled C	rder(s)
	Not Applicable	
66.	Facilities/Maintenance COMMENTS RE: B	ack Log Unfilled Order(s)
67.	Facilities/Maintenance: Kitchen/Laundry	
	Unsatisfactory	
68.	Facilities/Maintenance COMMENTS RE: K	itchen/Laundry
	Refrigerator storing pre-made meals was broken at tin had been repaired.	ne of visit. This was reported to DPH who inspected the following week and reported back to inspector AS that the refrigerator
69.	Facilities/Maintenance: Chemical exposure	(kitchen, laundry, trustee duties)
	Unsatisfactory	·
70.	Facilities/Maintenance COMMENTS RE: C	hemical exposure (kitchen, laundry, trustee duties)
	Inmates burning fires (it is unclear what they are burning	ng) cause air to smell like smoke.
	Deputy Staffing	

	Satisfactory	Unsatisfactor y	Action Needed	Not Applicable
Use of Force (Last 30 days)	\circ	\circ	\bigcirc	
Assault on Staff (Last 30 days)	\circ	\circ	\circ	
Staff Training (MH, trauma informed etc.)	\circ	0	0	
Peputy Staffing COMMENTS RE	: Quality of Interactions w/De	tainees		
Detainee Complaints/Concerns	COMMENTS:			
Inmate alleged his friend had been shot in		May 2023 in 5800		
3	1 11 1 7 3			
Donnets Commission (Company)	MANAENITC.			
Deputy Complaint/Concerns CO Prior Corrective Action Resolution LASD does not provide SBC with Corrective	n:			
Prior Corrective Action Resolution	n: e Action Plans.	Unsatisfactor y	Corrective Action Needed	Not Applicable
Prior Corrective Action Resolution LASD does not provide SBC with Corrective	n: e Action Plans. ntake/release, procedures):		Action	Not Applicable
Prior Corrective Action Resolution LASD does not provide SBC with Corrective Detainee Documentations (e.g., in	n: e Action Plans. ntake/release, procedures):		Action	Applicable
Prior Corrective Action Resolution LASD does not provide SBC with Corrective Detainee Documentations (e.g., in	n: e Action Plans. ntake/release, procedures):		Action	Applicable
Prior Corrective Action Resolution LASD does not provide SBC with Corrective Detainee Documentations (e.g., in Classification Logs Detainee	n: e Action Plans. ntake/release, procedures):		Action	Applicable
Prior Corrective Action Resolution LASD does not provide SBC with Corrective Detainee Documentations (e.g., in Classification Logs Detainee management	n: e Action Plans. ntake/release, procedures):		Action	Applicable

71. **Deputy Staffing:** Quality of Interactions w/Detainees

ipline Proceedings:				
lot Applicable	~			
ergency Preparedness/System	15:			
	Satisfactory	Unsatisfactor Y	Corrective Action Needed	Not Applicable
Fire Extinguishers	\bigcirc	\bigcirc	\bigcirc	
Airpack Tags	\bigcirc	\bigcirc	\bigcirc	
Emergency Evacuation Routes	\circ	\circ	\circ	
Control Centers	\circ	\bigcirc	\bigcirc	
Emergency Lighting Fixtures	\circ	\circ	\circ	(
Safety Drills	\bigcirc	\bigcirc	\bigcirc	
First Aid and Suicide Kits	\bigcirc	\bigcirc	0	
ergency Preparedness/Syste				
unds:				
unus.				
	Satisfactory	Unsatisfactor y	Corrective Action Needed	Not Applicable
Conditions	\bigcirc			
Unlawful postings on exterior				
grounds (e.g., if ever been				

77. Detainee Documentation COMMENTS:

82. Grou	rounds COMMENTS:						
lı	nspection: Special Foc	cus					
83. Inspe	ction: Special Focus						
		Satisfactory	Unsatisfactor y	Corrective Action Needed	Not Available		
	COC	\bigcirc	\bigcirc				
	Community	\bigcirc	\bigcirc	\bigcirc			
	CHS	\bigcirc	\bigcirc	\bigcirc			
	DMH			\bigcirc			
	DPH	\bigcirc	\bigcirc	\bigcirc			
	Facilties			\bigcirc			
	Food Services	\bigcirc		\bigcirc			
	OIG	\bigcirc	\bigcirc				
	Other	\bigcirc	\bigcirc				
84. Inspec	ction: Special Focus Request ('Select all that Apply):					
	coc						
	Community						
	CHS						
	рмн						
	PPH						
F-	acilities						
F	ood Services						
	DIG						
✓ N	N/A						
	Other						

85.	Inspection: Special Focus Request Comments:
86.	Prison Rape Elimination Act (PREA) Issues:
	Not Applicable \checkmark
87.	Other:
	INSPECTION DETAILS - ANCHORED TO SUMMARIZE #3 THROUGH #106
88.	Inspection Detail for #:
89.	Inspection Detail for #:
00	Jaconstine Detail for #
90.	Inspection Detail for #:
91.	Inspection Detail for OIG Request Related to:
92.	Inspection Detail for COC Request Related to:
03	Inspection Detail for Community Request Related to:
33.	Inspection Detail for Community Request Related to.
94.	Inspection Detail: EBI
95.	Inspection Detail: Medical

96. I	Inspection Detail: Medical	
97. I	nspection Detail: Building and Maintenance (Select all that apply)	
(Lawns	
(Recreation Area	
(Blacktop	
	Asphalt	
(General Condition	
(Paint	
(Roof	
(Drains/Gutters	
(Not Applicable	
(Other	
98. I	nspection Detail: Building and Maintenance	

INSPECTION DETAIL: INTERIOR OF BUILDINGS(S)

99.	Insp	spection Detail: Interior of Building(s) and Mainter	nance (Select all that apply)
		Walls	
		Paint	
		Floors	
		Drains	
		Plumbing fixtures working	
		Air Vents	
		Windows	
		Not Applicable	
		Other	
100.	Insp	spection Detail Interior of Building :	
101.	Are	e Cleaning fluids and chemicals labeled and safely	stored?
	Sele	Select your answer	
102	\ \ /oo	eapons locker present?	
102.	vvea	eapons locker present:	
	Sele	Select your answer	
103.	Recr	ecreation/Sports Equipment:	
104			
104.	Are '	e the hallways clear, are doors propped open or clo	osed?
	Sele	Select your answer	
105.	Holo	olding areas (cells/rooms), is there access to drinkin	ng water and toilet?
	Sele	select your answer	
106	Con	ondition of individual cells/rooms, or dormitories:	
.00.		And the state of t	
107.	Beds	eds - Type of bed and is it off the floor?	

108.	Adequate lighting:
109.	Temperature: