CALIFORNIA COASTAL COMMISSION
South Coast Area Office
200 Oceangate, Suite 1000
Long Beach, CA 90802-4302
(562) 590-5071

November 22, 2011

Richard Bruckner
Director of Regional Planning
320 Temple Street
Los Angeles, CA 90012-3225

Re: Supplement to Commission Approved Marina del Rey LCP Amendment No. 1-11 Suggested Modifications

Dear Mr. Bruckner:

Please note the following corrections to the Los Angeles Marina del Rey LCP Amendment No. 1-11 Commission approved suggested modifications that were sent to you on November 21, 2011. Supplemental corrections are shown in red:

On page 4:

Suggested Modification 9

On page 2-12, Figure ~~2~~3: Public Parking Lots-Near Term Configuration

Lot	Parcel	Address	Capacity	Remarks
1	W/55	13737 Fiji Way	502~~483~~	Fisherman's Village
2	49R	13477 Fiji Way	466	Public Parking/Launch ramp
4	49M	13500 Mindanao Way	243~~124~~	Overflow – Chace Park ~~Marina Shopping Center~~
5	UR	4545 Admiralty Way	240	Overflow MdR Hotel, Other
6	SS	4500 Admiralty Way	115	Admiralty Park – Turf
7	Q	4350 Admiralty Way	120~~118~~	Admiralty Park – Paved
8	147 OT	4220 Admiralty Way	~~186~~92	~~Overflow Beach, Int'l Hotel, other Oxford Basin~~
9	N	14101 Palawan Way	191	Beach, Overflow
10	IR	4101 Admiralty ~~Panay~~ Way	212~~216~~	Beach
11	GR	14101 Panay Way	362~~264~~	Beach, Overflow
12	FF	14151 Marquesas Way	~~202~~	~~Overflow Pier view Café~~
13	3	4601 Via Marina	140	Channel Vista, Overflow
14	A	4601 Via Marina	60	Channel Vista
~~15~~	~~LLS~~	~~4001 Via Marina~~	~~10~~	
16	EE	~~4001 Via Marina~~13650 Mindanao	58~~60~~	Chace Park
~~17~~	~~83~~	~~13399 Fiji Way~~	13	
N/A	21	14004 Panay Way	~~94~~	None
	52	~~13051 Fiji Way~~	~~245~~	~~Temporary Parking~~
		TOTAL	2,895 ~~3,138~~	

On page 21, heading above Suggested Modification 22

~~Sensitive~~ Important Biological Resources—("~~S~~ IBR")

On page 78:

Suggested Modification 72

Section 22.46.1190 *Conditions of approval*, page 37, add:

Bird-Safe Buildings Standards. All new buildings, and major renovations of existing buildings, shall be required to provide bird-safe building treatments for the facade, landscaping, and lighting consistent with the guidelines provided below:

Glazing treatments:

- ***Fritting, permanent stencils, frosted, non-reflective or angled glass, exterior screens, decorative latticework or grills, physical grids placed on the exterior of glazing, or UV patterns visible to birds shall be used to reduce the amount of untreated glass or glazing to less than thirty-five percent (35%) of the building façade.***
- ***Where applicable vertical elements within the treatment pattern should be at least one-quarter inch (1/4") wide at a maximum of spacing of four inches (4") and horizontal elements should be at least one-eighth inch (1/8") wide at a maximum spacing of two inches (2").***
- ***No glazing shall have a "Reflectivity Out" coefficient exceeding thirty percent (30%). That is, the fraction of radiant energy that is reflected from glass or glazed surfaces shall not exceed thirty percent (30%).***
- ***Equivalent treatments recommended by a qualified biologist may be used if approved by the ~~City~~ County and/or the Coastal Commission.***

...

If you have any questions regarding the modifications required for effective certification of County of Los Angeles Marina del Rey LCP Amendment No. 1-11, Marina del Rey.

Sincerely,

Gary Timm
District Manager

Attachment: Suggested Modifications

Cc: Michael Tripp, Principal Planner