



August 31, 2012

To: Executive Board

Subject: **Contract Amendment – Industry Park & Ride Architectural and Engineering Services**

Recommendation

Authorize the Executive Director to issue Contract Amendment No. 2 to Agreement No. 11-038 with Walker Parking Consultants in the amount of Eighteen Thousand Four Hundred Seventy Six Dollars (\$18,476.00)

Analysis

The original design for the Industry Park & Ride structure includes hose bibs on each level. The Los Angeles County review agency's code interpretation requires that if there are hose bibs within the parking structure, drainage shall discharge to the sewer system instead of the storm water system.

Elevation data on the existing utility lines is not available from the city or the utility companies. This has warranted the need for exploratory investigation (potholing) and off-site field survey to determine the exact location of the existing utility lines under Brea Canyon Road. The data obtained from the potholing and field survey will determine whether it is feasible to connect the drainage to the existing sewer system and subsequently keeping the hose bibs within the parking structure.


Local utility companies mandated that the potholing work be done by hand digging instead of using vacuum extraction method. Hand digging work is quite extensive and labor intensive versus the vacuum extraction method.


Since the potholing and field survey is not covered under the existing contract, Walker Parking Consultants has submitted a change order request in the amount above to perform potholing and field surveying by hand.

Budget Impact

Funds for the project are included in Foothill Transit's FY 2013 Business Plan.

Sincerely,


Roland M. Cordero
Director of Facilities


Doran J. Barnes
Executive Director