

**SUBJECT: NURSE STAFFED SPECIALTY CARE TRANSPORT
 UNIT INVENTORY**

REFERENCE NO. 712

PURPOSE: To provide a standardized minimum inventory on all Nurse Staffed Specialty Care Transport (SCT) Units.

PRINCIPLE: Any equipment or supplies carried for use in providing emergency medical care must be maintained in good working order.


POLICY:

- I. Nurse staffed SCT vehicles shall carry the following equipment. Reasonable variations may occur; however, any exceptions must have prior approval of the EMS Agency. Transport vehicles shall also be equipped and supplied in accordance with Ref. No. 710, Basic Life Support Ambulance Equipment.
- II. Nurse staffed vehicles performing advanced life support (ALS) level transports do not require the addition of the ALS inventory; however, if nurses are utilized in lieu of respiratory care practitioners (RCPs) for the transport of ventilator patients, all medications and equipment on Reference No. 713, Respiratory Care Practitioner (RCP) SCT Unit Inventory and not included herein, must be added to the SCT unit.
- III. All sharps must comply with CCR, Title 8, Section 5193, Bloodborne Pathogens.

MEDICATIONS			
Adenosine	24mgs	Epinephrine (0.1mg/mL)	5mgs
Albuterol (pre-mixed w/ NS)	20mgs	*Fentanyl ¹	400mcgs
Albuterol MDI (Metered Dose Inhaler) ⁸	2	Ketorolac 15 mgs/mL OR	4
Amiodarone	450mgs	Ketorolac 30 mgs/2mLs	2
Aspirin (chewable 81mg)	648mgs	Levophed ⁶	4mgs
Atropine sulfate (1mg/10mL)	2mgs	Lidocaine 2%	200mgs
Calcium chloride	1gm	Midazolam ²	20mgs
Dextrose 10% / Water 250mL	3 bags	*Morphine sulfate ³	12mgs
Dextrose solution (glucose paste may be substituted)	45gms	Naloxone	2mgs
Diphenhydramine	100mgs	Nitroglycerin (SL) spray, tablets, or single dose powder packets	1 pump/ bottle/ or 36 packets
Epinephrine (1mg/mL)	1mgs		

INTRAVENOUS FLUIDS			
Normal saline 1000 mL	2 bags	Normal saline 250 mL	2 bags

EFFECTIVE: 01-01-78
 REVISED: 10-01-20
 SUPERSEDES: 09-01-20

APPROVED: 
 Director, EMS Agency


 Medical Director, EMS Agency

SUPPLIES			
Adhesive dressing (Band-Aids®)	1 box	Contaminated sharps container	1
Airways – Nasopharyngeal:		Filter, viral HEPA ⁸	2
Large (34-36)	1	Gauze Bandages	6
Medium (26-28)	1	Gauze sponges 4x4 (sterile)	4
Small (20-22)	1	Gloves, sterile	2 pair
Airways – Oropharyngeal:		Gloves, unsterile	1 box
Large	1	Glucometer w/strips	1
Medium	1	Lancets (retractable)	5
Small Adult/Child	1	Hand-held Nebulizer pack	2
Infant	1	Hemostats, padded	1
Neonate	1	Infusion pumps OR	3
Alcohol prep pads	1 box	Infusion pump w/ 3 chamber drip capability	1
Backboards	1	Infusion pump tubing:	
Bag-Mask-Ventilation (BMV) device w/O ₂ inlet & reservoir:		Full sets	2
Adult	1	Half sets	4
Pediatic	1	Intravenous catheters: Sizes: 14G-22G	5 each
Infant	1	Intravenous tubing:	
Bag-Mask-Ventilation (BMV) Masks:		Macrodrop	2
Large	1	Microdrop	2
Medium	1	Metered-Dose-Inhaler (MDI) Mask ⁸	2
Small Adult/Child	1	Metered-Dose-Inhaler (MDI) Spacer ⁸	2
Toddler	1	Normal saline for irrigation	1 bottle
Infant	1	OB pack & bulb syringe ⁴	1
Neonate	1	Oxygen cannulas:	
Cardiac Monitor-Defibrillator w/ Oscilloscope	1	Adult	3
Defibrillator pads or paste (including pediatric)	2 each	Pediatric	3
ECG Electrodes: Adult & Pediatric	6 each	Oxygen masks (non-rebreather):	
ECG, 12-lead capable	1	Adult	3
Pulse Oximeter	1	Pediatric	3
Pulse oximeter probes: Adult & Pediatric	2 each	Standardized Pediatric Length-Based Resuscitation Tape, approved by the EMS Agency (e.g., Broselow 2011A or newer)	1
Transcutaneous (external) pacing	1	Power source [back-up]/Adjunct power source (invertor batteries, etc.). Second required if transporting Intra-Aortic Balloon Pump (IABP) patients.	1
End Tidal CO ₂ Detector: Adult & Pediatric	1 each		
Cellular phone (personal or company supplied)	1		
Color Code Drug Doses, Ref. No. 1309	1	Saline locks	4

SUPPLIES (continued)			
Scissors	1	Suction unit (portable) w/ adapter (battery operated)	1
Sphygmomanometer:		Suction Instruments:	
Thigh	1	Catheters sizes: 8Fr. - 12 Fr.	1 each
Adult	1	Tonsillar Tip	1
Pediatric	1	Syringes sizes: 1mL – 10mL w/ luer adapter	assorted
Infant	1	Tape (various types, including cloth)	1
Stethoscope	1		
APPROVED OPTIONAL MEDICATIONS & SUPPLIES			
MEDICATIONS		SUPPLIES	
Dopamine premix or vials	400mgs	Filter needles ⁵	2
Diltiazem	25mgs	High velocity oxygen delivery system and associated nasal cannulas:	1
Dextrose 5% / Water 250mL ⁶	1 bag	Adult	2
Flumazenil	1mg	Pediatric	2
Furosemide	100mgs	Intraosseous device: ⁷	
Hydralazine	20mgs	Adult	1
Levalbuterol HCL	7.5mgs	Pediatric	1
Lidocaine (1gm/250mL)	1 bag	Impedance threshold device	1
Lopressor	20mgs	Mucosal Atomization Device (MAD)	2
Lorazepam	4mgs	Respiratory ventilator	1
Magnesium Sulfate (pre-mix or vial)	2gms		
Dexamethasone	20mgs		
Ondansetron (orally disintegrating tablets)	12mgs		
Ondansetron (intravenous) 4mgs/2mLs	12mgs		
Sodium Bicarbonate	50mls		
Vasopressin	20 units		

¹ Fentanyl carried on SCT Unit is not to exceed 1500mcgs.

² Midazolam carried on SCT Unit is not to exceed 40mgs.

³ Morphine sulfate carried on SCT Unit is not to exceed 60mgs.

⁴ OB kits w/ clamps / scissors (no scalpels).

⁵ Optional, if not utilizing glass ampules.

⁶ Levophed 4mg/ to be administered as an infusion only.

⁷ Requires EMS Agency approval, which includes an approved training program and QI method prior to implementation.

⁸ As supply allows.

* May stock only one narcotic, either fentanyl or morphine sulfate-refer to Ref. No. 702.

This policy is intended as an SCT Unit inventory only.

CROSS REFERENCES:

Prehospital Care Manual:

- Ref. No. 414, **Specialty Care Transport (SCT) Provider**
- Ref. No. 702, **Controlled Drugs Carried on ALS Units**
- Ref. No. 710, **Basic Life Support Ambulance Equipment**
- Ref. No. 713, **Respiratory Care Practitioner (RCP) Specialty Care Transport (SCT)
Unit Inventory**