



LAC
DMH
LOS ANGELES COUNTY
DEPARTMENT OF
MENTAL HEALTH

Data Warehouse Design, Development and Documentation Unit
Data Management and Business Intelligence Division
Chief Information Office Bureau

Legal Entity Extract Files
DataWarehouse Avatar Tables Data Dictionary Vs.1.3

Created : February 18, 2014
By Ruzanna Malanok, Information Systems Analyst II
Updated last: August 31, 2017

Revision History

Date	Version	Description	Author
02/18/2014	1.0	Original	Ruzanna Malanok
03/18/2014	1.1	Updated-staff current demographics description	Andre Clinton
07/27/2017	1.2	Updated- ClientWAvatarGrp	Jillian Wong
08/31/2017	1.3	Added 7 tables	Jillian Wong

Table of Contents

Table List	3
v_AUTHProcCrosswalkNGA	4
v_AvatarAdmission.....	5
v_AvatarClient	7
v_AvatarCSIAdmission	12
v_AvatarDiagnosis	15
v_AvatarEpisode	23
v_ClientWAvatarGrp	25
v_DMHClaimNGA	27
v_GuarSubsData	31
v_LA_Systemwide_Annual_Lblty	34
v_MSODenied_data	35
v_Provider_Performing_Data	36
v_ServiceAuthDetail	40
v_Staff_Current_Demographics	45
v_table_prov_fee_byprog	49

Table List

Table Name	Table Description
v_AUTHProcCrosswalkNGA	
v_AvatarAdmission	Avatar Admission Information
v_AvatarClient	Avatar Client Information
v_AvatarCSIAdmission	Avatar CSI Admission
v_AvatarDiagnosis	Avatar Diagnosis
v_AvatarEpisode	Avatar Episode
v_ClientWAvatarGrp	
v_DMHClaimNGA	
v_GuarSubsData	
v_LA_Systemwide_Annual_Lblty	
v_MSODenied_data	
v_Provider_Performing_Data	
v_ServiceAuthDetail	
v_Staff_Current_Demographics	Avatar Staff current demographics
v_table_prov_fee_byprog	

v_AUTHProcCrosswalkNGA

Primary Source Tables:

Column Name	Type	Reqd	Description
PROVID	varchar(50)	N	
PLAN_ID	varchar(50)	N	
FUNDSRCID	varchar(50)	N	
authorization_number	varchar(50)	N	
funding_source_name	varchar(50)	N	
provider_name	varchar(50)	N	
account_level_name	varchar(55)	N	
procedure_group_code	varchar(254)	N	
PROCEDURE_CODE	varchar(50)	N	
procedure_code_desc	varchar(50)	N	
procedure_code_type_value	varchar(50)	N	
inactive	varchar(50)	N	

v_AvatarAdmission

Primary Source Tables: Client Management->Episode Management->Admission

Column Name	Type	Reqd	Description
blank_row_id	varchar(254)	N	
FACILITY	numeric	N	
PATID	varchar(20)	N	
AH_uniqueid	varchar(12)	N	
type_of_admission_code	varchar(5)	N	
type_of_admission_value	varchar(40)	N	
EPISODE_NUMBER	numeric	N	Episode Number
data_entry_date	datetime	N	Date Of Entry
data_entry_by	varchar(40)	N	Entry Person
admission_time	varchar(10)	N	Preadmit/Admission Time
admission_date	datetime	N	
data_entry_time	varchar(10)	N	Data Entry Time
military_related_dis_code	varchar(10)	N	
military_related_dis_value	varchar(40)	N	
military_branch_code	varchar(10)	N	
military_service_from_date	datetime	N	
military_service_through_date	datetime	N	
veteran_code	varchar(10)	N	
veteran_value	varchar(40)	N	
military_branch_value	varchar(40)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

data_entry_by_option	varchar(40)	N	Data Entry By (Option)
GUID	varchar(50)	N	
UTCTimeStamp	varchar(19)	N	
data_entry_user_id	varchar(40)	N	Data Entry User Id
data_entry_user_name	varchar(40)	N	
decision_to_admit_date	datetime	N	
decision_to_admit_time	varchar(26)	N	
expected_discharge_date	datetime	N	
source_of_admission_code	varchar(50)	N	Source Of Admission
source_of_admission_value	varchar(50)	N	
type_of_adm_X_ub92_code	varchar(50)	N	Type Of Admission
type_of_adm_X_ub92_value	varchar(50)	N	
LegalEntityNumber			

v_AvatarClient

Primary Source Tables:

Column Name	Type	Reqd	Description
patient_current_demographics	varchar(254)	N	
FACILITY	numeric	N	
PATID	varchar(20)	N	
date_of_birth	datetime	N	
ethnic_origin_code	varchar(5)	N	Ethnic Origin
patient_add_city	varchar(20)	N	Client's Address - City
patient_add_county_code	varchar(5)	N	Client's Address - County
patient_home_phone	varchar(40)	N	Client's Home Phone
patient_name	varchar(40)	N	
patient_add_state_code	varchar(10)	N	Client's Address - State
patient_add_street_1	varchar(40)	N	Client's Address - Street
patient_add_street_2	varchar(40)	N	Client's Address - Street 2
patient_add_zipcode	varchar(20)	N	Client's Address - Zipcode
patient_sex_code	varchar(5)	N	
client_alias	varchar(80)	N	Alias
patient_ssn	varchar(20)	N	
religion_code	varchar(20)		
marital_status_code	varchar(15)		Maiden Name
patient_work_phone	varchar(20)		Client's Work Phone
patient_maiden_name	varchar(40)		
race_code	varchar(20)		Client Race
facility_chart_number	varchar(40)		

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

patient_place_of_birth	varchar(20)		Place Of Birth
patient_sex_value	varchar(15)		
ethnic_origin_value	varchar(20)		
religion_value	varchar(20)		Religion
marital_status_value	varchar(20)		Marital Status
race_value	varchar(20)		
patient_add_county_value	varchar(20)		
patient_add_state_value	varchar(40)		
alert_access_options	varchar(50)		
alert_access_type	varchar(50)		
anniversary_date	varchar(10)		
client_alias_10	varchar(80)		Alias 10
client_alias_2	varchar(80)		Alias 2
client_alias_3	varchar(80)		Alias 3
client_alias_4	varchar(80)		Alias 4
client_alias_5	varchar(80)		Alias 5
client_alias_6	varchar(80)		Alias 6
client_alias_7	varchar(80)		Alias 7
client_alias_8	varchar(80)		Alias 8
client_alias_9	varchar(80)		Alias 9
client_email_addr	varchar(50)		Client's Email Address
communication_pref_code	varchar(50)		Communication Preference
communication_pref_value	varchar(50)		
country_of_origin_code	varchar(50)		Country Of Origin
country_of_origin_value	varchar(50)		
decline_prov_code	varchar(50)		
decline_prov_value_long	varchar(4096)		Client Declined To Provide Information On The Fol
decline_prov_value_short	varchar(255)		
education_code	varchar(50)		Education

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

education_value	varchar(50)		
employment_code	varchar(50)		Employment Status
employment_value	varchar(50)		
occupation_code	varchar(50)		Occupation
occupation_value	varchar(50)		
other_race_code	varchar(50)		Other Race(s)
other_race_value_long	varchar(4096)		
other_race_value_short	varchar(255)		
patient_cell_phone	varchar(60)		Client's Cell Phone
patient_name_first	varchar(50)		
patient_name_last	varchar(50)		
patient_name_prefix_code	varchar(40)		
patient_name_prefix_value	varchar(40)		
patient_name_suffix_code	varchar(40)		
patient_name_suffix_value	varchar(40)		
primary_language_code	varchar(50)		Primary Language
primary_language_value	varchar(50)		
smoker_code	varchar(50)		Smoker
smoker_value	varchar(50)		
ss_demographics_date_1	datetime		
ss_demographics_date_2	datetime		
ss_demographics_date_3	datetime		
ss_demographics_date_4	datetime		
ss_demographics_date_5	datetime		
ss_demographics_dict_10_code	varchar(50)		
ss_demographics_dict_10_value	varchar(255)		
ss_demographics_dict_1_code	varchar(50)		
ss_demographics_dict_1_value	varchar(255)		
ss_demographics_dict_2_code	varchar(50)		

**Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load**

ss_demographics_dict_2_value	varchar(255)		
ss_demographics_dict_3_code	varchar(50)		
ss_demographics_dict_3_value	varchar(255)		
ss_demographics_dict_4_code	varchar(50)		
ss_demographics_dict_4_value	varchar(255)		
ss_demographics_dict_5_code	varchar(50)		
ss_demographics_dict_5_value	varchar(255)		
ss_demographics_dict_6_code	varchar(50)		
ss_demographics_dict_6_value	varchar(255)		
ss_demographics_dict_7_code	varchar(50)		
ss_demographics_dict_7_value	varchar(255)		
ss_demographics_dict_8_code	varchar(50)		
ss_demographics_dict_8_value	varchar(255)		
ss_demographics_dict_9_code	varchar(50)		
ss_demographics_dict_9_value	varchar(255)		
ss_demographics_free_txt_1	varchar(max)		
ss_demographics_free_txt_2	varchar(max)		
ss_demographics_freetxt_20_1	varchar(20)		
ss_demographics_freetxt_20_2	varchar(20)		
ss_demographics_freetxt_20_3	varchar(20)		
ss_demographics_freetxt_20_4	varchar(20)		
ss_demographics_freetxt_20_5	varchar(20)		
ss_demographics_free_txt_3	varchar(max)		
ss_demographics_free_txt_4	varchar(max)		
ss_demographics_freetxt_40_1	varchar(40)		
ss_demographics_freetxt_40_2	varchar(40)		
ss_demographics_freetxt_40_3	varchar(40)		
ss_demographics_freetxt_40_4	varchar(40)		
ss_demographics_freetxt_40_5	varchar(40)		

**Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load**

ss_demographics_free_txt_5	varchar(max)		
ss_demographics_mult_1_code	varchar(50)		SS Demographics Multiple Select Dictionary 1
ss_demographics_mult_1_shval	varchar(255)		
ss_demographics_mult_1_value	varchar(4096)		
ss_demographics_mult_2_code	varchar(50)		
ss_demographics_mult_2_shval	varchar(255)		
ss_demographics_mult_2_value	varchar(4096)		
ss_demographics_mult_3_code	varchar(50)		
ss_demographics_mult_3_shval	varchar(255)		
ss_demographics_mult_3_value	varchar(4096)		
ss_demographics_mult_4_code	varchar(50)		
ss_demographics_mult_4_shval	varchar(255)		
ss_demographics_mult_4_value	varchar(4096)		
ss_demographics_mult_5_code	varchar(50)		
ss_demographics_mult_5_shval	varchar(255)		
ss_demographics_mult_5_value	varchar(4096)		
ss_demographics_phone_1	varchar(50)		
ss_demographics_phone_2	varchar(50)		
ss_demographics_phone_3	varchar(50)		
ss_demographics_phone_4	varchar(50)		
ss_demographics_phone_5	varchar(50)		
ss_demographics_staff_1	varchar(20)		
ss_demographics_staff_2	varchar(20)		
ss_demographics_staff_3	varchar(20)		
ss_demographics_staff_4	varchar(20)		
ss_demographics_staff_5	varchar(20)		
ss_demographics_time_1	varchar(10)		
ss_demographics_time_2	varchar(10)		
ss_demographics_time_3	varchar(10)		

ss_demographics_time_4	varchar(10)		
ss_demographics_time_5	varchar(10)		
dss_facility_id	numeric		

v_AvatarCSIAdmission

Description:	Avatar CSI Admission
---------------------	----------------------

Column Name	Data Type	Reqd	Description/Label
ID	Varchar(254)	No	Combination of Facility, PATID, CSAuniqueid
CSAuniqueid	Varchar(50)	No	
EPISODE_NUMBER	numeric	No	Episode Number
FACILITY	numeric	Yes	
GUID	varchar(50)	No	
PATID	Varchar(20)	No	
UTC_timestamp	varchar(50)	No	
adm_necessity_code_code	varchar(50)	No	Admission Necessity Code
adm_necessity_code_value	varchar(50)	No	Admission Necessity Value
birth_name_first	varchar(50)	No	Birth Name (Last)
birth_name_last	varchar(50)	No	Birth Name (First)
birth_name_middle	varchar(50)	No	Birth Name (Middle)
birth_name_suffix_code	varchar(50)	No	Birth Name (Suffix)
birth_name_suffix_value	varchar(50)	No	Birth Name (Suffix)
conserv_court_status_code	varchar(50)	No	Conservatorship/Court Status
conserv_court_status_value	varchar(50)	No	Conservatorship/Court Status

**Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load**

county_school_code	varchar(50)	No	County School
county_school_value	varchar(50)	No	County School
csi_ethnicity_code	varchar(50)	No	CSI Ethnicity
csi_ethnicity_value	varchar(50)	No	CSI Ethnicity
data_entry_by	varchar(50)	No	Entry Person
data_entry_by_option	varchar(50)	No	Data Entry By (Option)
data_entry_date	datetime	No	Date Of Entry
data_entry_time	varchar(50)	No	Data Entry Time
data_entry_user_id	Varchar(40)	No	Data Entry User Id
data_entry_user_name	Varchar(40)	No	
dev_disabl_affect_mh_code	varchar(50)	No	Are Developmental Disabilities Affecting Mental H
dev_disabl_affect_mh_value	varchar(50)	No	
district_county_code	varchar(50)	No	District County Code
district_county_value	varchar(50)	No	
district_site_code	varchar(50)	No	District/Site Code
district_site_value	varchar(50)	No	
ethnicity_race_1_code	varchar(50)	No	
ethnicity_race_1_value	varchar(50)	No	
ethnicity_race_2_code	varchar(50)	No	
ethnicity_race_2_value	varchar(50)	No	
fiscal_resp_cnty_code	varchar(50)	No	Fiscally Responsible County For Client
fiscal_resp_cnty_value	varchar(50)	No	
legal_class_code	varchar(50)	No	Legal Class
legal_class_value	varchar(50)	No	Selected Dictionaries_patient.dictionary_value for dictionaries_patient.field_number
mothers_first_name	varchar(50)	No	Mother's First Name
num_of_adults_care_for	varchar(50)	No	Number of dependent adults 18 years of age and ab
num_of_childs_care_for	varchar(50)	No	Number of children less than 18 years of age that
phy_disord_affect_mh_code	varchar(50)	No	re Physical Health Disorders Affecting Mental He

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

phy_disord_affect_mh_value	varchar(50)	No	
place_of_birth_cntry_code	varchar(50)	No	
place_of_birth_cntry_value	varchar(50)	No	
place_of_birth_cnty_code	varchar(50)	No	
place_of_birth_cnty_value	varchar(50)	No	
place_of_birth_state_code	varchar(50)	No	
place_of_birth_state_value	varchar(50)	No	
preferred_lang_code	varchar(50)	No	
preferred_lang_value	varchar(50)	No	
race_code	varchar(50)	No	
race_value	Varchar(200)	No	
race_value_long	Varchar(4096)	No	
special_population_code	varchar(50)	No	
special_population_value	varchar(50)	No	
sub_abuse_affect_mh_code	varchar(50)	No	
sub_abuse_affect_mh_value	varchar(50)	No	
year_or_month_year_of_birth	varchar(50)	No	
LegalEntityNumber			

v_AvatarDiagnosis

Description: Avatar Diagnosis

Column Name	Type	Reqd	Description
blank_row_id	varchar(254)	N	
FACILITY	numeric	N	
PATID	varchar(20)	N	
P_INDEX	varchar(10)	N	
diagnosis_type_code	varchar(5)	N	Type Of Diagnosis
diagnosis_type_value	varchar(40)	N	
principal_diagnosis_code	varchar(50)	N	Principal Diagnosis
principal_diagnosis_value	varchar(150)	N	
axis_V_gaf_code	varchar(5)	N	Diagnosis - Axis V Current GAF Rating
axis_V_gaf_value	varchar(150)	N	
prev_12_mos_highlev_code	varchar(5)	N	GAF - Highest Level Last 12 Months
prev_12_mos_highlev_value	varchar(150)	N	
prev_12_mos_lowlev_code	varchar(5)	N	GAF - Lowest Level Last 12 Months
prev_12_mos_lowlev_value	varchar(150)	N	
EPISODE_NUMBER	numeric	N	Episode Number
diagnosing_practitioner_code	varchar(20)	N	Diagnosing Practitioner
estimated_discharge_date	datetime	N	Estimated Discharge Date
data_entry_date	datetime	N	Date Of Entry
data_entry_by	varchar(40)	N	Entry Person
axis_IV_prim_sup_grp_code	varchar(5)	N	Axis IV: Primary Support Group
axis_IV_prim_sup_grp_value	varchar(40)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

axis_IV_soc_env_code	varchar(5)	N	Axis IV: Social Environment
axis_IV_soc_env_value	varchar(40)	N	
axis_IV_educ_code	varchar(5)	N	Axis IV: Educational
axis_IV_educ_value	varchar(40)	N	
axis_IV_occ_code	varchar(5)	N	Axis IV: Occupational
axis_IV_occ_value	varchar(40)	N	
axis_IV_housing_code	varchar(5)	N	Axis IV: Housing
axis_IV_housing_value	varchar(40)	N	
axis_IV_eco_code	varchar(5)	N	Axis IV: Economic
axis_IV_eco_value	varchar(40)	N	
axis_IV_health_serv_code	varchar(5)	N	Axis IV: Health Care Services
axis_IV_health_serv_value	varchar(40)	N	
axis_IV_legsys_code	varchar(5)	N	Axis IV: Legal System/Crime
axis_IV_legsys_value	varchar(40)	N	
axis_IV_other_prob_code	varchar(5)	N	Axis IV: Other Problems
axis_IV_other_prob_value	varchar(40)	N	
time_of_diagnosis	varchar(40)	N	
diagnosing_practitioner_value	varchar(40)	N	
prognosis	varchar(500)	N	Prognosis
GUID	varchar(50)	N	
UTC_timestamp	varchar(19)	N	
axis_III_diag_code_1	varchar(150)	N	Diagnosis - Axis III - 1
axis_III_diag_code_10	varchar(150)	N	Diagnosis - Axis III - 10
axis_III_diag_code_11	varchar(150)	N	
axis_III_diag_code_12	varchar(150)	N	
axis_III_diag_code_13	varchar(150)	N	
axis_III_diag_code_14	varchar(150)	N	
axis_III_diag_code_15	varchar(150)	N	
axis_III_diag_code_16	varchar(150)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

axis_III_diag_code_17	varchar(150)	N	
axis_III_diag_code_18	varchar(150)	N	
axis_III_diag_code_19	varchar(150)	N	
axis_III_diag_code_2	varchar(150)	N	
axis_III_diag_code_20	varchar(150)	N	
axis_III_diag_code_21	varchar(150)	N	
axis_III_diag_code_22	varchar(150)	N	
axis_III_diag_code_23	varchar(150)	N	
axis_III_diag_code_24	varchar(150)	N	
axis_III_diag_code_25	varchar(150)	N	
axis_III_diag_code_26	varchar(150)	N	
axis_III_diag_code_27	varchar(150)	N	
axis_III_diag_code_28	varchar(150)	N	
axis_III_diag_code_29	varchar(150)	N	
axis_III_diag_code_3	varchar(150)	N	
axis_III_diag_code_30	varchar(150)	N	
axis_III_diag_code_4	varchar(150)	N	
axis_III_diag_code_5	varchar(150)	N	
axis_III_diag_code_6	varchar(150)	N	
axis_III_diag_code_7	varchar(150)	N	
axis_III_diag_code_8	varchar(150)	N	
axis_III_diag_code_9	varchar(150)	N	
axis_III_diag_value_1	varchar(150)	N	Diagnosis - Axis III - 1
axis_III_diag_value_10	varchar(150)	N	Diagnosis - Axis III - 10
axis_III_diag_value_11	varchar(150)	N	
axis_III_diag_value_12	varchar(150)	N	
axis_III_diag_value_13	varchar(150)	N	
axis_III_diag_value_14	varchar(150)	N	
axis_III_diag_value_15	varchar(150)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

axis_III_diag_value_16	varchar(150)	N	
axis_III_diag_value_17	varchar(150)	N	
axis_III_diag_value_18	varchar(150)	N	
axis_III_diag_value_19	varchar(150)	N	
axis_III_diag_value_2	varchar(150)	N	
axis_III_diag_value_20	varchar(150)	N	
axis_II_diag_code_21	varchar(150)	N	
axis_II_diag_code_22	varchar(150)	N	
axis_II_diag_code_23	varchar(150)	N	
axis_II_diag_code_24	varchar(150)	N	
axis_II_diag_code_25	varchar(150)	N	
axis_II_diag_code_26	varchar(150)	N	
axis_II_diag_code_27	varchar(150)	N	
axis_II_diag_code_28	varchar(150)	N	
axis_II_diag_code_29	varchar(150)	N	
axis_II_diag_code_3	varchar(150)	N	
axis_II_diag_code_30	varchar(150)	N	
axis_II_diag_code_4	varchar(150)	N	
axis_II_diag_code_5	varchar(150)	N	
axis_II_diag_code_6	varchar(150)	N	
axis_II_diag_code_7	varchar(150)	N	
axis_II_diag_code_8	varchar(150)	N	
axis_II_diag_code_9	varchar(150)	N	
axis_II_diag_value_1	varchar(150)	N	Diagnosis - Axis II - 1
axis_II_diag_value_10	varchar(150)	N	Diagnosis - Axis II - 10
axis_II_diag_value_11	varchar(150)	N	
axis_II_diag_value_12	varchar(150)	N	
axis_II_diag_value_13	varchar(150)	N	
axis_II_diag_value_14	varchar(150)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

axis_II_diag_value_15	varchar(150)	N	
axis_II_diag_value_16	varchar(150)	N	
axis_II_diag_value_17	varchar(150)	N	
axis_II_diag_value_18	varchar(150)	N	
axis_II_diag_value_19	varchar(150)	N	
axis_II_diag_value_2	varchar(150)	N	
axis_II_diag_value_20	varchar(150)	N	
axis_II_diag_value_21	varchar(150)	N	
axis_II_diag_value_22	varchar(150)	N	
axis_II_diag_value_23	varchar(150)	N	
axis_II_diag_value_24	varchar(150)	N	
axis_II_diag_value_25	varchar(150)	N	
axis_II_diag_value_26	varchar(150)	N	
axis_II_diag_value_27	varchar(150)	N	
axis_II_diag_value_28	varchar(150)	N	
axis_II_diag_value_29	varchar(150)	N	
axis_II_diag_value_3	varchar(150)	N	
axis_II_diag_value_30	varchar(150)	N	
axis_II_diag_value_4	varchar(150)	N	
axis_II_diag_value_5	varchar(150)	N	
axis_II_diag_value_6	varchar(150)	N	
axis_II_diag_value_7	varchar(150)	N	
axis_II_diag_value_8	varchar(150)	N	
axis_II_diag_value_9	varchar(150)	N	
axis_IV_eco_remarks	varchar(80)	N	
axis_IV_educ_remarks	varchar(80)	N	
axis_IV_hlth_serv_remarks	varchar(80)	N	
axis_IV_housing_remarks	varchar(80)	N	
axis_IV_legsys_remarks	varchar(80)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

axis_IV_occ_remarks	varchar(80)	N	
axis_IV_oth_prob_remarks	varchar(80)	N	
axis_IV_prim_grp_remarks	varchar(80)	N	
axis_IV_soc_env_remarks	varchar(80)	N	
axis_I_diag_code_1	varchar(150)	N	Diagnosis - Axis I - 1
axis_I_diag_code_10	varchar(150)	N	Diagnosis - Axis I - 10
axis_I_diag_code_11	varchar(150)	N	
axis_I_diag_code_12	varchar(150)	N	
axis_I_diag_code_13	varchar(150)	N	
axis_I_diag_code_14	varchar(150)	N	
axis_I_diag_code_15	varchar(150)	N	
axis_I_diag_code_16	varchar(150)	N	
axis_I_diag_code_17	varchar(150)	N	
axis_I_diag_code_18	varchar(150)	N	
axis_I_diag_code_19	varchar(150)	N	
axis_I_diag_code_2	varchar(150)	N	
axis_I_diag_code_20	varchar(150)	N	
axis_I_diag_code_21	varchar(150)	N	
axis_I_diag_code_22	varchar(150)	N	
axis_I_diag_code_23	varchar(150)	N	
axis_I_diag_code_24	varchar(150)	N	
axis_I_diag_code_25	varchar(150)	N	
axis_I_diag_code_26	varchar(150)	N	
axis_I_diag_code_27	varchar(150)	N	
axis_I_diag_code_28	varchar(150)	N	
axis_I_diag_code_29	varchar(150)	N	
axis_I_diag_code_3	varchar(150)	N	
axis_I_diag_code_30	varchar(150)	N	
axis_I_diag_code_4	varchar(150)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

axis_l_diag_code_5	varchar(150)	N	
axis_l_diag_code_6	varchar(150)	N	
axis_l_diag_code_7	varchar(150)	N	
axis_l_diag_code_8	varchar(150)	N	
axis_l_diag_code_9	varchar(150)	N	
axis_l_diag_value_1	varchar(150)	N	
axis_l_diag_value_10	varchar(150)	N	
axis_l_diag_value_11	varchar(150)	N	
axis_l_diag_value_12	varchar(150)	N	
axis_l_diag_value_13	varchar(150)	N	
axis_l_diag_value_14	varchar(150)	N	
axis_l_diag_value_15	varchar(150)	N	
axis_l_diag_value_16	varchar(150)	N	
axis_l_diag_value_17	varchar(150)	N	
axis_l_diag_value_18	varchar(150)	N	
axis_l_diag_value_19	varchar(150)	N	
axis_l_diag_value_2	varchar(150)	N	
axis_l_diag_value_20	varchar(150)	N	
axis_l_diag_value_21	varchar(150)	N	
axis_l_diag_value_22	varchar(150)	N	
axis_l_diag_value_23	varchar(150)	N	
axis_l_diag_value_24	varchar(150)	N	
axis_l_diag_value_25	varchar(150)	N	
axis_l_diag_value_26	varchar(150)	N	
axis_l_diag_value_27	varchar(150)	N	
axis_l_diag_value_28	varchar(150)	N	
axis_l_diag_value_29	varchar(150)	N	
axis_l_diag_value_3	varchar(150)	N	
axis_l_diag_value_30	varchar(150)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

axis_l_diag_value_4	varchar(150)	N	
axis_l_diag_value_5	varchar(150)	N	
axis_l_diag_value_6	varchar(150)	N	
axis_l_diag_value_7	varchar(150)	N	
axis_l_diag_value_8	varchar(150)	N	
axis_l_diag_value_9	varchar(150)	N	
data_entry_by_option	varchar(50)	N	Data Entry By (Option)
data_entry_time	varchar(50)	N	Data Entry Time
data_entry_user_id	varchar(40)	N	Data Entry User Id
data_entry_user_name	varchar(40)	N	
date_of_diagnosis	datetime	N	Date Of Diagnosis
gen_med_csi_code	varchar(50)	N	General Medical Condition Summary Code (CSI)
gen_med_csi_value	varchar(200)	N	
gen_med_csi_value_long	varchar(4096)	N	
option_desc	varchar(80)	N	
option_id	varchar(40)	N	Option Id
secondary_diagnosis_code	varchar(50)	N	
secondary_diagnosis_value	varchar(150)	N	
sub_ab_dep_csi_code	varchar(50)	N	Substance Abuse / Dependence (CSI)
sub_ab_dep_csi_value	varchar(50)	N	
sub_ab_dep_diag_csi_code	varchar(150)	N	Substance Abuse / Dependence Diagnosis (CSI)
sub_ab_dep_diag_csi_vaue	varchar(150)	N	
tertiary_diagnosis_code	varchar(50)	N	
tertiary_diagnosis_value	varchar(150)	N	
trauma_csi_code	varchar(50)	N	Time Of Diagnosis
trauma_csi_value	varchar(50)	N	Trauma (CSI)
LegalEntityNumber		N	

V_AvatarEpisode

Description: Avatar Episode

Column Name	Type	Reqd	Description
blank_row_id	varchar(254)	N	
FACILITY	int	N	
PATID	varchar(20)	N	
EPN_uniqueid	varchar(10)	N	
EPISODE_NUMBER	int	N	Episode Number
program_code	varchar(50)	N	Program
program_value	varchar(40)	N	
preadmit_admission_date	date	N	Preadmit/Admission Date
date_of_discharge	date	N	
data_entry_date	date	N	
data_entry_time	varchar(10)	N	Data Entry Time
data_entry_by	varchar(40)	N	Entry Person
episode_select_for_query	varchar(70)	N	
v_patient_name	varchar(40)	N	
program_X_tx_setting_code	varchar(10)	N	
program_X_tx_setting_value	varchar(40)	N	
program_X_RRG_code	varchar(10)	N	
program_X_type_code	varchar(10)	N	
program_X_tax_id	varchar(40)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

program_X_street_address	varchar(40)	N	
program_X_city_state_zip	varchar(40)	N	
program_X_location_code	varchar(40)	N	
program_X_location_value	varchar(40)	N	
program_X_type_value	varchar(40)	N	
program_X_RRG_value	varchar(40)	N	
data_entry_by_option	varchar(40)	N	Data Entry By (Option)
program_X_phone_number	varchar(40)	N	
alert_access_options	varchar(50)	N	
alert_access_type	varchar(50)	N	
data_entry_user_id	varchar(40)	N	Data Entry User Id
data_entry_user_name	varchar(80)	N	
last_date_of_service	date	N	
program_X_HCFA_POS	varchar(40)	N	
user_row_access_code	int	N	
LegalEntityNumber		N	

v_ClientWAvatarGrp

Description: Avatar Client Grp

Column Name	Type	Reqd	Description
ClientId	Char(35)	N	The Client's DMHID.
NameLast	Vchar(50)	N	Last Name of the Client
NameFirst	Vchar(50)	N	First Name of Client
NameMid	Vchar(50)	N	Middle Name of the Client
Gender	Vchar(255)	N	Gender of the client
BirthDate	Date Time	N	Date of birth of client
SSN	Vchar(11)	N	Client's social security number
LevelOfCare	Vchar(255)	N	Level of care associated with a client.
EnglishSpeaking	bit	N	Indicates if the client can speak English
LanguagePrimary	Vchar(255)	N	Primary language of client
LanguagePreferred	Vchar(255)	N	Client's preferred language
APR	Vchar(255)	N	Client's APR
Veteran	int	N	Identifies if client is a veteran
Ethnicity	Vchar(255)	N	Client's ethnicity
Handicap	Vchar(255)	N	Identifies client's handicap
DateOfDeath	Date Time	N	Client's date of death
Transient	bit	N	Indicates client is a transient
TimeHomeless	Vchar(255)	N	Indicates how long the client has been a transient
Address1	Vchar(75)	N	Client's address
Address2	Vchar(75)	N	Client's address
City	Vchar(50)	N	Client's city

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

State	Char(2)	N	Client's State
PostalCode	Vchar(15)	N	
County	int	N	Client's County
PhoneHome	Vchar(25)	N	Client's home phone number
PhoneBusiness	Vchar(25)	N	Client's business phone number
AddressMemo	Vchar(250)	N	Free format text field of address information
UMDPDate	DateTime	N	Date the UMDAP was performed.
IncomeSource	Vchar(50)	N	Indicates the client's income source code.
UMDAPProviderInstancelid	Int	N	Billing Provider Instance ID for the UMDAP. This is set to the Provider Context Service Location when the UMDPDate is entered.
UMDAPProviderId	Int	N	IS Internal ID for the Billing Provider
UMDAPProviderName	Vchar(62)	N	Name of the Billing Provider
Dependents	Int	N	The client's number of dependents
FamilyIncome	Money	N	Client's family income
AnnualLiability	Money	N	Client's annual liability
BirthCounty	Vchar(50)	N	Client's birth county
BirthState	Char(2)	N	Client's birth state
BirthCountry	Char(2)	N	Client's birth country
SFPRProviderInstancelid	int	N	Rendering Provider Instance ID for the Single Fixed point of Responsibility (SFPR) for the client. This is a rendering provider.
SFPRProviderID	int	N	Name of the SFPR Provider
SFPRProviderName	Vchar(62)	N	
SFPRTelephone	Vchar(10)	N	
ClinicalClientid	Vchar(50)	N	
DateCreated	Date Time	N	Date the client record was created
DateUpdated	Date Time	N	Date the client record was last updated
NameMotherMaiden	Vchar(50)	N	Client's mother's maiden name
AkaNameFirst	Vchar(50)	N	AKA First name of client
AkaNameMid	Vchar(50)	N	AKA Middle name or client

AkaNameLast	Vchar(50)	N	AKA/Maiden Last name of client
Origin	Vchar(255)	N	Client's origin
Tribe	Vchar(255)	N	Client's tribe
SFPRSpecialProgram	Vchar(255)	N	SFPR Special Program name assigned to the client
LegalEntityNumber			
ClientNum			
GroupID			
AvatarClientID			

v_DMHCclaimNGA

Primary Source Tables:

Column Name	Type	Reqd	Description
FACILITY	Int	N	
file_index	varchar(50)	N	
file_status	varchar(50)	N	
ClaimStatus	varchar(50)	N	
VoidStatus	varchar(50)	N	
Claim_Type	Int	N	
SubmitDate	Datetime	N	
BATCHID	varchar(50)	N	
SVCuniqueid	varchar(50)	N	
CLAIMID	Int	N	
Head_Index	Int	N	
ClaimNumber_MSO	varchar(50)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

IB837FileName	varchar(250)	N	
claim_submt_id	varchar(50)	N	
PATID	varchar(20)	N	
patient_name	varchar(50)	N	
date_of_birth	varchar(10)	N	
patient_ssn	varchar(50)	N	
JOIN_TO_AUTUniqueid	varchar(50)	N	
FUNDSRCID	varchar(50)	N	
authorization_number	varchar(50)	N	
fund_src_name	varchar(50)	N	
VOUCHERID	Int	N	
ProvID	varchar(50)	N	
provider_name	varchar(50)	N	
total_charge	Decimal (15,2)	N	
location	varchar(50)	N	
approved_units	Decimal (15,2)	N	
parent_nspace_link_to_DD	varchar(50)	N	
date_of_service	Datetime	N	
procedure_code_code	varchar(50)	N	
prov_pgm_link	varchar(50)	N	
total_fee_table_amt	Decimal (15,2)	N	
type_of_service_code	varchar(50)	N	
claim_status_code	varchar(50)	N	
explan_of_coverage	varchar(255)	N	
Claim_Unique_ID	varchar(50)	N	
batch_status_code	varchar(50)	N	
batch_status_value	varchar(50)	N	
OB_ClaimSubID	varchar(50)	N	
ClaimNumber_CalIPM	varchar(10)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

CalPMStatus	varchar(50)	N	
Cost_Report_Cat_Value	varchar(50)	N	
program_X_RRG_value	varchar(40)	N	
EOBID	varchar(255)	N	
EOB_Check_Number	varchar(50)	N	
CalPM_Batch_Number	varchar(50)	N	
OB837File_name	varchar(200)	N	
OB837_File_Index	varchar(10)	N	
MediCalID	varchar(50)	N	
SvcMonth	varchar(2)	N	
SvcYear	varchar(4)	N	
ServiceLocationName	varchar(50)	N	
MedicarePaidAMount	currency	N	
ClientPaidAmount	currency	N	
PrivateInsuranceAMount	currency	N	
tot_disbursement_amt	Decimal(15,2)	N	
MediCalClaim	Y/N	N	
MedicareClaim	Y/N	N	
Mode	varchar(10)	N	
SFC	varchar(10)	N	
ApprvAidCode	varchar(10)	N	
adjustment_code	varchar(50)	N	
ServiceLocationProviderID	varchar(255)	N	
BillingProviderID	varchar(255)	N	
BillingProviderName	varchar(60)	N	
PaytoProviderid	varchar(255)	N	
LegalEntityNumber	varchar(10)	N	
LegalEntityName	varchar(10)	N	
RetroEOBID	Int	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

TakeBackAmt	Decimal(15,2)	N	
FY	varchar(10)	N	
FacilityCodeValue	varchar(50)	N	
Service_Units	Decimal(15,2)	N	
InsuranceClaim	Y/N	N	
JOIN_TO_TX_HISTORY	varchar(30)	N	
perf_prov_name	varchar(50)	N	
EPISODE_NUMBER	Decimal(18,0)	N	
cal_billing_units	Decimal(15,2)	N	
diagnosis_code	varchar(50)	N	
ref_id_1	varchar(50)	N	

v_GuarSubsData

Primary Source Tables:

Column Name	Type	Reqd	Description
subs_data_row_id	varchar(254)	N	
FACILITY	Decimal (18,0)	N	
PATID	varchar(20)	N	
S_INDEX	varchar(15)	N	
subs_name	varchar(40)	N	
client_relation_to_subs_code	varchar(5)	N	
client_relation_to_subs_value	varchar(40)	N	
subs_address_street1	varchar(40)	N	
subs_address_street2	varchar(40)	N	
subs_address_city	varchar(40)	N	
subs_address_state	varchar(2)	N	
subs_address_zip	varchar(10)	N	
subs_phone_number	varchar(20)	N	
subs_ss_number	varchar(11)	N	
subs_sex_code	varchar(5)	N	
subs_sex_value	varchar(40)	N	
subs_policy	varchar(20)	N	
subs_group_name	varchar(40)	N	
subs_group	varchar(40)	N	
subs_branch_service_code	varchar(5)	N	
subs_branch_service_value	varchar(40)	N	
subs_military_status_code	varchar(5)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

subs_military_status_value	varchar(40)	N	
subs_tx_auth_code	varchar(5)	N	
subs_tx_auth_value	varchar(40)	N	
subs_assignment_benefits_code	varchar(5)	N	
subs_assignment_benefits_value	varchar(40)	N	
subs_release_info_code	varchar(5)	N	
subs_release_info_value	varchar(40)	N	
subs_birth_date	Datetime	N	
GUARANTOR_ID	varchar(10)	N	
subs_medicare_number	varchar(11)	N	
subs_work_phone	varchar(20)	N	
subs_address_county_code	varchar(5)	N	
subs_address_county_value	varchar(40)	N	
subs_mcaid_number	varchar(9)	N	
subs_covered_days	Decimal (18,0)	N	
subs_max_covered_dollars	Decimal (15,2)	N	
EPISODE_NUMBER	Decimal (18,0)	N	
aid_code	varchar(50)	N	
aid_code_value	varchar(50)	N	
client_rel_sub_X_bill_code	varchar(50)	N	
client_rel_sub_X_bill_value	varchar(50)	N	
eff_date_medi_cal_elig	Datetime	N	
eligibility_code	varchar(50)	N	
eligibility_code_value	varchar(50)	N	
lifetime_reserve_days	varchar(50)	N	
prg_override_code	varchar(50)	N	
prg_override_value_long	varchar(50)	N	
prg_override_value_short	varchar(255)	N	
sub_add_id_ident	varchar(50)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

sub_add_id_qua_code	varchar(50)	N	
sub_add_id_qua_value	varchar(50)	N	
sub_client_index_num	varchar(50)	N	
subs_id_card_issue_date	Datetime	N	
subs_policy_override	varchar(50)	N	
user_row_access_code	Decimal (18,0)	N	
dss_facility_id	Decimal (18,0)	N	
PMbilling_guar_subs_dataID	varchar(255)	N	
LegalEntityNumber	varchar(50)	N	

v_LA_Systemwide_Annual_Lblty

Primary Source Tables:

Column Name	Type	Reqd	Description
ID	varchar(254)	N	
CUSTHDZL_UID	varchar(20)	N	
Data_Entry_By_Login	varchar(40)	N	
Data_Entry_By_Option	varchar(40)	N	
Data_Entry_Date	Datetime	N	
Data_Entry_Source	varchar(255)	N	
Data_Entry_Time	varchar(10)	N	
Data_Entry_User_Id	varchar(40)	N	
Data_Hash	varchar(128)	N	
Data_Hash_Calculated	varchar(128)	N	
Data_Hash_Fields	varchar(255)	N	
FACILITY	Decimal (18,0)	N	
Option_Desc	varchar(80)	N	
Option_Id	varchar(20)	N	
PATID	varchar(20)	N	
annual_liability	Decimal (15,4)	N	
begin_date	Datetime	N	
created_by	varchar(20)	N	
created_by_Value	varchar(40)	N	
creation_date	Datetime	N	
dependents	Decimal (18,0)	N	
family_member	varchar(80)	N	

income	Decimal (15,4)	N	
legal_entity	varchar(40)	N	
legal_entity_Value	varchar(40)	N	
note	varchar(80)	N	
dss_facility_id	Decimal (18,0)	N	

v_MSODenied_data

Primary Source Tables:

Column Name	Type	Reqd	Description
file_index	varchar(50)	N	
PATID	varchar(20)	N	
ClaimStatus	varchar(50)	N	
SubmitDate	Datetime	N	
SVCuniqueid	varchar(50)	N	
CLAIMID	Int	N	
claim_submt_id	varchar(50)	N	
explan_of_coverage	varchar(254)	N	
LegalEntityNumber	varchar(50)	N	
date_of_service	Datetime	N	
procedure_code_type_value	varchar(50)	N	
total_charge	Decimal (10,2)	N	

v_Provider_Performing_Data

Primary Source Tables:

Column Name	Type	Reqd	Description
ID	Varchar (254)	N	
FACILITY	Decimal (18,0)	N	
JOIN_TO_PPLuniqueid_PERFH	varchar(50)	N	
JOIN_TO_REGuniqueid	varchar(50)	N	
PERFID	varchar(50)	N	
PPLuniqueid	varchar(50)	N	
PROVID	varchar(50)	N	
board_certified_code	varchar(20)	N	
board_certified_value	varchar(50)	N	
board_eligible_code	varchar(50)	N	
board_eligible_value	varchar(50)	N	
convicted_felony_code	varchar(50)	N	
convicted_felony_txt	varchar(255)	N	
convicted_felony_value	varchar(50)	N	
counties_srzd_code	varchar(50)	N	
counties_srzd_value	varchar(255)	N	
counties_srzd_value_long	varchar(255)	N	
cred_board_app_date	Datetime	N	
data_entry_by	varchar(40)	N	
data_entry_by_option	varchar(50)	N	
data_entry_date	Datetime	N	
data_entry_time	varchar(50)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

data_entry_user_id	varchar(40)	N	
data_entry_user_name	varchar(40)	N	
dea_license_number	varchar(50)	N	
degreeyear_graduated	varchar(50)	N	
eff_end_date	Datetime	N	
eff_start_date	Datetime	N	
evals_48_hours_code	varchar(50)	N	
evals_48_hours_value	varchar(50)	N	
evals_immediate_code	varchar(50)	N	
evals_immediate_value	varchar(50)	N	
hospital_privileges_code	varchar(50)	N	
hospital_privileges_value	varchar(50)	N	
hospital_priv_val_long	varchar(255)	N	
hosp_priv_prob_code	varchar(40)	N	
hosp_priv_prob_text	varchar(255)	N	
hosp_priv_prob_value	varchar(50)	N	
inactive_code	varchar(50)	N	
inactive_value	varchar(50)	N	
ins_companies_code	varchar(50)	N	
ins_companies_value	varchar(255)	N	
ins_companies_value_long	varchar(255)	N	
option_desc	varchar(80)	N	
option_id	varchar(20)	N	
other_languages_code	varchar(50)	N	
other_languages_value	varchar(255)	N	
other_lang_value_long	varchar(255)	N	
perf_proc_caid_num	varchar(50)	N	
perf_pro_rac_eth_val_long	varchar(255)	N	
perf_prov_age_group_code	varchar(50)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

perf_prov_age_group_value	varchar(255)	N	
perf_prov_birthdate	Datetime	N	
perf_prov_city	varchar(50)	N	
perf_prov_county_value	varchar(50)	N	
perf_prov_email_address	varchar(50)	N	
perf_prov_gender_code	varchar(50)	N	
perf_prov_gender_value	varchar(50)	N	
perf_prov_license_code	varchar(50)	N	
perf_prov_license_value	varchar(255)	N	
perf_prov_licens_val_long	varchar(255)	N	
perf_prov_name	varchar(50)	N	
perf_prov_race_eth_code	varchar(50)	N	
perf_prov_race_eth_value	varchar(255)	N	
perf_prov_ssn	varchar(50)	N	
perf_prov_state	varchar(50)	N	
perf_prov_st_num_1	varchar(50)	N	
perf_prov_street_1	varchar(50)	N	
perf_prov_street_2	varchar(50)	N	
perf_prov_zip_code	varchar(50)	N	
perf_prv_age_grp_val_long	varchar(255)	N	
primary_license_code	varchar(50)	N	
primary_license_val	varchar(50)	N	
provider_id_qual_code	varchar(50)	N	
provider_id_qual_val	varchar(50)	N	
recvd_board_cert_code	varchar(50)	N	
recvd_board_cert_val	varchar(50)	N	
recvd_cv_code	varchar(50)	N	
recvd_cv_val	varchar(50)	N	
reg_end_date	Datetime	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

reg_start_date	Datetime	N	
resid_inst_address	varchar(50)	N	
resid_inst_name	varchar(50)	N	
resid_mmyy_mmyy	varchar(50)	N	
special_accomod_code	varchar(50)	N	
special_accomod_val_long	varchar(255)	N	
special_accomod_value	varchar(255)	N	
specialties_code	varchar(50)	N	
specialties_value	varchar(255)	N	
specialties_value_long	varchar(255)	N	
trt_age_grp_spec_code	varchar(50)	N	
trt_age_grp_spec_val_long	varchar(255)	N	
trt_age_grp_spec_value	varchar(255)	N	
upin_number	varchar(50)	N	
dss_facility_id	Decimal (15,2)	N	
MSOtable_prov_fee_byprogID	varchar(255)	N	
LegalEntityNumber	varchar(50)	N	

v_ServiceAuthDetail

Primary Source Tables:

Column Name	Type	Reqd	Description
ID	Decimal (18,0)	N	
AUTuniqueid	varchar(50)	N	
FACILITY	Decimal (18,0)	N	
FUNDSRCID	varchar(50)	N	
GUID	varchar(50)	N	
JOIN_TO_contract_CORuniqueid	varchar(50)	N	
JOIN_TO_member_CONuniqueid	varchar(50)	N	
JOIN_TO_provider_REGuniqueid	varchar(50)	N	
PATID	varchar(20)	N	
PLAN_ID	varchar(50)	N	
PROVID	varchar(50)	N	
UTCTimestamp	varchar(19)	N	
account_code	varchar(50)	N	
account_level	varchar(50)	N	
account_level_name	varchar(50)	N	
account_status_code	varchar(50)	N	
account_status_value	varchar(50)	N	
account_value	varchar(50)	N	
auth_grouping_code	varchar(50)	N	
auth_grouping_value	varchar(50)	N	
auth_grp_or_indiv_code	varchar(50)	N	
auth_grp_or_indiv_value	varchar(50)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

auth_level_care_code	varchar(50)	N	
auth_level_care_value	varchar(50)	N	
authorization_number	varchar(50)	N	
auth_status_change_day	varchar(50)	N	
auth_status_change_min	varchar(50)	N	
auth_status_change_sec	varchar(50)	N	
auth_type_code	varchar(50)	N	
auth_type_value	varchar(50)	N	
begin_date_of_auth	Datetime	N	
clm_stat_inh_svc_cd	varchar(50)	N	
clm_stat_inh_svc_val	varchar(50)	N	
clm_stat_reas_inh_svc_cd	varchar(50)	N	
clm_stat_reas_inh_svc_val	varchar(50)	N	
comments_on_auth	varchar(50)	N	
cont_prov_auth	varchar(40)	N	
curr_auth_stat_reas_code	varchar(50)	N	
curr_auth_stat_reas_value	varchar(50)	N	
curr_auth_status_code	varchar(50)	N	
curr_auth_status_value	varchar(50)	N	
data_entry_by	varchar(40)	N	
data_entry_by_option	varchar(50)	N	
data_entry_date	Datetime	N	
data_entry_time	varchar(50)	N	
data_entry_user_id	varchar(40)	N	
data_entry_user_name	varchar(40)	N	
end_date_of_auth	Datetime	N	
financial_eligibility	varchar(50)	N	
funding_source_name	varchar(50)	N	
inhibit_adj_code	varchar(50)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

inhibit_adj_value	varchar(50)	N	
inhibit_cpt_svc_code_code	varchar(50)	N	
inhibit_cpt_svc_code_val	varchar(50)	N	
inhibit_procedure_group_cd	varchar(50)	N	
inhibit_procedure_group_val	varchar(50)	N	
inhibit_revenue_code_code	varchar(50)	N	
inhibit_revenue_code_val	varchar(50)	N	
init_or_contin_auth_code	varchar(50)	N	
init_or_contin_auth_val	varchar(50)	N	
internal_comments	varchar(50)	N	
jointoprimdiagnosis	varchar(40)	N	
jointosecdiagnosis	varchar(40)	N	
letter_type_code	varchar(50)	N	
letter_type_value	varchar(50)	N	
level_of_care_code	varchar(50)	N	
level_of_care_value	varchar(50)	N	
next_review_date	Datetime	N	
option_desc	varchar(50)	N	
option_id	varchar(50)	N	
original_data_entry_person	Datetime	N	
original_date_entry	varchar(50)	N	
original_time_entry	varchar(50)	N	
performing_provider	varchar(50)	N	
performing_prov_type	varchar(50)	N	
performing_prv_type_value	varchar(50)	N	
perf_provider_name	varchar(50)	N	
planned_admit_date	Datetime	N	
primary_account_code	varchar(50)	N	
primary_account_value	varchar(50)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

primary_diagnosis	varchar(50)	N	
prim_dsm4_diag_code	varchar(40)	N	
prim_dsm4_diag_value	varchar(40)	N	
prim_icd10_diag_code	varchar(40)	N	
prim_icd10_diag_value	varchar(40)	N	
prim_icd9_diag_code	varchar(40)	N	
prim_icd9_diag_value	varchar(40)	N	
provider_connect_user	varchar(150)	N	
provider_name	varchar(50)	N	
provider_to_be_auth	varchar(50)	N	
prov_pgm_link	varchar(50)	N	
prov_pgm_name	varchar(50)	N	
prov_submitting_request	varchar(50)	N	
rem_liab_total	Decimal (15,2)	N	
sec_dsm4_diag_code	varchar(40)	N	
sec_dsm4_diag_value	varchar(40)	N	
sec_icd10_diag_code	varchar(40)	N	
sec_icd10_diag_value	varchar(40)	N	
sec_icd9_diag_code	varchar(40)	N	
sec_icd9_diag_value	varchar(40)	N	
secondary_diagnosis	varchar(50)	N	
status_code	varchar(50)	N	
status_value	varchar(50)	N	
total_estimated_liab	Decimal (15,2)	N	
type_of_auth_code	varchar(50)	N	
type_of_auth_value	varchar(50)	N	
unique_case_identifer	varchar(50)	N	
dss_facility_id	Decimal (15,2)	N	
MSOtable_prov_fee_byprogID	varchar(255)	N	

LegalEntityNumber	varchar(50)	N	
-------------------	-------------	---	--

V_Staff_Current_Demographics

Primary Source Tables:

Column Name	Type	Reqd	Description
staff_demographics	Vchar(254)	N	
FACILITY	numeric	N	
STAFFID	Vchar(10)	N	
name	Vchar(40)	N	
date_of_birth	date time	N	Date Of Birth
ssn	Vchar(15)	N	
registration_date	date time	N	
discipline_code	Vchar(10)	N	Discipline
categories_for_coverage_all	Vchar(50)	N	Practitioner Categories For Coverage
practitioner_category_code	Vchar(15)	N	Practitioner Category
office_address_street	varchar(40)	N	Office Address - Street
office_add_zip	varchar(20)	N	Office Address - Zip Code
office_address_city	varchar(20)	N	Office Address - City
office_add_state	varchar(10)	N	Office Address - State
office_phone_1	varchar(40)	N	Office Telephone (1)
office_phone_2	varchar(40)	N	Office Telephone (2)
office_in_med_bldg_code	varchar(10)	N	Located In Medical Office Building
beeper_number	varchar(20)	N	Beeper Number
home_address_street	varchar(40)	N	Home - Street
home_add_zip	varchar(20)	N	Home - Zip Code

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

home_address_city	varchar(20)	N	Home - City
home_address_state	varchar(10)	N	Home - State
board_certified_code	varchar(20)	N	Board Certified
national_reg_code	varchar(20)	N	National Register
malpractice_ins_co	varchar(40)	N	Malpractice Insurance Company
malpractice_policy_no	varchar(40)	N	Malpractice Policy Number
malpractice_exp_date	Date time	N	Malpractice Expiration Date
exec_committe_app_date	Date time	N	Executive Committee Approval Date
board_of_trust_app_date	Date time	N	Board Of Trustees Approval Date
date_most_rec_reapp_to_staff	Date time	N	Most Recent Reappointment To Staff
most_rec_reapp_period	Date time	N	
req_staff_category_code	varchar(20)	N	Requested Staff Category
privileges_code	varchar(20)	N	Privileges
discipline_value	varchar(40)	N	
practitioner_category_value	varchar(40)	N	
privileges_value	varchar(40)	N	
office_in_med_bldg_value	varchar(10)	N	
board_certified_value	varchar(40)	N	
national_reg_value	varchar(40)	N	
req_staff_category_value	varchar(15)	N	
home_telephone	varchar(15)	N	Home Telephone
cellular_telephone	varchar(15)	N	
DEA_license_number	varchar(40)	N	
DEA_expiration_date	date time	N	
categories_for_cov1_code	varchar(10)	N	
categories_for_cov2_code	varchar(10)	N	
categories_for_cov3_code	varchar(10)	N	
categories_for_cov4_code	varchar(10)	N	
categories_for_cov5_code	varchar(10)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

categories_for_cov1_value	varchar(40)	N	
categories_for_cov2_value	varchar(40)	N	
categories_for_cov3_value	varchar(40)	N	
categories_for_cov4_value	varchar(40)	N	
categories_for_cov5_value	varchar(40)	N	
arra_pract_type_code	varchar(50)	N	ARRA Practitioner Type
arra_pract_type_value	varchar(50)	N	
arra_report_mea_code	varchar(50)	N	ARRA Reportable Measures
arra_report_mea_val	varchar(40)	N	
ethnic_origin_code	varchar(5)	N	
ethnic_origin_value	varchar(20)	N	
exclude_from_calendar	varchar(5)	N	
medi_cal_certified_code	varchar(50)	N	
medi_cal_certified_value	varchar(50)	N	
npi_number	varchar(50)	N	NPI Number
prac_credentials_code	varchar(50)	N	Practitioner Credentials
prac_credentials_shval	varchar(255)	N	
prac_credentials_value	varchar(4096)	N	
prac_edu_level_code	varchar(5)	N	
prac_edu_level_value	varchar(250)	N	
practitioner_language	varchar(255)	N	Practitioner Language
practitioner_language_sh_value	varchar(255)	N	
practitioner_language_value	varchar(4096)	N	
pract_sub_type_code	varchar(50)	N	
pract_sub_type_value	varchar(40)	N	
pract_type_code	varchar(50)	N	
pract_type_valu	varchar(40)	N	
prg_assoc_code	varchar(1000)	N	Program Association
prg_assoc_value_long	varchar(4096)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

prg_assoc_value_short	varchar(255)	N	
sex_code	varchar(5)	N	Sex
sex_value	varchar(15)	N	
taxonomy_code	varchar(50)	N	Taxonomy Code
tin_number	varchar(50)	N	Tax Identification Number
LegalEntityNumber	varchar(50)	N	

v_table_prov_free_byprog

Primary Source Tables:

Column Name	Type	Reqd	Description
ID	Decimal (18,0)	N	
FACILITY	Decimal (18,0)	N	
FUNDSRCID	varchar(50)	N	
GUID	varchar(50)	N	
PATID	varchar(20)	N	
PLANID	varchar(50)	N	
PROCEDURE_CODE	varchar(50)	N	
PROVID	varchar(50)	N	
PLAN_ID	varchar(19)	N	
UTCTimestamp	varchar(50)	N	
age_max	Decimal (15,2)	N	
age_min	Decimal (15,2)	N	
allow_dupl_services_code	varchar(50)	N	
allow_dupl_services_value	varchar(55)	N	
amount	Decimal (15,2)	N	
data_entry_by	varchar(40)	N	
data_entry_by_option	varchar(50)	N	
data_entry_date	Datetime	N	
data_entry_time	varchar(50)	N	
discipline_code	varchar(50)	N	
discipline_value	varchar(50)	N	
duration_max	Decimal (15,2)	N	

Los Angeles County Department Of Mental Health
Avatar Tables DataWarehouse Load

duration_min	Decimal (15,2)	N	
effective_date	Datetime	N	
expiration_date	Datetime	N	
fund_src_name	varchar(50)	N	
gl_expense_account	varchar(50)	N	
max_approved_units	Decimal (15,2)	N	
member_name	varchar(50)	N	
override_fee_in_pm	varchar(50)	N	
plan_name	varchar(50)	N	
primary_level_of_care_code	varchar(50)	N	
primary_level_of_care_value	varchar(50)	N	
procedure_code_type_code	varchar(50)	N	
procedure_code_type_value	varchar(50)	N	
prov_pgm_link	varchar(50)	N	
prov_pgm_name	varchar(50)	N	
rcc	Int	N	
rcc_percent	Int	N	
rcc_percent_use_code	varchar(50)	N	
rcc_percent_use_value	varchar(50)	N	
state_report1	varchar(80)	N	
state_report2	varchar(80)	N	
state_report3	varchar(80)	N	
status	varchar(50)	N	
dss_facility_id	Decimal (15,2)	N	
MSOtable_prov_fee_byprogID	varchar(255)	N	
LegalEntityNumber	varchar(50)	N	