Application Release Notes

Name of Application:	Client Service
Date of Deployment:	Monday, April 17, 2017
Version#	201701
Environment:	DMH PRODUCTION ENVIRONMENT
WSDL URL:	

https://b2b.dmh.lacounty.gov/ClientService/ClientServiceInterface.svc?wsdl

Requirements/Issues/Tasks

ID	Description
7379, 7538	Modified the list of acceptable values for [ICD10Code] data attribute in {CreateClientDiagnosis} and { UpdateClientDiagnosis} operations to accommodate the ICD10 code-changes set by American Psychiatric Association. Please refer to the DMH IBHIS Dictionary Values V4.2.
7542, 7541, 7540	Modified the list of acceptable values for [ClientOtherRace] data attribute in • {AdmitNewClient} • {AdmitExistingClient} • {UpdateClientDetails} to align with the list of acceptable values for [CSIRace] data attribute of • {CreateClientCSI} • {UpdateClientDetails} calls.
7241, 7191	Modified the list of acceptable values for [CSIRace] data attribute in • {CreateClientCSI} • {UpdateClientDetails} to align with the list of acceptable values for [ClientOtherRace] data attribute of • {AdmitNewClient} • {AdmitExistingClient} • {UpdateClientDetails} calls.
7339	Added the functionality to show two different lists of the acceptable values for [TypeOfDischarge] data attribute for {DischargeClient} call based on the admission episode so that it will prevent outpatient discharge with inpatient 'Type of Discharge' value.
7384, 7383, 5829, 7385	Added the functionality to allow pseudo SSN values (numbers ending with 'P' or 'Q') in the [SocialSecurityNumber] data attribute of the following calls: • {AdmitNewClient} • {AdmitExistingClient} • {UpdateClientDetails} • {SearchClient}
6753	Modified the validation for [Alias] data attribute to accept numbers in {SearchClient} call so search by Alias ID will be possible to retrieve any matching record from IBHIS that has the Alias ID values in Alias field(s).
7543	Modified the validation of [SubscriberSocialSecurityNumber] of {UpdateClientFinEligibility} to not allow the following: • all 0s thru all 8s

ID	Description
	- Area numbers with 000, 666 and 900-999 (note: first 3 digits are the area numbers) - Numbers with all zeros in any digit group (000-##-####, ###-00-####, ###-##-0000) - Numbers from 987-65-4320 to 987-65-4329 And allow the following: pseudo-SSN format: ########P, ########Q (where # = 0 thru 9)
7634	Modified the BizTalk mapping so that the following code translations take place when we admit, update, retrieve client records to and from Avatar: For {AdmitNewClient}; [AdmitExistingClient} and {UpdateClientDetails} calls' [ClientOtherRace] data attribute: 　　　Translate DMH code WhiteOrCaucasian to Avatar code 1 　　　Translate DMH code BlackOrAfricanAmerican to Avatar code 2 　　　Translate DMH code AlaskaNative to Avatar code 4 For {GetClientDetails} call's [ClientOtherRace] data attribute: 　　　Translate Avatar code 1 to DMH code WhiteOrCaucasian 　　　Translate Avatar code 2 to DMH code BlackOrAfricanAmerican 　　　Translate Avatar code 4 to DMH code AlaskaNative For {CreateClientCSI} and {UpdateClientDetails} calls' [CSIRace] data attribute: 　　　Translate DMH code HawaiianNative to Avatar code P For {GetClientCSIs} call's [CSIRace] data attribute: Translate Avatar code P to DMH code HawaiianNative
7617, 7654, 7655	Modified the maximum length of [ClientFirstName] and [ClientLastName] data attributes for the operations as described below so that client records with long last names can be admitted without any error. operation: {AdmitNewClient}, {AdmitExistingClient}, {UpdateClientDetails} [ClientLastName], maximum length changed from 20 to 24 [ClientFirstName], maximum length changed from 19 to 16
7657	Modified the maximum length of [ClientLastName] data attribute for the {GetClientDetails} operation as described below so that client records with long last names can be retrieved without any error. [ClientLastName], maximum length changed from 20 to 24
7658	Modified the maximum length of [ClientFirstName] and [ClientLastName] data attributes for the {SearchClient} operation as described below so that client records with long last names can be searched without any error. [ClientLastName], maximum length changed from 20 to 24 for both inbound and outbound messages.
7659	Modified the maximum length of Subscriber's First Name and Last Name data attributes for the Update Client Fin Eligibility operation as described in the 'Details' below so that client's Financial Eligibility records with long last names can be updated without any error. [SubscriberLastName], maximum length changed from 20 to 24 [SubscriberFirstName], maximum length changed from 19 to 16

ID	Description
7660	Modified the maximum length of Subscriber's Last Name data attribute for the Get Client Financial Eligibility operation as described in the 'Details' below, so that client's FE records with long subscriber last names can be retrieved without any error. [SubscriberLastName], maximum length changed from 20 to 24
Task-3617	Modified WSDL URLs so that updated structure of the Client Services can be found from where its published: Old url: https://b2btst.dmh.lacounty.gov/clientservice/svc.wsdl New url: https://b2btst.dmh.lacounty.gov/clientservice/clientserviceinterface.svc?wsdl
7656, 7650	Modified the Admit New Client and Admit Existing Client operations not to send any value for Subscriber Name so that Avatar generated Client Full Name will be populated in Financial Eligibility record.
7711, 7712, 7713, 7714, 7715, 7716, 7717, 7718, 7719, 7720, 7721, 7722, 7723, 7724, 7725, 7726, 7727	Added the new 7131H and 6758H Program of Admission codes in the acceptable list for the operations outlined below so that Legal Entities with program IDs (LE#) 00212 and 00194 can create '24 hour admission' episodes for these programs- List of operations: AdmitNewClient, AdmitExistingClient, CreateClientCSI, CreateClientDiagnosis, CreateClientPregnancy, DischargeClient, UpdateClientDetails, UpdateClientDiagnosis, UpdateClientPregnancy, UpdateClientFinEligibility, GetClientActiveEpisode, GetClientDiagnosis, GetClientDiagnosisHistory, GetClientFinEligibility, GetClientPreganancyDetails, GetDCFSClientSvcHist and GetClientCSI.