COUNTY OF LOS ANGELES – DEPARTMENT OF MENTAL HEALTH PROGRAM SUPPORT BUREAU – MHSA IMPLEMENTATION AND OUTCOMES DIVISION





Prevention & Early Intervention: Incredible Years Countywide Aggregate Practice Outcomes Dashboard Report

Outcome Data Submission through February 27, 2015

Participating Legal Entities Include:

- articipating Logar Entities moration	
AMANECER COMMUNITY COUNSELING SRVC	HILLSIDES
CHILD AND FAMILY CENTER	INTERCOMMUNITY CHILD GUIDANCE CTR
CHILD AND FAMILY GUIDANCE CENTER	MARYVALE
CHILDREN BUREAU OF S CALIFORNIA	SPECIAL SERVICE FOR GROUPS
CHILDRENS HOSPITAL OF LOS ANGELES	STAR VIEW ADOLESCENT CENTER INC
CHILDRENS INSTITUTE INC	VIP COMMUNITY MENTAL HEALTH CTR INC
DREW CHILD DEVELOPMENT CORPORATION	L.A. COUNTY DMH
FOOTHILL FAMILY SERVICE	LONG BEACH CHILD ADOLESCE
HATHAWAY SYCAMORES CHILD FAM SRVCS	TIES FOR FAMILIES

Agencies submitting outcomes that are not approved to provide IY by PEI Administration:

CENTER FOR INTEGRATED FAMILY HEALTH

	Table 1. IY Status Since Inception to February 27, 2015							
	# of Clients Claimed to Practice	# of Clients Entered into PEI OMA	# of Tx Cycles in PEI OMA	Clients with Multiple Tx Cycles	Clients Completing Tx	Clients Dropping-Out of Tx	Clients Still in Tx	
Ì	2134	69.12%	1513	2.51%	48.51%	27.16%	24.32%	
	n=	1475	n=	37	734	411	368	

Note 1: Clients claimed was based on IY being selected as the EBP in a PEI Plan and having ≥ 2 core services claimed to the practice.

Note 2: Number of clients Completing Tx or Dropping-Out of Tx was determined by whether the EBP was said to be completed (e.g. answered "yes" or "no") in the PEI OMA.

Table 2. Client Demographics - Clients Who Entered IY											
	Age	Ger	nder			Ethnicity			Prim	ary Lang	uage
Total Number of Clients	Average	Female	Male	African-American	Asian / Pacific Islander	Caucasian	Hispanic / Latino	Other	English	Spanish	Other
1475	6	34.51%	65.49%	9.83%	0.88%	3.66%	80.61%	5.02%	56.27%	42.85%	0.88%
-	n=	509	966	145	13	54	1189	74	830	632	13

Note 1: Age is calculated at the date of the first EBP.

Note 2: Percentages may not total 100 due to rounding and/or missing data.

Table 3. To	Table 3. Top 5 Most Frequently Reported DSM-IV Primary Axis Diagnosis - Clients Who Entered IY										
Total Treatment Cycles	Disruptive Behavior Disorder NOS	Attention- Deficit/Hyperactivity Disorder, Combined Type or Hyperactive Impulse Type	Oppositional Defiant Disorder	Anxiety Disorder NOS	Disorder of Infancy, Childhood, or Adolescence NOS	Other					
1513	29.08%	17.38%	7.40%	6.74%	5.49%	33.91%					
n=	440	263	112	102	83	513					

Table 4. Program Process	Data - Clients	Who Entered	IY
Outcome Measures Administered	Pre-Test with Scores	Post-test with Scores	Clients Who Completed both a Pre and Post Measure with Scores
Eyberg Child Behavior Inventory (ECBI)	74.83%	56.34%	32.83%
n=	1085	582	476
Ackn=	1450	1033	1450
Sutter Eyberg Student Behavior Inventory - Revised (SESBI-R)	0.70%	0.77%	0.14%
n=	10	8	2
Ackn=	1419	1034	1419
Youth Outcome Questionnaire - (YOQ) 2.01 (Parent)	84.62%	63.84%	40.24%
n=	1188	639	565
Ackn=	1404	1001	1404
Youth Outcome Questionnaire – Self Report – 2.0 (YOQ-SR)	4.00%	5.41%	2.00%
n=	2	2	1
Ackn=	50	37	50

Note 1: Number of acknowledged measures (Ackn=) is determined by the number of required measures that receive a score or an unable to collect reason code.

Note 2: The % indicated for Pre-test with scores, Post-test with scores, and both a Pre- and Post-test with scores is calculated by dividing the (n=#) by the number acknowledged (Ackn=#) in the PEI OMA system for each measure. The number acknowledged (Ackn=#) for those with Pre and Post scores is an estimate based on the greatest number of matches that could be expected given the number of Pre scores acknowledged.

Table 5a	Table 5a. Top Reasons Given for "Unable to Collect"									
Child Behavior Inventory (ECBI)	Total Pre 365	Outcome measure unavailable	Administration date exceeds acceptable range	Parent/care provider unavailable	Invalid outcome measure	Not available in primary language	Other Reasons			
<u> </u>	Percent	43.01%	16.99%	15.07%	8.22%	5.21%	11.51%			
<u>ö</u>	n	157	62	55	30	19	42			
erg Child Behavi	Total Post 451	Premature termination	Outcome measure unavailable	Parent/care provider unavailable	Not available in primary language	Lost contact with parent/care provider	Other Reasons			
Eyberg	Percent	35.92%	19.07%	17.29%	6.43%	6.21%	15.08%			
	n	162	86	78	29	28	68			

Table 5b.	Table 5b. Top Reasons Given for "Unable to Collect"								
Behavior Inventory - iESBI-R)	Total Pre 1409	Not required (SESBI only)	Outcome measure unavailable	Teacher unavailable	Administration date exceeds acceptable range	Invalid outcome measure	Other Reasons		
hav BI-	Percent	65.37%	14.34%	13.77%	3.26%	1.35%	1.92%		
	n	921	202	194	46	19	27		
Sutter Eyberg Student Revised (Total Post 1026	Not required (SESBI only)	Outcome measure unavailable	Premature termination	Teacher unavailable	Administration date exceeds acceptable range	Other Reasons		
tter	Percent	60.62%	18.81%	8.58%	8.28%	2.34%	1.36%		
Sui	n	622	193	88	85	24	14		

Table 5c.	Table 5c. Top Reasons Given for "Unable to Collect"										
ire - (YOQ)	Total Pre 216	Administration date exceeds acceptable range	Outcome measure unavailable	Parent/care provider unavailable	Invalid outcome measure	Premature termination	Other Reasons				
Questionnaire I (Parent)	percent	35.19%	23.15%	20.83%	6.48%	5.56%	8.80%				
uestion (Parent)	n	76	50	45	14	12	19				
Outcome Que 2.01 (P	Total Post 362	Premature termination	Outcome measure unavailable	Parent/care provider unavailable	Lost contact with parent/care provider	Administration date exceeds acceptable range	Other Reasons				
th 0	percent	41.71%	20.44%	17.96%	7.46%	7.46%	4.97%				
Youth	n	151	74	65	27	27	18				

	Table 5d. Top Reasons Given for "Unable to Collect"								
Questionnaire - Self 2.0 (YOQ-SR)	Total Pre 48	Client unavailable	Outcome measure unavailable	Invalid outcome measure	Premature termination	Administration date exceeds acceptable range			
estionnai (YOQ-SR)	Percent	60.42%	27.08%	8.33%	2.08%	2.08%			
esti (YO	n	29	13	4	1	1			
Outcome Report - 2	Total Post 35	Outcome measure unavailable	Client unavailable	Premature termination	Invalid outcome measure				
Youth	Percent	37.14%	37.14%	17.14%	8.57%				
You	n	13	13	6	3				

Та	Table 6. Service Delivery Data – Clients Who Completed IY							
Tr	Total eatment Cycles	Average Length of Treatment in Weeks	_	Freatment eks	Average Number of Sessions	Range of	Sessions	
	734		Min	Max		Min	Max	
		21	3	80	21	1	137	

Note: Completed IY is defined as having a 'yes' for completion indicated in the PEI OMA.

Table 7. Outcome	Table 7. Outcome Data [±] – Clients who Completed IY						
		Percent Improvement	Percent of Clients Showing Reliable Change* from Pre-IY to Post-IY				
		from Pre to Post	Positive Change	No change	Negative Change		
	Intensity						
	Raw	17.18%	44.67%	48.22%	7.11%		
Eyberg Child Behavior	Score	(n=450)	201	217	32		
Inventory (ECBI)	Problem Raw	32.07%	44.44%	48.22%	7.33%		
	Score	(n=450)	200	217	33		
Youth Outcome Questionnaire -	TOTAL	27.52%	46.30%	45.37%	8.33%		
(YOQ) 2.01 (Parent)	IOTAL	(n=540)	250	245	45		

[±]Please see Appendix for a description of the IY outcome measures and the outcome indicators (percent improvement in average scores; and, percent of clients showing reliable change).

6


Note 1: Possible ECBI Intensity Raw Scores range from 36-252, with a clinical cutpoint of 131; and possible ECBI Problem Raw Scores range from 0-36, with a clinical cutpoint of 15.


Note 2: Possible YOQ Total Scores range from -16-240, with a clinical cutpoint of 46.

Note 3: Aggregate outcome data based on fewer than 20 matched pairs are not reported.


Note 4: Positive Change indicates that the scores decreased from the pre to the post measures.


Eyberg Child Behavior Inventory (ECBI) Intensity Raw Score (N=450)







Eyberg Child Behavior Inventory (ECBI) Problem Raw Score (N=450)





Youth Outcome Questionnaire - 2.01 (Parent) (N=540)





Appendix

Eyberg Child Behavior Inventory (ECBI) The Eyberg Child Behavior Inventory is a 36-item parent-report measure that assesses behavioral problems in children from the ages of 2 through 16. Each behavior problem is rated on a 7-point intensity scale and a Yes-No problem scale that indicates whether the child's behavior is a problem for the parent. The ECBI Intensity scale scores can range from 36-252 with a clinical cut point of 131. The ECBI problem scale can range form 0-36 with a clinical cut point of 15.

<u>Sutter-Eyberg Student Behavior Inventory-Revised (SESBI-R)</u> The Sutter-Eyberg Student Behavior Inventory-Revised is a 38-item measure that assesses behavior problems in children from ages 2 through 16. The SESBI is similar in format and content to the ECBI but is designed to be completed by teachers in a school setting. The SESBI Intensity scale scores can range from 38-266 with a clinical cut point of 151. The SESBI problem scale can range form 0-38 with a clinical cut point of 19. The number and percent improvement in ECBI (SESBI) problems and Intensity scales scores from Incredible Years (IY) is reported when available.

Youth Outcomes Questionnaires (YOQ and YOQ-SR) The Youth Outcome Questionnaire is a 64-item parent-report that assesses global distress in a child's/adolescent's life from 4-17 years of age. The YOQ-SR is the Self-report version of the YOQ and is completed by the child/adolescent him or herself. Scores on both measures can range from -16 to 240. Scores of 46 or higher are most similar to a clinical population on the YOQ. A score of 47 is most similar to that of a clinical population on the YOQ-SR.

Reliable Change Index When comparing Pre and Post scores, it is very helpful to know whether the change reported represents the real effects of the treatment or errors in the system of measurement. The Reliability of Change Index (RCI) is a statistical way of helping to insure that the change recorded between pre and post assessments exceeds that which would be expected on the basis of measurement error alone. The RCI has been calculated using the Jacobson and Truax (1991) method and indicates when change exceeds that which would be expected on the basis of error at the p<.05 probability level. For a more in-depth discussion of Reliability of Change see Jacobson, N. S., & Truax. P. (1991). Clinical Significance: A statistical approach to defining meaningful change in psychotherapy research. *Journal of Consulting and Clinical Psychology*, 59, 12-19. Also see Wise, E. A. (2004). Methods for analyzing psychotherapy outcomes: A review of clinical significance, reliable change, and recommendations for future directions. *Journal of Personality Assessment*, 82(1), 50-59.

The number and percent of clients experiencing positive change, no change and negative change are recorded in table 6. Healthful change in each of the measures cited here means that scores have <u>decreased</u> in value from pre to post test administrations (i.e. recorded a negative change on the RCI). To help avoid confusion, healthful reliable change is presented as positive while unhealthful reliable change is presented as negative change.