



### Summary of PEI Practice Outcomes (Data as of 6/15/2022)

			Outco	omes, Starting	July 2011 through J	une 15, 2022		
			Inactive	Tx Cycles		Completed Pr	actice	
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					ECBI Intensity Scale (n=402)	10.00%	37.54%	N<20
Aggression Replacement Training		3,433	42.66%	57.34%	ECBI Problem Scale (n=402)	21.00%	37.3170	W-20
(ART)	73.51%	3,433	(n=1,310)	(n=1,761)	SESBI-R Intensity Scale (n=21)	6.00%	1.96%	N<20
	73.31%				SESBI-R Problem Scale (n=21)	14.00%	1.90%	N<20
ART Skillstreaming		328	54.22%	45.78%	ECBI Intensity Scale (n=31)	19.00%	26.27%	N/A
ANTONIISTECTINI		320	(n=122)	(n=103)	ECBI Problem Scale (n=31)	21.00%	20.2770	N/A
					PTSD-RI Child/ Adolescent Severity Score (n=209)	53.00%	64.11%	N<20
Alternatives for Families Cognitive	87.14%	1,729	52.38%	47.51%	PTSD-RI-5 Child/Adol. Severity Score (n=105)	62.00%	33.65%	49.15% (n=29)
Behavioral Therapy (AF-CBT)	07.1470	1,123	(n=682)	(n=620)	PTSD-RI Parent Severity Score (n=212)	50.00%	62.54%	N<20
					PTSD-RI-5 Parent Severity Score (n=103)	75.00%	33.01%	45.76% (n=27)





		Outcomes, Starting July 2011 through June 15, 2022								
			Inactive	Tx Cycles		Completed Pr	actice			
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)		
					RBPC Anxiety- Withdrawal Raw Score (n=69)	66.00%		N<20		
Brief Strategic Family					RBPC Attention Problems- Immaturity Raw Score (n=69)	60.00%		N<20		
	73.44%	203	63.19%	36.81%		50.00%	66.99%	N<20		
Therapy (BSFT)	73.4470	203	(n=103)	(n=60)	RBPC Motor Tension Excess Raw Score (n=69)	50.00%	00.3370	N<20		
					RBPC Psychotic Behavior Raw Score (n=69)	100.00%		N<20		
					RBPC Socialized Aggression Raw Score (n=69)	50.00%		N<20		
Caring for Our Families (CFOF)	71.33%	733	67.15%	32.85%	ECBI Problem Scale (n=59)	30.00%	24.79%	N<20		
	/1.33%	/33	(n=372)	(n=182)	ECBI Intensity Scale (n=59)	20.00%	24./3%	IN<2U		





					July 2011 through Ju			
Evidence-Based			Inactive	Tx Cycles	Completed Practice Percent			
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					SOPS Disorganized Symptoms (D) Total Score (n=45)	60.00%		
Center for the					SOPS General Symptoms (G) Total Score (n=45)	57.00%		
Assessment & Prevention of Prodromal States (CAPPS)	85.19%	211	42.22% (n=76)	57.78% (n=104)	SOPS Negative Symptoms (N) Total Score (n=45)	58.00%	59.21%	N<20
					SOPS Positive Symptoms (P) Total Score (n=45)			
					SOPS Total of All Scores (n=45)	60.00%		
Child-Parent Psychotherapy (CPP)	74.62%	7,688	47.02 (n=2,958)	52.98% (n=3,333)	TSCYC PTS Total Score (n=924)	17.00%	48.13%	42.53% (n=94)
					PTSD-RI Child/ Adolescent Severity Score (n=34)	28.00%	55.74%	N<20
Cognitive Behavioral Intervention for	97.76%	131	71.19%	28.81%	PTSD-RI Parent Severity Score (n=21)	23.00%	33.87%	N<20
Trauma in Schools (CBITS)	97.76%	131	(n=84)	(n=34)	PTSD-RI-5 Child/Adol Total Score (n=12)	N<20	N/A	N/A
					PTSD-RI-5 Parent Severity Score (n=5)	N<20	N/A	N/A
Crisis Oriented Recovery Services (CORS)	41.72%	4,177	60.33%	39.67%	OQ Total Score (n=224)	19.00%	62.05%	N<20
	41.72/0	4,1//	(n=1,804)	(n=1,186)	PSC-35 (n=0)	N<20	N/A	N/A





					July 2011 through Ju			
Evidence-Based			Inactive	Tx Cycles		Completed Pr Percent	actice	
Practice Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Dialectical Behavior Therapy (DBT)	48.25%	303	54.29% (n=76)	45.71% (n=64)	DERS Total Score (n=51)	8.00%	71.83%	N<20
Depression Treatment Quality Improvement (DTQI)	97.44%	1,354	64.84% (n=852)	35.16% (n=462)	PHQ-9 Total Score (n=457)	55.00%	63.30%	N<20
					FAD Affective Involvement (n=82)	0.00%		
					FAD Affective Responsiveness (n=82)	0.00%		
	93.53%	93.53% 758			FAD Behavioral Control (n=82)	0.00%	40.00%	N<20
Families Overcoming Under Stress (FOCUS)			71.38% (n=464)	28.628% (n=186)	FAD Communication (n=82)	50.00%		
					FAD General Functioning (n=82)	0.00%		
					FAD Problem Solving (n=82)	0.00%		
					FAD Roles (n=82)	0.00%		
Family Connections	38.71%	24	44.44%	55.56%	ECBI Intensity Scale (n=1)	N<20	N/A	N/A
(FC)	38.7170	24	(n=8)	(n=10)	ECBI Problem Scale (n=1)	N<20	N/A	N/A
Functional Family	60.6337	4 70-	65.91%	34.09%	YOQ Total Score (n=771)	31.00%	82.11%	N<20
Therapy (FFT) 69.38%	1,725	(n=959)	(n=496)	YOQ-SR Total Score (n=691)	27.00%	82.66%	N<20	
Group Cognitive Behavioral Therapy for Major Depression (Group CBT)	97.64%	1,143	42.12% (n=369)	57.88% (n=507)	PHQ-9 Total Score (n=254)	42.00%	68.83%	N<20





					July 2011 through Ju			
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Tx Cycles  Completed  EBP No	Outcome Measure	Completed Pr Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Incredible Years (IY)	85.69%	2 964	63.52%	36.48%	ECBI Intensity Scale (n=1,025)	18.00%	64 50%	N<20
	83.09%	2,864	(n=1,621)	(n=931)	ECBI Problem Scale (n=1,025)	35.00%	64.59%	N<20
Individual Cognitive Behavioral Therapy (Ind CBT)-Anxiety		3,972	46.30% (n=1,306)	53.70% (n=1,515)	GAD-7 Total Score (n=762)	63.00%	69.65%	74.44% (n=198)
Individual Cognitive Behavioral Therapy (Ind CBT)-Depression		7,946	45.01% (n=2,590)	54.99% (n=3,164)	PHQ-9 Total Score (n=1,682)	58.00%	64.97%	72.89% (n=328)
	76.79%				PTSD-RI Adult Severity Score (n=18)	N<20	N/A	N/A
	76.73%				PCL-5 Total Score (n=174)	60.00%	67.18%	70.89% (n=56)
Individual Cognitive Behavioral Therapy		1,154	47.57%	52.43%	PTSD-RI Child/ Adolescent Severity Score (n=16)	N<20	N/A	N/A
(Ind CBT)-Trauma		1)13	(n=402)	(n=443)	PTSD-RI-5 Child/Adol. Severity Score (n=17)	N<20	N/A	N/A
					PTSD-RI Parent Severity Score (n=5)	N<20	N/A	N/A
					PTSD-RI-5 Parent Severity Score (n=10)	N<20	N/A	N/A





					July 2011 through Ju			
Evidence-Based			Inactive	Tx Cycles		Completed Pr Percent	actice	
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Interpersonal Psychotherapy for Depression (IPT)	83.02%	8,604	49.42% (n=3,599)	50.58% (n=3,683)	PHQ-9 Total Score (n=2,004)	54.00%	56.79%	55.98% (n=276)
Loving Intervention Family Enrichment	108.21%	433	64.62%	35.38%	ECBI Intensity Scale (n=152)	23.00%	78 76%	N<20
Program (LIFE)	108.2176	433	(n=263)	(n=144)	ECBI Problem Scale (n=152)	50.00%	78.76%	IN-20
					ECBI Intensity Scale (n=5,491)	25.00%	F2 F70/	50.04%
			ECBI Problem Scale (n=5,91)  PHQ-9 Total Score (n=4,065)  RCADS- Total Anxiety 44.00% (n=4,245)			43.00%	52.57%	(n=603)
				55.00%	62.29%	60.87% (n=714)		
					Anxiety	44.00%	51.69%	50.10% (n=753)
					RCADS-P Total Anxiety (n=3,937)	41.00%	47.93%	46.17% (n=694)
Managing and Adapting Practice (MAP)	93.04%	69,118	49.58% (n=25,644)	50.42% (n=26,079)	PTSD-RI Child/ Adolescent Severity Score (n=135)	48.00%	40.54%	N<20
					PTSD-RI-5 Child/Adol. Severity Score (n=445)	48.00%	42.67%	41.11% (n=141)
					PTSD-RI Parent Severity Score (n=140)	47.00%	38.78%	N<20
					PTSD-RI-5 Parent Severity Score (n=377)	54.00%	36.18%	36.44% (n=125)
				PCL-5 Total Score (n=4)	N<20	N/A	N/A	





			Outco	omes, Starting	July 2011 through Ju	une 15, 2022			
Evidence-Based			Inactive	Tx Cycles	Completed Practice				
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	
Mental Health Integration Program (MHIP) - Anxiety		2,995	38.27% (n=1,059)	61.73% (n=1,708)	GAD-7 Total Score (n=988)	54.00%	93.30%	90.54% (n=268)	
Mental Health Integration Program (MHIP) - Depression	68.67%	6,933	33.38% (n=2,111)	66.62% (n=4,213)	PHQ-9 Total Score (n=1,907)	57.00%	93.32%	89.16% (n=296)	
Mental Health Integration Program (MHIP) - Trauma		302	28.73% (n=79)	71.27% (n=196)	PCL-C Total Score (n=62)	24.00%	78.48%	N<20	
Mindful Parenting	64.00%	16	85.71%	14.29%	DECA-Infant-P Total Raw Score (n=1)	N<20	N/A	N/A	
Groups (MPG)	04.5070	10	(n=6)	(n=1)	DECA-Toddler-P Total Raw Score (n=0)	N<20	N/A	N/A	
					RBPC Anxiety- Withdrawal Raw Score (n=6)	N<20	N/A	N/A	
					RBPC Attention Problems- Immaturity Raw Score (n=6)	N<20	N/A	N/A	
Multidimensional	76.60%	77	89.19%	10.81%	RBPC Conduct Disorder Raw Score (n=6)	N<20	N/A	N/A	
Family Therapy (MDFT)			(n=33)	(n=4)	RBPC Motor Tension Excess Raw Score (n=6)	N<20	N/A	N/A	
					RBPC Psychotic Behavior Raw Score (n=6)	N<20	N/A	N/A	
					RBPC Socialized Aggression Raw Score (n=6)	N<20	N/A	N/A	
Multisystemic Therapy (MST)	27.48%	126	72.28% (n=73)	27.72% (n=28)	PSC-35 (n=0)	N<20	N/A	N/A	
Nurturing Parenting	N/A	N/A	N/A	N/A	ECBI Intensity Scale (n=0)	N<20	N/A	N/A	
Program (NPP)	IV/A	IV/A	IV/A	IV/A	ECBI Problem Scale (n=0)	N<20	N/A	N/A	





			Outco	omes, Starting	July 2011 through Ju	-		
Evidence-Based			Inactive	Tx Cycles		Completed Pr Percent		
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Parent-Child Interaction Therapy	70.23%	4,868	40.22%	59.78% (n=2.207)	ECBI Intensity Scale (n=1,026)	36.00%	69.75%	60.11%
(PCIT)	70.2370	4,000	(n=1,485)		ECBI Problem Scale (n=1,026)	61.00%	03.7370	(n=110)
					SOPS Disorganized Symptoms (D) Total Score (n=2)	N<20	N/A	N/A
					SOPS General Symptoms (G) Total Score (n=2)	N<20	N/A	N/A
Portland Identification and Early Referral		0.00% 75	18.18% (n=2)	81.82%	SOPS Negative Symptoms (N) Total Score (n=2)	N<20	N/A	N/A
(PIER) Early Psychosis Program	0.00%			(n=9)	SOPS Positive Symptoms (P) Total Score (n=2)	N<20	N/A	N/A
					SOPS Total of All Scores (n=2)	N<20	N/A	N/A
					GAF-M Global Assessment of Fuctioning-Mod (n=2)	N<20	N/A	N/A
Problem-Solving Therapy (PST)	66.78%	412	62.57% (n=234)	37.43% (n=140)	PHQ-9 Total Score (n=161)	45.00%	68.80%	N<20
Program to Encourage Active and Rewarding Lives for Seniors (PEARLS)	83.74%	173	48.68% (n=74)	51.32% (n=78)	PHQ-9 Total Score (n=47)	45.00%	63.51%	N<20





			Outc	omes, Starting	July 2011 through Ju	une 15, 2022		
			Inactive	Tx Cycles		Completed Pr	actice	
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Prolonged Exposure Therapy for Post-	40.75%	99	56.60%	43.40%	PDS Symptom Severity Score (n=13)	N<20	N/A	N/A
Traumatic Stress Disorder (PE-PTSD)	49.75%	99	(n=30)	(n=23)	PCL-5 Total Score (n=15)	N<20	N/A	N/A
Promoting Alternate	47.650/	7.47	33.39%	66.61%	ECBI Intensity Scale (n=36)	19.00%	40.700/	N. 22
Thinking Strategies (PATHS)	47.65%	747	(n=182)	(n=363)	ECBI Problem Scale (n=36)	33.00%	19.78%	N<20
Reflective Parenting			71.00%	29.00%	ECBI Intensity Scale (n=96)	6.00%		
Program (RPP)	93.08%	252	(n=164)	(n=67)	ECBI Problem Scale (n=96)	15.00%	63.58%	N<20
					PCL-5 Total Severity Score (n=462)	51.00%	45.70%	42.93% (n=88)
					PTSD-RI Adult Severity Score (n=446)	30.00%	36.74%	N<20
					PTSD-RI Parent Severity Score (n=678)	36.00%	18.80%	N<20
Seeking Safety (SS)	69.15%	21,273	40.39% (n=6,879)	59.61% (n=10,154)	PTSD-RI-5 Parent Severity Score (n=161)	50.00%	18.23%	N<20
					PTSD-RI Child/ Adolescent Severity Score (n=1,417)	31.00%	37.67%	34.41% (n=32)
					PTSD-RI-5 Child/Adol. Severity Score (n=265)	44.00%	30.01%	N<20
Stepped Care (SC)	40.58%	10,559	100.00%	0.00%	OQ Total Score (n=721)	24.00%	30.21%	30.89% (n=518)
Stepped care (se)	40.5070	10,555	(n=6,683)	(n=0)	PSC-35 (n=0)	N<20	N/A	N/A





			Outco	omes, Starting	July 2011 through Ju	une 15, 2022		
			Inactive	Tx Cycles		Completed Pr	actice	
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					RBPC Anxiety- Withdrawal Raw Score (n=15)	N<20	N/A	N/A
Strengthening Families (SF)					RBPC Attention Problems- Immaturity Raw Score (n=15)	N<20	N/A	N/A
	37.62%	237	89.01%	10.99%	RBPC Conduct Disorder Raw Score (n=15)	N<20	N/A	N/A
		237	(n=81)	(n=10)	RBPC Motor Tension Excess Raw Score (n=15)	N<20	N/A	N/A
					RBPC Psychotic Behavior Raw Score (n=15)	N<20	N/A	N/A
					RBPC Socialized Aggression Raw Score (n=15)	N<20	N/A	N/A
					PTSD-RI Child/ Adolescent Severity Score (n=2,611)	y 48.00% 56.	56.11%	N<20
Trauma Focused	102 459/	26.004	53.59%	46.41%	PTSD-RI Parent Severity Score (n=2,525)	50.00%	49.62%	N<20
Cognitive Behavioral Therapy (TF-CBT)	102.45%	26,904	(n=10,887)	(n=9,429)	PTSD-RI-5 Child/Adol. Severity Score (n=2,730)	51%	56.20%	56.17% (n=514)
					PTSD-RI-5 Parent Severity Score (n=2,341)	53%	48.19%	48.20% (n=441)





		Outcomes, Starting July 2011 through June 15, 2022								
			Inactive	Tx Cycles	Completed Practice					
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)		
Triple P- Positive Parenting Program 120.70%		59.87%	40.13%	ECBI Intensity Scale (n=1,919)	27.00%	69.83%	59.45%			
Parenting Program (Triple P)	120.7070	6,545	(n=2,809)	(n=1,883)	ECBI Problem Scale (n=1,919)	50.00%	03.8376	(n=129)		
UCLA Ties Transition	01.000/	107	49.69%	50.31%	ECBI Intensity Scale (n=11)	N<20	N/A	N/A		
Model (UCLA TTM)	91.90% 197		(n=80)	(n=81)	ECBI Problem Scale (n=11)	N<20	N/A	N/A		

<sup>\*</sup> CORS data collection was delayed until mid 2013 so compliance rate might be understated.

MHIP does not collect a "post" measure. Pre/Post changes reported are determined from first questionnaire with scores to last questionnaire with scores.

<sup>\*\*</sup>MAP, TF-CBT, and Triple P compliance rates do not include data for inactive treatment cycles reported to CiMH at the time of the data transition to DMH. Data reported on here only includes information contained in our DMH PEI OMA system.

<sup>\*\*\*</sup>PSC-35 data collection began on July 1, 2019.

<sup>\*\*\*\*</sup>All treatment cycles that began on or after 7/1/2019 no longer require the general OQ/YOQ/YOQ-SR measures except for the following practices which utilize these measures as their sole outcome measure: CORS (OQ), Stepped Care (OQ) and FFT (YOQ/YOQ-SR)."