



### Summary of PEI Practice Outcomes (Data as of 1/19/2023)

			Outcor	nes, Starting J	uly 2011 through Jar	nuary 19, 2023		
			Inactive Tx Cycles Completed Practice					
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					ECBI Intensity Scale (n=402)	10.00%	37.54%	N<20
Aggression Replacement Training		3,433	42.66%	57.34%	ECBI Problem Scale (n=402)	21.00%	37.3 170	20
(ART)	73.51%	3,433	(n=1,310)	(n=1,761)	SESBI-R Intensity Scale (n=21)	6.00%	1.96%	N<20
	73.31%				SESBI-R Problem Scale (n=21)	14.00%	1.90%	N<20
ART Skillstreaming		328	54.22%	45.78%	ECBI Intensity Scale (n=31)	19.00%	26.27%	N/A
Anti-Skiiisticuming		320	(n=122)	(n=103)	ECBI Problem Scale (n=31)	21.00%	20.2770	N/A
					PTSD-RI Child/ Adolescent Severity Score (n=209)	53.00%	64.11%	N<20
Alternatives for Families Cognitive	86.92%	1,737	52.34%	47.66%	PTSD-RI-5 Child/Adol. Severity Score (n=105)	62.00%	33.65%	49.15% (n=29)
Behavioral Therapy (AF-CBT)	00.32/0	1,/3/	(n=682)	(n=621)	PTSD-RI Parent Severity Score (n=212)	50.00%	62.54%	N<20
					PTSD-RI-5 Parent Severity Score (n=103)	75.00%	33.01%	45.76% (n=27)





		Outcomes, Starting July 2011 through January 19, 2023								
			Inactive	Tx Cycles		Completed Pr	actice			
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)		
					RBPC Anxiety- Withdrawal Raw Score (n=69)	66.00%		N<20		
Brief Strategic Family					RBPC Attention Problems- Immaturity Raw Score (n=69)	60.00%		N<20		
	73.51%	203	63.19%	36.81%	RBPC Conduct Disorder Raw Score (n=69)  RBPC Motor Tension Excess Raw Score (n=69)  RBPC Psychotic Behavior Raw Score (n=69)  100.00%	66.99%	N<20			
Therapy (BSFT)	73.3170	203	(n=103)	(n=60)		00.33%	N<20			
						100.00%		N<20		
					RBPC Socialized Aggression Raw Score (n=69)	50.00%		N<20		
Caring for Our Families	71 22%	722	67.15%	32.85%	ECBI Problem Scale (n=59)	30.00%	24.79%	N<20		
Caring for Our Families (CFOF)	1 /1 33% 1 /33 1		(n=372)	(n=182)	ECBI Intensity Scale (n=59)	20.00%	24./ <i>3/</i> 0	14~20		





			Outcor	nes, Starting J	uly 2011 through Jan	uary 19, 2023		
Evidence-Based			Inactive	Tx Cycles		Completed Pr	actice	
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					SOPS Disorganized Symptoms (D) Total Score (n=45)	60.00%		
Center for the					SOPS General Symptoms (G) Total Score (n=45)	57.00%		
Assessment & Prevention of Prodromal States (CAPPS)	83.81%	211	42.31% (n=77)	57.69% (n=105)	SOPS Negative Symptoms (N) Total Score (n=45)	58.00%	58.44%	N<20
					SOPS Positive Symptoms (P) Total Score (n=45)	66.00%		
					SOPS Total of All Scores (n=45)	60.00%		
Child-Parent Psychotherapy (CPP)	73.58%	7,879	47.12% (n=3,055)	52.88% (n=3,428)	TSCYC PTS Total Score (n=942)	17.00%	47.60%	40.14% (n=112)
					PTSD-RI Child/ Adolescent Severity Score (n=34)	28.00%	55.74%	N<20
Cognitive Behavioral Intervention for	98.51%	132	71.43%	28.57%	PTSD-RI Parent Severity Score (n=21)	23.00%	33.87%	N<20
Trauma in Schools (CBITS)	98.51%	132	(n=85)	(n=34)	PTSD-RI-5 Child/Adol Total Score (n=12)	N<20	N/A	N/A
				PTSD-RI-5 Parent Severity Score (n=5)	N<20	N/A	N/A	
Crisis Oriented Recovery Services	41.78%	4,187	60.40%	39.60%	OQ Total Score (n=224)	19.00%	61.88%	N<20
(CORS)	71.70/0	-1,±∪/	(n=1,812)	(n=1,188)	PSC-35 (n=0)	N<20	N/A	N/A





					uly 2011 through Jan			
Evidence-Based			Inactive	Tx Cycles		Completed Pr Percent	actice	
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Dialectical Behavior Therapy (DBT)	49.32%	326	54.04% (n=87)	45.96% (n=74)	DERS Total Score (n=54)	10.00%	70.13%	N<20
Depression Treatment Quality Improvement (DTQI)	98.39%	1,370	64.77% (n=864)	35.23% (n=470)	PHQ-9 Total Score (n=463)	55.00%	63.17%	39.66% (n=23)
					FAD Affective Involvement (n=91)	0.00%		
					FAD Affective Responsiveness (n=91)	0.00%		
	94.11% 7				FAD Behavioral Control (n=91)	0.00%		
Families Overcoming Under Stress (FOCUS)		789	71.81% (n=512)	28.19% (n=201)	FAD Communication (n=91)	50.00%	40.09%	40.74% (n=22)
					FAD General Functioning (n=91)	0.00%		
					FAD Problem Solving (n=91)	0.00%		
					FAD Roles (n=91)	0.00%		
Family Connections	38.71%	24	44.44%	55.56%	ECBI Intensity Scale (n=1)	N<20	N/A	N/A
(FC)	38.7170	24	(n=8)	(n=10)	ECBI Problem Scale (n=1)	N<20	N/A	N/A
Functional Family	60.6337	4-0-	65.89%	34.11%	YOQ Total Score (n=771) 31.00%	31.00%	82.02%	N<20
Therapy (FFT)	69.32% 1,727	1,/2/	(n=960)	(n=497)	YOQ-SR Total Score (n=691)	27.00%	82.66%	N<20
Group Cognitive Behavioral Therapy for Major Depression (Group CBT)	98.16%	1,149	42.03% (n=369)	57.97% (n=509)	PHQ-9 Total Score (n=254)	42.00%	68.83%	N<20





			Outcor	nes, Starting J	uly 2011 through Jar	uary 19, 2023			
Dillow D. J.			Inactive	Tx Cycles	Completed Practice				
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	
Incredible Years (IY)	85.43%	2,864	63.52%	36.48%	ECBI Intensity Scale (n=1,025)	18.00%	64.59%	N-20	
moreulate reals (i.i,	63.43%	2,004	(n=1,621)	(n=931)	ECBI Problem Scale (n=1,025)	35.00%	04.35%	N<20	
Individual Cognitive Behavioral Therapy (Ind CBT)-Anxiety		3,972	47.11% (n=1,412)	52.89% (n=1,585)	GAD-7 Total Score (n=821)	63.00%	69.22%	71.23% (n=255)	
Individual Cognitive Behavioral Therapy (Ind CBT)-Depression		8,184	45.22% (n=2,711)	54.78% (n=3,284)	PHQ-9 Total Score (n=1,760)	58.00%	64.94%	71.00% (n=404)	
	76.55%				PTSD-RI Adult Severity Score (n=18)	N<20	N/A	N/A	
	7 515 572				PCL-5 Total Score (n=185)	60.00%	68.01%	71.74% (n=66)	
Individual Cognitive Behavioral Therapy		1,228	47.30%	52.70%	PTSD-RI Child/ Adolescent Severity Score (n=16)	N<20	N/A	N/A	
(Ind CBT)-Trauma	1,4	1,220	(n=420)	(n=468)	PTSD-RI-5 Child/Adol. Severity Score (n=17)	N<20	N/A	N/A	
					PTSD-RI Parent Severity Score (n=5)	N<20	N/A	N/A	
					PTSD-RI-5 Parent Severity Score (n=9)	N<20	N/A	N/A	





					uly 2011 through Jar			
Evidence-Based			Inactive	Tx Cycles		Completed Pr Percent	actice	
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Interpersonal Psychotherapy for Depression (IPT)	82.44%	8,788	49.51% (n=3,690)	50.49% (n=3,763)	PHQ-9 Total Score (n=2,040)	50.00%	56.35%	53.37% (n=309)
Loving Intervention Family Enrichment	107.93%	433	64.62%	35.38%	ECBI Intensity Scale (n=152)	23.00%	78.76%	N<20
Program (LIFE)	107.93%	433	(n=263)	(n=144)	ECBI Problem Scale (n=152)	50.00%	78.70%	IN-20
					ECBI Intensity Scale (n=5,608)	n=5,608)	49.62%	
					ECBI Problem Scale (n=5,608)	16.00%	52.45%	(n=715)
					PHQ-9 Total Score (n=4,235)	55.00%	61.81%	58.97% (n=881)
				51.30% (n=27,042)	RCADS- Total Anxiety (n=4,475)	44.00%	51.62%	50.26% (n=982)
					RCADS-P Total Anxiety (n=4,132)	41.00%	47.65%	45.45% (n=888)
Managing and Adapting Practice (MAP)	91.31%	70,468	49.70% (n=25,670)		PTSD-RI Child/ Adolescent Severity Score (n=135)	48.00%	40.54%	N<20
					PTSD-RI-5 Child/Adol. Severity Score (n=486)	48.00%	42.30%	39.82% (n=178)
					PTSD-RI Parent Severity Score (n=140)	47.00%	38.78%	N<20
					PTSD-RI-5 Parent Severity Score (n=409)	52.00%	35.63%	34.23% (n=153)
					PCL-5 Total Score (n=4)	N<20	N/A	N/A





			Outcor	nes, Starting J	uly 2011 through Jan	nuary 19, 2023		
Evidence-Based			Inactive	Tx Cycles		Completed Practice		
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Mental Health Integration Program (MHIP) - Anxiety		3,135	38.24% (n=1,122)	61.76% (n=1,812)	GAD-7 Total Score (n=1,021)	54.00%	91.00%	83.84% (n=301)
Mental Health Integration Program (MHIP) - Depression	68.80%	7,171	33.14% (n=2,182)	66.86% (n=4,403)	PHQ-9 Total Score (n=2,010)	57.00%	92.12%	83.37% (n=336)
Mental Health Integration Program (MHIP) - Trauma		302	28.73% (n=79)	71.27% (n=196)	PCL-C Total Score (n=62)	24.00%	78.48%	N<20
Mindful Parenting	64.00%	16	85.71%	14.29%	DECA-Infant-P Total Raw Score (n=1)	N<20	N/A	N/A
Groups (MPG)	0 1.0070	13	(n=6)	(n=1)	DECA-Toddler-P Total Raw Score (n=0)	N<20	N/A	N/A
					RBPC Anxiety- Withdrawal Raw Score (n=6)	N<20	N/A	N/A
					RBPC Attention Problems- Immaturity Raw Score (n=6)	N<20	N/A	N/A
Multidimensional	76.60%	77	89.19%	10.81%	RBPC Conduct Disorder Raw Score (n=6)	N<20	N/A	N/A
Family Therapy (MDFT)			(n=33)	(n=4)	RBPC Motor Tension Excess Raw Score (n=6)	N<20	N/A	N/A
					RBPC Psychotic Behavior Raw Score (n=6)	N<20	N/A	N/A
					RBPC Socialized Aggression Raw Score (n=6)	N<20	N/A	N/A
Multisystemic Therapy (MST)	27.17%	126	72.28% (n=73)	27.72% (n=28)	PSC-35 (n=0)	N<20	N/A	N/A
Nurturing Parenting	N/A	N/A	N/A	N/A	ECBI Intensity Scale (n=0)	N<20	N/A	N/A
Program (NPP)	IV/A	WA	IV/A	IV/A	ECBI Problem Scale (n=0)	N<20	N/A	N/A





					uly 2011 through Jan	-			
Evidence-Based			Inactive	Tx Cycles	Completed Practice				
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	
Parent-Child Interaction Therapy	69.08%	4,931	40.12%	59.88% (n=2.242)	ECBI Intensity Scale (n=1,035)	36.00%	69.60%	59.60%	
(PCIT)	69.08%	4,531	(n=1,502)		ECBI Problem Scale (n=1,035)	61.00%	09.00%	(n=118)	
					SOPS Disorganized Symptoms (D) Total Score (n=2)	N<20	N/A	N/A	
					SOPS General Symptoms (G) Total Score (n=2)	N<20	N/A	N/A	
Portland Identification and Early Referral	0.00% 93	02	16.67%	83.33%	SOPS Negative Symptoms (N) Total Score (n=2)	N<20	N/A	N/A	
(PIER) Early Psychosis Program		93	(n=2)	(n=10)	SOPS Positive Symptoms (P) Total Score (n=2)	N<20	N/A	N/A	
					SOPS Total of All Scores (n=2)	N<20	N/A	N/A	
				GAF-M Global Assessment of Fuctioning-Mod (n=2)	N<20	N/A	N/A		
Problem-Solving Therapy (PST)	66.83%	413	62.50% (n=235)	37.50% (n=141)	PHQ-9 Total Score (n=162)	45.00%	68.94%	N<20	
Program to Encourage Active and Rewarding Lives for Seniors (PEARLS)	83.09%	175	48.68% (n=74)	51.32% (n=78)	PHQ-9 Total Score (n=47)	45.00%	63.51%	N<20	





					uly 2011 through Jan	-		
Evidence-Based			Inactive	Tx Cycles		Completed Pr Percent	actice	
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Prolonged Exposure Therapy for Post-	49.75%	99	56.60%	43.40%	PDS Symptom Severity Score (n=13)	N<20	N/A	N/A
Traumatic Stress Disorder (PE-PTSD)	49.73%	99	(n=30)	(n=23)	PCL-5 Total Score (n=15)	N<20	N/A	N/A
Promoting Alternate			33.39%	66.61%	ECBI Intensity Scale (n=36)	19.00%	40.700/	
Thinking Strategies (PATHS)	47.65%	747	(n=182)	(n=363)	ECBI Problem Scale (n=36)	33.00%	19.78%	N<20
Reflective Parenting			71.00%	29.00%	ECBI Intensity Scale (n=96)	6.00%		
Program (RPP)	94.62%	256	(n=164)	(n=67)	ECBI Problem Scale (n=96)		63.58%	N<20
					PCL-5 Total Severity Score (n=481)	51.00%	46.21%	45.49% (n=106)
					PTSD-RI Adult Severity Score (n=446)	30.00%	36.68%	N<20
					PTSD-RI Parent Severity Score (n=678)	36.00%	18.80%	N<20
Seeking Safety (SS)	68.87%	21,464	40.35% (n=6,935)	59.65% (n=10,252)	PTSD-RI-5 Parent Severity Score (n=165)	50.00%	18.19%	19.13% (n=22)
					PTSD-RI Child/ Adolescent Severity Score (n=1,417)	31.00%	37.65%	N<20
				PTSD-RI-5 Child/Adol. Severity Score (n=271)	44.00%	29.88%	32.17% (n=37)	
Stepped Care (SC)	39.47%	12,131	100.00%	0.00%	OQ Total Score (n=787)	24.00%	29.28%	28.97% (n=571)
Stepped Care (SC)	33.47/0	12,131	(n=7,985)	(n=0)	PSC-35 (n=0)	N<20	N/A	N/A





			Outcor	nes, Starting J	uly 2011 through Jar	nuary 19, 2023		
Friddense Beerd			Inactive	Tx Cycles		Completed Pr	actice	
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					RBPC Anxiety- Withdrawal Raw Score (n=15)	N<20	N/A	N/A
					RBPC Attention Problems- Immaturity Raw Score (n=15)	N<20	N/A	N/A
Strengthening Families (SF)	37.56%	237	89.01%	10.99%	RBPC Conduct Disorder Raw Score (n=15)	N<20	N/A	N/A
		237	(n=81)	(n=10)	RBPC Motor Tension Excess Raw Score (n=15)  RBPC Motor N<20	N<20	N/A	N/A
					RBPC Psychotic Behavior Raw Score (n=15)	N<20	N/A	N/A
					RBPC Socialized Aggression Raw Score (n=15)	N<20	N/A	N/A
					PTSD-RI Child/ Adolescent Severity Score (n=2,613)	48.00%	56.11%	N<20
Trauma Focused	101.45%	27 500	53.51%	46.49%	PTSD-RI Parent Severity Score (n=2,528)	50.00%	49.63%	N<20
Cognitive Behavioral Therapy (TF-CBT)	101.45%	27,508	(n=11,190)	(n=9,722)	PTSD-RI-5 Child/Adol. Severity Score (n=2,849)	51%	55.69%	53.46% (n=611)
					PTSD-RI-5 Parent Severity Score (n=2,449)	53%	47.87%	46.72% (n=534)





			Outcor	nes, Starting J	uly 2011 through Jar	nuary 19, 2023			
			Inactive '	Tx Cycles	Completed Practice				
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	
Triple P- Positive Parenting Program		6,612	59.98%	40.02%	ECBI Intensity Scale (n=1,948)	27.00%	69.80%	57.31%	
(Triple P)	115.55%	5.55% 0,012	(n=2,852)	(n=1,903)	ECBI Problem Scale (n=1,948)	50.00%	03.80%	(n=149)	
UCLA Ties Transition	Transition	107	49.69%	50.31%	ECBI Intensity Scale (n=11)	N<20	N/A	N/A	
Model (UCLA TTM)	90.19% 197		(n=80)	(n=81)	ECBI Problem Scale (n=11)	N<20	N/A	N/A	

<sup>\*</sup> CORS data collection was delayed until mid 2013 so compliance rate might be understated.

MHIP does not collect a "post" measure. Pre/Post changes reported are determined from first questionnaire with scores to last questionnaire with scores.

<sup>\*\*</sup>MAP, TF-CBT, and Triple P compliance rates do not include data for inactive treatment cycles reported to CiMH at the time of the data transition to DMH. Data reported on here only includes information contained in our DMH PEI OMA system.

<sup>\*\*\*</sup>PSC-35 data collection began on July 1, 2019.

<sup>\*\*\*\*</sup>All treatment cycles that began on or after 7/1/2019 no longer require the general OQ/YOQ/YOQ-SR measures except for the following practices which utilize these measures as their sole outcome measure: CORS (OQ), Stepped Care (OQ) and FFT (YOQ/YOQ-SR)."

<sup>\*\*\*\*\*</sup>Treatment cycle counts highlighted in grey denotes no changes since the previous report (June 2022).