






Summary of PEI Practice Outcomes (Data as of 12/26/19)


					Outcom	es, Starting July 201	L through De					
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Tx Cycles Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					YOQ Total Score	24.00%	33.95%	50.29%	ECBI Intensity Scale (n=402) ECBI Problem Scale	10.00%	37.82%	46.24% (n=80)
Aggression Replacement Training (ART)		3,430	42.57% (n=1,300)	57.43% (n=1,754)	(n=423)				(n=402) SESBI-R Intensity	21.00%		
(ANI)	67.57%			YOQ-SR Total Score (n=507)	15.00%	56.15%	50.00% (n=44)	Scale (n=21) SESBI-R Problem	6.00%	2.00%	N<20	
					YOQ Total Score	25.00%	30.58%	N<20	Scale (n=21) ECBI Intensity Scale			N/A
ART Skillstreaming		328	54.22% (n=122)	45.78% (n=103)	(n=37) YOQ-SR Total Score (n=6)	N<20	N/A		(n=31) ECBI Problem Scale (n=31)	21.00%	26.27%	N/A
Alternatives for Families Cognitive					YOQ Total	51.00%	59.80%	43.02%	PTSD-RI Child/ Adolescent Severity Score (n=209)	53.00%	64.11%	N<20
	79.43%	1,546	51.53%	48.47%	Score (n=351)	51.00%	59.80%	(n=114)	PTSD-RI-5 Child/Adol. Severity Score (n=68)	Improvement Pre to Post Treatment 10.00% 37.82% 21.00% 6.00% 14.00% 26.27% 21.00% 64.11% 61.00% 29.44% 76.00% 60.00% 60.00% 50.00% 66.99% 50.00%	26.84% (n=62)	
Behavioral Therapy (AF-CBT)	73.1370	1,310	(n=591) (n=	(n=556)	YOQ-SR Total Score	44.00%	62.15%	48.06%	PTSD-RI Parent Severity Score (n=212)	50.00%	62.54%	N<20
					(n=156)			(n=62)	PTSD-RI-5 Parent Severity Score (n=69)	76.00%	62.54% 9% 29.87%	27.27% (n=63)
									RBPC Anxiety- Withdrawal Raw Score (n=68)	60.00%		N<20
					YOQ Total Score (n=73)	50.00%	71.57%	N<20	RBPC Attention Problems- Immaturity Raw Score (n=69)	60.00%		N<20
Brief Strategic Family	72.450/	203	63.58%	36.42%					RBPC Conduct Disorder Raw Score (n=69)	50.00%	Matched Pairs % 37.82% 2.00% 64.11% 29.44% 29.87%	N<20
Therapy (BSFT)	73.15%	203	(n=103)	(n=59)					RBPC Motor Tension Excess Raw Score (n=69)	50.00%	66.99%	N<20
					YOQ-SR Total Score (n=39)	40.00%	70.91%	N<20	RBPC Psychotic Behavior Raw Score (n=69)	100.00%		N<20
								RBPC Socialized Aggression Raw Score (n=69)	50.00%		N<20	







			1		Outcom	es, Starting July 2011	l through De					
Evidence-Based			Inactive	Tx Cycles				Comple	eted Practice	Dorcont		
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure		All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Caring for Our Families	69.83%	734	67.15%	32.85%	YOQ Total Score	23.00%	36.46%	N<20	ECBI Problem Scale (n=59)	30.00%	24.79%	N<20
(CFOF)			(n=372)	(n=182)	(n=132)				ECBI Intensity Scale (n=59)	20.00%		
					OQ Total Score (n=17)	N<20	N/A	N/A	SOPS Disorganized Symptoms (D) Total Score (n=45)	60.00%		
Center for the Assessment & Prevention of Prodromal States (CAPPS)					OQ Total Score (n=17) YOQ Total Score (n=28) YOQ-SR Total Score (n=39) YOQ-SR Total Score (n=39) YOQ-Total Score (n=39) YOQ-SR Total Score (n=45) YOQ-							
	50.26%	196	42.94% (n=73)	57.06% (n=97)		31.00%	73.3070	14.20	Symptoms (N) Total Score	Improvement Pre to Post Treatment	70.31%	75.00% (n=21)
					-	31.00%	78.00%		SOPS Positive Symptoms (P) Total Score			
					(n=39)				Scores	60.00%		
Child-Parent Psychotherapy (CPP)	66.82%	6,414	46.79% (n=2,394)	53.22% (n=2,723)	Score	54.00%	52.19%		Score	19.00%	49.84%	47.44% (n=259)
						30.00%	50.60%	N<20	Adolescent Severity Score	28.00%	55.74%	N<20
Cognitive Behavioral Intervention for	91.55%	130	70.94%	29.06%		5015070	30.0070		Severity Score	23.00%	33.87%	N<20
Trauma in Schools (CBITS)	91.33%	130	(n=83)	(n=34)	YOQ-SR Total Score	18.00%	52.00%	N<20	PTSD-RI-5 Child/Adol.Total Score (n=12)	N<20	N/A	N/A
					(n=26)	18.00%	32.00%	N\20	PTSD-RI-5 Parent Severity Score (n=5)	N<20	N/A	N/A
					OQ Total Score (n=217)	19.00%	62.72%	47.37% (n=36)				
Crisis Oriented Recovery Services (CORS)	35.89%	4,121	59.86% (n=1,748)	40.19% (n=1,172)	YOQ Total Score (n=976)	27.00%	71.35%	72.12% (n=326)	No specific outcome measure required for this pract			practice
(CORS)					YOQ-SR Total Score (n=444)	28.00%	68.73%	63.33% (n=152)				
Dialectical Behavior Therapy (DBT)	54.30%	202	41.67% (n=20)	58.33% (n=28)	OQ Total Score (n=10)	N<20	N/A	N/A	DERS Total Score (n=10)	N<20	N/A	N/A








					Outcom	es, Starting July 2012	1 through De					
Evidence-Based			Inactive	Tx Cycles		T		Comple	eted Practice	Dovement		
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure		All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					OQ Total Score (n=5)	N<20	N/A	N/A				
Depression Treatment Quality Improvement (DTQI)	91.70%	1,236	65.21% (n=776)	34.79% (n=414)	YOQ Total Score (n=414)	core 46.00% 55.95% 43.42% (n=99)		PHQ-9 Total Score (n=428)	55.00%	66.05%	48.80% (n=102)	
					YOQ-SR Total Score (n=409)	48.00%	64.00%	51.44% (n=107)				
									FAD Affective Involvement (n=64)	0.00%		
Families Overcoming Under Stress (FOCUS)					YOQ Total Score (n=229)	41.00% 54.23% (n=141) FAD Affective Responsiveness (n=64)	0.00%					
									FAD Behavioral Control (n=64)	Improvement Pre to Post Treatment	40.00%	
	78.99%	632	69.57% (n=384)	30.44% (n=168)					FAD Communication (n=64)	50.00%		41.44% (n=46)
					YOQ-SR Total Score	35%	56.96% (n=64) (n=64)	0.00%				
					(n=90)			(11=65)	FAD Problem Solving (n=64)	0.00%		
									FAD Roles (n=64)	0.00%		
Family Connections	27.12%	16	41.67%	58.33%	YOQ Total Score (n=2)	N<20	N/A	N/A	ECBI Intensity Scale (n=1)	N<20	N/A	N/A
(FC)	27.1270	10	(n=5)	(n=7)	YOQ-SR Total Score (n=0)	N<20	N/A	N/A	ECBI Problem Scale (n=1)	N<20	N/A	N/A
Functional Family	C4.05%	4.702	65.69%	34.31%	YOQ Total Score (n=755)	29.00%	82.24%	82.5% (n=99)	No amosifis a sub		.i	
Therapy (FFT)	64.05%	64.05% 1,703 65.69% (n=938)	(n=490)	YOQ-SR Total Score (n=681)	27.00%	83.15%	84.55% (n=93)	ino specific outo	Lome measure requ	iii ea for this	practice	
Group Cognitive Behavioral Therapy for Major Depression (Group CBT)	96.76%	1,137	42.07% (n=361)	57.93% (n=497)	OQ Total Score (n=225)	20.00%	63.41%	64.00% (n=32)	PHQ-9 Total Score (n=252)	42.00%	69.81%	65.39% (n=34)
Incredible Years (IY)	79 <i>4</i> 1%	79 41% I 2 789 I		36.23%	YOQ Total	re 27.00%	74.53%	67.27%	ECBI Intensity Scale (n=1,009)	18.00%	65.27%	61.40%
moreable rears (11)	79.41% 2,			(n=897)	Score (n=1,118)		74.5570	(n=296)	ECBI Problem Scale (n=1,009)	35.00%	03.2770	(n=280)



COUNTY OF LOS ANGELES - DEPARTMENT OF MENTAL HEALTH Quality, Outcomes and Training Divison




		Outcomes, Starting July 2011 through December 26, 2019												
			Inactive '	Tx Cycles				Comple	eted Practice					
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)		
					OQ Total Score (n=487)	36.00%	69.77%	58.75% (n=319)						
Individual Cognitive Behavioral Therapy (Ind CBT)-Anxiety		2,897	45.10% (n=893)	54.90% (n=1,087)	YOQ Total Score (n=42)	57.00%	16.94%	25.18% (n=35)	GAD-7 Total Score (n=515)	63.00%	69.41%	57.34% (n=332)		
					YOQ-SR Total Score (n=101)	54.00%	51.53%	43.43% (n=76)						
					OQ Total Score (n=1,043)	35.00%	66.18%	56.29% (n=622)						
Individual Cognitive Behavioral Therapy (Ind CBT)-Depression		6,529	43.28% (n=1,924)	56.72% (n=2,521)	YOQ Total Score (n=73)	51.00%	12.52%	20.51% (n=48)	PHQ-9 Total Score (n=1,243)	50.00%	64.60%	53.46% (n=750)		
					YOQ-SR Total Score (n=177)	50.00%	50.86%	46.60% (n=121)						
	75.97%				OQ Total Score (n=171)	44.00%	74.35%	62.21% (n=107)	PTSD-RI Adult Severity Score (n=18)	N<20	N/A	N/A		
					YOQ Total Score (n=15)	N<20	N/A	N/A	PCL-5 Total Score (n=105)	60.00%	69.08%	51.97% (n=79)		
Individual Cognitive		887	46.469%	53.54%					PTSD-RI Child/ Adolescent Severity Score	N<20	N/A	N/A		
Behavioral Therapy (Ind CBT)-Trauma		867	(n=276)	(n=318)	YOQ-SR				(n=16) PTSD-RI-5 Child/Adol. Severity Score (n=11)	N<20	N/A	N/A		
					Total Score (n=20)	44.00%	57.14%	N/A	PTSD-RI Parent Severity Score (n=5)	N<20	63.00% 69.41% 50.00% 64.60% N<20 N/A N<20 N/A N<20 N/A	N/A		
									PTSD-RI-5 Parent Severity Score (n=7)	N<20	N/A	N/A		








					Outcom	es, Starting July 201	1 through De					
Evidence-Based			Inactive '	Tx Cycles	C	Danie and	All Times	1	eted Practice	Percent	All Times	NA-A-bI
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome	Percent Improvement Pre	All Time Matched	Matched Pairs %	Specific Outcome Measure	Improvement Pre to Post	Matched	Pairs %
	Life y Race	Cycles	LDI Tes	LDI NO	Measure	to Post Treatment	Pairs %	(Last 3 yrs)	Wicusure	Treatment	Pairs %	(Last 3 yrs)
Internance					OQ Total Score (n=930) YOQ Total	31.00%	63.31%	49.68% (n=310)				
Interpersonal Psychotherapy for Depression (IPT)	75.04%	7,132	50.13% (n=2,885)	49.87% (n=2,870)	Score (n=473)	48.00%	35.19%	25.24% (n=186)	PHQ-9 Total Score (n=1,669)	50.00%	59.04%	46.14% (n=635)
. ,					YOQ-SR Total Score (n=714)	48.00%	52.58%	39.49% (n=297)				
Loving Intervention Family Enrichment	95.81%	423	64.99%	35.01%	YOQ Total Score (n=169)	37.00%	66.54%	75.58% (n=65)	ECBI Intensity Scale (n=147)	23.00%	78 19%	78.82%
Program (LIFE)	33.01/1	423	(n=258)	(n=139)	YOQ-SR Total Score (n=115)	18.00%	71.43%	80.85% (n=38)	ECBI Problem Scale (n=147)	50.00%	76.1370	(n=67)
									ECBI Intensity Scale (n=4,624)	25.00%	54 67%	49.89%
					YOQ Total Score	46.00%	58.67%	52.21%	ECBI Problem Scale (n=4,624)	43.00%	All Time Matched Pairs (Last 3) Matched Pairs % (Last 3) Matched Pairs (Last 3) Matched P	(n=2,414)
					(n=13,139)	52.21% (n=4,624) HQ-9 Total Score (n=3,129) RCADS- Total Anxiety (n=3,244) RCADS-P Total Anxiety 41.00% 50.09	64.92%	54.17% (n=1,585)				
									Anxiety (n=3,244)	44.00%	43.49%	47.43% (n=1,834)
				46.44% (n=20,096)	YOQ-SR Total Score (n=5,882)					41.00%	50.05%	44.19% (n=1,709)
Managing and Adapting Practice (MAP)	83.63%	58,908	53.56% (n=23,178)			44.00%	63.63%	55.20% (n=3,042)	Adolescent Severity Score	48.00%	40.61%	N<20
									(n=134) PTSD-RI-5 Child/Adol. Severity Score (n=271)	48.00%	46.25%	38.74% (n=227)
									PTSD-RI Parent Severity Score (n=139)	47.00%	38.83%	40.00% (n=20)
					OQ Total Score (n=53)	37.00%	1.43%	45.90% (n=28)	PTSD-RI-5 Parent Severity Score (n=228)	56.00%	38.97%	30.60% (n=179)
									PCL-5 Total Score (n=3)	N<20	N/A	N/A
Mental Health Integration Program (MHIP) - Anxiety		2,133	38.70% (n=757)	61.30% (n=1,199)					GAD-7 Total Score (n=701)	58.00%	92.60%	96.14% (n=324)
Mental Health Integration Program (MHIP) - Depression	72.46%	5,828	33.59% (n=1,764)	66.41% (n=3,487)		Measure Required his Practice	N/A	N/A	PHQ-9 Total Score (n=1,646)	60.00%	93.31%	97.05% (n=461)
Mental Health Integration Program (MHIP) - Trauma		297	29.26% (n=79)	70.74% (n=191)					PCL-C Total Score (n=62)	24.00%	78.48%	N<20
Mindful Parenting	64.00%	16	85.71%	14.29%		Measure Required	N/A	N/A	DECA-Infant-P Total Raw Score (n=1)	N<20	N/A	N/A
Mindful Parenting Groups (MPG)	3 1.00/0		(n=6)	(n=1)	for t	for this Practice		1,7,7	DECA-Toddler-P Total Raw Score (n=0)	N<20	N/A	N/A







					Outcom	es, Starting July 2011	1 through De						
Evidence-Based			Inactive ¹	Tx Cycles		1 1			eted Practice	Percent			
Practice	OMA Data	Treatment	Completed	Completed	General Outcome	Percent Improvement Pre	All Time Matched	Matched Pairs %	Specific Outcome		All Time	Matched Pairs %	
	Entry Rate	Cycles	EBP Yes	EBP No	Measure	to Post Treatment		(Last 3 yrs)	Measure	to Post	Pairs %	(Last 3 yrs)	
								(======	DDDC Anvioty	Treatment		(-2000)	
					YOQ Total Score (n=19)				RBPC Anxiety- Withdrawal Raw Score (n=6)	N<20	N/A	N/A	
						N<20	N/A	N/A	RBPC Attention Problems- Immaturity Raw Score (n=6)	N<20	N/A	N/A	
Multidimensional Family Therapy	68.57%	77	89.19% (n=33)	10.81% (n=4)					RBPC Conduct Disorder Raw Score (n=6)	N<20	N/A	N/A	
(MDFT)			(11–33)	(11-4)			RBPC Motor	N<20	N/A	N/A			
					YOQ-SR Total Score (n=22)	25.00%	68.75%	N<20	RBPC Psychotic Behavior Raw Score (n=6)	Improvement Pre	N/A	N/A	
									RBPC Socialized Aggression Raw Score (n=6)	N<20	N/A	N/A	
Multisystemic Therapy			72.28%	27.72%	YOQ Total Score (n=48)	46.00%	65.75%	N<20	Specific outcome m	easure data for pra	asure data for practice is not entered		
(MST)	31.82%	126	(n=73)	(n=28)	YOQ-SR Total Score (n=41)	38.00%	56.94%		PEI OMA	·			
Parent-Child Interaction Therapy	63.54%	4,134	40.75%	59.25%	YOQ Total Score	58.00%	63.45%	46.86%	ECBI Intensity Scale (n=875)	37.00%	72.37%	57.41%	
(PCIT)	00.0 170	.,,25 .	(n=1,222)	(n=1,777)	(n=473)	3616678	0311370	(n=179)	ECBI Problem Scale (n=875)	63.00%	72.0770	(n=368)	
Problem-Solving Therapy (PST)	62.58%	393	61.80% (n=220)	38.20% (n=136)	OQ Total Score (n=127)	28.00%	57.73%	66.13% (n=41)	PHQ-9 Total Score (n=150)	45.00%	68.18%	74.19% (n=46)	
Program to Encourage Active and Rewarding Lives for Seniors (PEARLS)	74.31%	165	48.95% (n=70)	51.05% (n=73)	OQ Total Score (n=29)	26.00%	41.43%	N<20	PHQ-9 Total Score (n=47)	45.00%	67.14%	N<20	
Prolonged Exposure Therapy for Post-	53.01%	97	57.14%	42.86%	OQ Total Score	35.00%	82.14%	N<20	PDS Symptom Severity Score (n=13)	N<20	N/A	N/A	
Traumatic Stress Disorder (PE-PTSD)	33.3170	, , , , , , , , , , , , , , , , , , ,	(n=28)	(n=21)	(n=23)	55.5070	22.1.70	20	PCL-5 Total Score (n=13)	N<20	N/A	N/A	
Promoting Alternate			33.46%	66.54%	YOQ Total Score (n=36)	37.00%	20.45%	N<20	ECBI Intensity Scale (n=36)	19.00%			
Thinking Strategies (PATHS)	51.85%	747	(n=182)	(n=362)	YOQ-SR Total Score (n=1)	N<20	N/A	N/A	ECBI Problem Scale (n=36)	33.00%	19.78%	N<20	







		T			Outcome	es, Starting July 2011	L through De							
Evidence-Based			Inactive	Tx Cycles				-	eted Practice	Percent				
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure		All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)		
Reflective Parenting	90.130/	245	71.88%	28.13%	YOQ Total Score (n=79)	9.00%	71.17%	65.96% (n=31)	ECBI Intensity Scale (n=96)		C4 00%	56.45%		
Program (RPP)	80.13%	245	(n=161)	(n=63)	YOQ-SR Total Score (n=6)	N<20	N/A	N/A	ECBI Problem Scale (n=96)	15.00%	04.00%	(n=35)		
					OQ Total Score	33.00%	55.06%	52.8%	PCL-5 Total Severity Score (n=334) PTSD-RI Adult	52.00%	49.55%	41.99% (n=283)		
					(n=1,126)			(n=396)	Severity Score (n=446) PTSD-RI Parent	30.00%	36.86%	34.33% (n=23)		
Seeking Safety (SS)			39.93%	60.07%	YOQ Total Score	36.00%	26.03%	25.76% (n=186)	Severity Score (n=678) PTSD-RI-5 Parent	36.00%	18.99%	21.57% (n=22)		
	63.42%	20,090	(n=6,302)	(n=9,482)	(n=1039)			(11-100)	Severity Score (n=135) PTSD-RI Child/	Improvement Pre to Post Treatment Matched Pairs % 6.00% 64.00% 52.00% 49.55% 30.00% 36.86% 47.00% 19.77% 31.00% 37.99% 40.00% 32.50% N<20	19.77%	16.98% (n=116)		
					YOQ-SR Total Score	33.00%	48.85%	42.89%	Adolescent Severity Score (n=1.417) PTSD-RI-5	31.00%	37.99%	39.64% (n=44)		
					(n=2,031)	35,667.8	10.0370	(n=332)	Child/Adol. Severity Score (n=222)	40.00%	32.50%	28.26% (n=193)		
					OQ Total Score (n=128)	25.00%	29.84%	N<20						
Stepped Care (SC)	54.39%	4,359	100.00% (n=2,024)	0.00% (n=0)	YOQ Total Score (n=281)	40.00%	19.82%	N<20	No specific outo	come measure requ	red for this prac	practice		
					YOQ-SR Total Score (n=127)	36.00%	20.03%	N<20						
									RBPC Anxiety- Withdrawal Raw Score (n=0)	N<20	easure required for this practice	N/A		
					YOQ Total Score (n=41)	32.00%	51.90%	N<20	(n=0) RBPC Attention Problems- Immaturity Raw Score (n=0)	N<20	N/A	N/A		
Strengthening Families	35.69%	237	89.01%	10.99%					RBPC Conduct Disorder Raw Score (n=0)	N<20	N/A	N/A		
(SF)	33.09%	237	(n=81)	(n=10)					RBPC Motor Tension Excess Raw Score (n=0)	N<20	N/A	N/A		
					YOQ-SR Total Score (n=30)	25.00%	46.15%	N<20	RBPC Psychotic Behavior Raw Score (n=0)	N<20	N/A	N/A		
									RBPC Socialized Aggression Raw Score (n=0)	N<20	N/A	N/A		



COUNTY OF LOS ANGELES - DEPARTMENT OF MENTAL HEALTH Quality, Outcomes and Training Divison



					Outcom	es, Starting July 201	1 through De	ecember 26, 2	019			
			Inactive	Tx Cycles				Comple	eted Practice			
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
				YOQ Total Score	48 00%		56.52%	PTSD-RI Child/ Adolescent Severity Score (n=2.607)	51.00%	56.71%	61.55% (n=301)	
Trauma Focused Cognitive Behavioral Therapy (TF-CBT)			54.65%	45.35%	(n=5,353)	40.00%	48.00%	50.00%	50.11%	57.14% (n=308)		
	90.32%	23,598	(n=9,352)	(n=7,760)	YOQ-SR Total Score	46.00%	62.60%	60.09%	PTSD-RI-5 Child/Adol. Severity Score (n=2,055)	51%	57.58%	48.22% (n=1,721)
				(n=2,174)			(n=989)	PTSD-RI-5 Parent Severity Score (n=1,784)	52%	49.99%	41.72% (n=1,459)	
Triple P- Positive			59.68%	40.32%	YOQ Total Score (n=1,744)	42.00%	75.33%	68.41% (n=864)	ECBI Intensity Scale (n=1,790)	27.00%		66.33%
Parenting Program (Triple P)	94.82% 6,197	6,197	(n=2,553)	(n=1,725)	YOQ-SR Total Score (n=154)	30.00%	40.00%	40.32% (n=75)	ECBI Problem Scale (n=1,790)	47.00%	71.63%	(n=912)
UCLA Ties Transition	82.33%	195	49.38%	51.27%	YOQ Total Score	N<20	N/A	N/A	ECBI Intensity Scale (n=3)	N<20	N/A	N/A
Model (UCLA TTM)	82.33% 195	(n=79)	(n=81)	Score (n=9)	N<20	N/A	I/A N/A	ECBI Problem Scale (n=3)	N<20	N/A	N/A	

^{*} CORS data collection was delayed until mid 2013 so compliance rate might be understated.