

[View results](#)

Respondent

70

Anonymous

64:22

Time to complete

Inspection Information

1. Location

	Courts	Jails	Sheriff Station
Location	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

2. Location *

CRDF

3. Date of Previous Inspection *

5/20/2025

4. Date of this Inspection *

6/17/2025

5. Time *

8:00pm

6. Commissioner(s) - (Select all that Apply) *

- ☐ Ingrid Archie
- ☒ Puja Bhatia
- ☐ Haley Broder
- ☐ Norma Cumpian
- ☐ Wynter Daggs
- ☐ Mark - Anthony Clayton Johnson
- ☐ Bob Frutos
- ☐ Dr. Cheryl N. Grills
- ☒ Katherine Hennigan Ohanesian
- ☐ Eric J. Miller
- ☐ Raymond Regalado
- ☐ Alexander Sherman
- ☐ Joahanna Terrones
- ☐ Mary Veral
- ☐ Other

Facility Information

7. Facility Name/Location Name *

Courthouse names and locations: <https://www.lacourt.org/courthouse>

Patrol Names and locations Stations: <https://lasd.org/stations/>

LA County Jail Facilities names and locations: <https://lasd.org/custody/>

CRDF

8. Facility Address *

Courthouse names and Locations: <https://www.lacourt.org/courthouse>

Patrol Names and Station Locations: <https://lasd.org/stations/>

LA County Jail Facilities Names and Locations: <https://lasd.org/custody/>

11705 South Alameda Avenue, Lynwood CA 90262

9. Name and Title of LASD Supervisor Contacted *

Watch Commander Michael Kassabian

10. Census: Capacity *

11. Current Census *

12. Location(s) Inspected: *

Be specific, include Module(s) name(s)

East Tower: (MH Units) 1300: • Cell 19: flooding on floor • Cell 41 & 43: trash on floor • Gnats reported everywhere • Cell 13: flooding toilet • Flooding from second floor balcony reported to have occurred earlier in the day • Main room is filthy and needs to be cleaned • Shower has dirty clothes on floor and lime scale on shower head • 7035987 – Vicki Lazado: haven't had dinner and need something to drink – complained of sugar being low to deputies and they ignored her until she was buzzed in • Deputies claimed toilets were flooded by inmates 2404: • Shower was observed running with lime scale • 7010018 – Chardenae Reaves – court date canceled on 6/4 and doesn't know when it will occur again as there is a plan for her to be released to ODR West Tower 1600: TV was on and Deputies were watching Star Wars

13. Issues reported to (Select all that Apply): *

- ☐ BOS
- ☒ Officer in Charge
- ☒ LASD
- ☐ ISD
- ☐ OIG
- ☐ COC
- ☐ Other

14. Name of the person(s) issues were reported to: *

15. Contact Information of the person(s) contacted: *

Conditions of Confinement

16. Condition of Confinement: Cells/Toilets/Sinks

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☒ Corrective Action Needed
- ☐ Not Applicable

17. Condition of Confinement COMMENTS RE: Cells/Toilets/Sinks

Very dirty, trash etc.

18. Condition of Confinement: Showers (water temperature, rust, mold etc.)

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☒ Corrective Action Needed
- ☐ Not Applicable

19. Conditions of Confinement COMMENT RE: Showers (water temperature, rust, mold etc.)

Leaking showers and flooding observed.

20. Condition of Confinement: Crowding

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

21. Conditions of Confinement COMMENT RE: Crowding

People sleeping in common area. Also 1000 beds out of service.

22. Condition of Confinement: Cleanliness/Graffiti

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☒ Corrective Action Needed
- ☐ Not Applicable

23. Conditions of Confinement COMMENT RE: Cleanliness/Graffiti

Very dirty . Complaints of Nats and other bugs.

24. **Condition of Confinement:** Safety, Conflict, Tension

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

25. **Conditions of Confinement COMMENT RE:** Safety, Conflict, Tension

Witnessed checks that were deputy did not look into cell when scanning bar code.

26. **Condition of Confinement:** Common Areas

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

27. **Conditions of Confinement COMMENT RE:** Common Areas

Dirty

28. **Condition of Confinement:** Air Quality/Temperature

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

29. **Condition of Confinement:** Deputy/Detainee Relations (Including Specific Incidents or allegations of misconduct)

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

30. **Conditions of Confinement COMMENT RE:** Deputy/Detainee Relations (Including Specific Incidents or allegations of misconduct)

No interaction witnessed by commissioners.

31. **Condition of Confinement:** Strip Search Issues

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

32. **Condition of Confinement:** Access (Drinking Water)

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

33. **Conditions of Confinement COMMENT RE:** Access (Drinking Water)

Sinks clogged and very dirty!

34. **Condition of Confinement:** Access (Mail/Reading Materials/Law Library)

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

35. **Condition of Confinement:** Access (Toilets for Common Room)

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

36. **Conditions of Confinement COMMENT RE:** Access (Toilets for Common Room)

Very dirty

37. **Condition of Confinement:** Access (Toiletries, Appropriate Combs/Brushes)

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

38. **Condition of Confinement:** Access (Exercise, Religious Practice)

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

39. **Conditions of Confinement COMMENT RE:** Access (Exercise, Religious Practice)

Did not see these spaces on our inspection.

40. **Condition of Confinement:** Access (Legal Counsel)

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

41. **Condition of Confinement:** Access (Visitation, Correspondence)

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

42. **Condition of Confinement:** Solitary Confinement

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

43. **Condition of Confinement:** Privacy/Dignity (showers, bathrooms)

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

44. **Conditions of Confinement COMMENT RE:** Privacy/Dignity (showers, bathrooms)

Showers dirty and water was leaking from water source.

45. **Condition of Confinement:** Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

46. **Condition of Confinement:** Module Information Postings (re: time calculations, complaint, developmental disability)

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

47. **Condition of Confinement:** Complaint Procedure (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC)

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

48. **Condition of Confinement:** Fees Assessed/ Money on Books

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

49. **Conditions of Confinement COMMENT RE:** Fees Assessed/ Money on Books

Received complains that money was being withheld.

50. **Condition of Confinement:** Other51. **Condition of Confinement:** Other

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

Nutrition

52. **Nutrition:** Quality/Concerns

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

53. **Nutrition COMMENT RE:** Quality/Concerns

Food looked packaged and portions are limited. Many women described being hungry

54. **Nutrition:** Access to special diets

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

Trustees

55. **Trustees:** Quarters

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

56. **Trustees:** Training and Selection

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

57. **Trustees:** Workload and Hours

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

58. **Trustees:** Calculation/Time Served

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

59. **Trustees COMMENTS RE:** Calculation/Time Served

Some women complained about being in longer then needed and missing their court dates.

Medical Services

60. Medical Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Wait Times	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Responsiveness	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
TB and Other Medical Screening	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Dental	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Vision	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Infectious Disease Protocol	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

61. COMMENTS RE: Medical

Mental Health**62. Mental Health Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wait Times	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Treatment Options	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assessment Procedures	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

63. COMMENTS RE: Mental Health

Telephones

64. Telephones

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Functionality	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

65. COMMENTS RE: Telephones

Education Based Incarceration Programming (EBI)**66. Education Based Incarceration Programming (EBI)**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Availability	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Type	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Access	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

67. COMMENTS RE: EBI Programming

68. EBI: Volunteer Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Type	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Access	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Concerns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

69. COMMENTS RE EBI: Volunteer Services

Clean Clothing and Bedding

70. **Clean Clothing and Bedding** (including laundry practices)

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

71. **COMMENTS RE: Clean Clothing and Bedding** (including laundry practices)

Everything was dirty!

Facilities/Maintenance72. **Facilities/Maintenance: Back Log Unfilled Order(s)**

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

73. **Facilities/Maintenance COMMENTS RE: Back Log Unfilled Order(s)**

Elevators broken for over a year.

74. **Facilities/Maintenance: Kitchen/Laundry**

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

75. **Facilities/Maintenance: Chemical exposure (kitchen, laundry, trustee duties)**

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

Deputy Staffing

76. Deputy Staffing: Quality of Interactions w/Detainees

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Use of Force (Last 30 days)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Assault on Staff (Last 30 days)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Staff Training (MH, trauma informed etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

77. Deputy Staffing COMMENTS RE: Quality of Interactions w/Detainees

Fair

78. Detainee Complaints/Concerns COMMENTS:

Conditions of jail.

79. Deputy Complaint/Concerns COMMENTS:

Elevators broken.

80. Prior Corrective Action Resolution:

N/a

81. Detainee Documentations (e.g., intake/release, procedures):

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Classification	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Logs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Detainee management	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Exit interview - policies/proced ure grievances	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Generated funds	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

82. Detainee Documentation COMMENTS:

83. Discipline Proceedings:

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

84. Emergency Preparedness/Systems:

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Airpack Tags	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Emergency Evacuation Routes	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Control Centers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Emergency Lighting Fixtures	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Safety Drills	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
First Aid and Suicide Kits	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

85. Emergency Preparedness/Systems COMMENTS:

86. Grounds:

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

87. Grounds COMMENTS:

Inspection: Special Focus

88. Inspection: Special Focus

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Available
COC	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Community	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
CHS	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
DMH	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
DPH	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Facilities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Food Services	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
OIG	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Other	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

89. Inspection: Special Focus Request *(Select all that Apply)*:

- ☐ COC
- ☒ Community
- ☐ CHS
- ☐ DMH
- ☐ DPH
- ☐ Facilities
- ☐ Food Services
- ☐ OIG
- ☐ N/A
- ☒ Sybil Brand

90. Inspection: Special Focus Request Comments:

91. **Prison Rape Elimination Act (PREA) Issues:**

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

92. **Other:****INSPECTION DETAILS - ANCHORED TO SUMMARIZE #3 THROUGH #106**

93. Inspection Detail for #:

CRDF Inspection – 6/17/25 at 8:15 pm

Count: 1418
Functional Capacity: 1661
Facility Capacity: 2667

According to Watch Commander Michael Kassabian and Lt. Cureton, none of the elevators work and have been down for years. Hoping to be fixed by beginning of next month

East Tower: (MH Units)

1300:

- Cell 19: flooding on floor
- Cell 41 & 43: trash on floor
- Gnats reported everywhere
- Cell 13: flooding toilet
- Flooding from second floor balcony reported to have occurred earlier in the day
- Main room is filthy and needs to be cleaned
- Shower has dirty clothes on floor and lime scale on shower head
- 7035987 – Vicki Lazado: haven't had dinner and need something to drink – complained of sugar being low to deputies and they ignored her until she was buzzed in
- Deputies claimed toilets were flooded by inmates

2404:

- Shower was observed running with lime scale
- 7010018 – Chardenae Reaves – court date canceled on 6/4 and doesn't know when it will occur again as there is a plan for her to be released to ODR

West Tower

1600: TV was on and Deputies were watching Star Wars

94. Inspection Detail for #:

95. Inspection Detail for #:

96. Inspection Detail for **OIG** Request Related to:

97. Inspection Detail for **COC** Request Related to:

98. Inspection Detail for **Community Request** Related to:

99. **Inspection Detail:** EBI

100. **Inspection Detail:** Medical

101. **Inspection Detail:** Medical

102. **Inspection Detail:** Building and Maintenance *(Select all that apply)*

- ☐ Lawns
- ☒ Recreation Area
- ☐ Blacktop
- ☐ Asphalt
- ☒ General Condition
- ☒ Paint
- ☐ Roof
- ☒ Drains/Gutters
- ☐ Not Applicable
- ☒ Elevators

103. Inspection Detail: Building and Maintenance

INSPECTION DETAIL: INTERIOR OF BUILDINGS(S)

104. **Inspection Detail:** Interior of Building(s) and Maintenance *(Select all that apply)*

- ☒ Walls
- ☒ Paint
- ☒ Floors
- ☒ Drains
- ☒ Plumbing fixtures working
- ☒ Air Vents
- ☒ Windows
- ☐ Not Applicable
- ☒ Elevators

105. Inspection Detail **Interior of Building:**

Chipping paint dirty walls and floors. Very dirty!

106. Are Cleaning fluids and chemicals labeled and safely stored?

- ☐ Yes
- ☒ No
- ☐ Not Applicable
- ☐ Other

107. Weapons locker present?

- ☒ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

108. Recreation/Sports Equipment:

None observed

109. Are the hallways clear, are doors propped open or closed?

- ☒ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

110. Holding areas (cells/rooms), is there access to drinking water and toilet?

- ☐ Yes
- ☐ No
- ☐ Not Applicable
- ☒ Did not observe

111. Condition of individual cells/rooms, or dormitories:

Very dirty, unsanitary and horrible!

112. Beds - Type of bed and is it off the floor?

113. Adequate lighting:

114. Temperature:

115. Narrative Report

CRDF Inspection – 6/17/25 at 8:15 pm

Count: 1418

Functional Capacity: 1661

Facility Capacity: 2667

According to Watch Commander Michael Kassabian and Lt. Cureton, none of the elevators work and have been down for years. Hoping to be fixed by beginning of next month

East Tower: (MH Units)

1300:

- Cell 19: flooding on floor
- Cell 41 & 43: trash on floor
- Gnats reported everywhere
- Cell 13: flooding toilet
- Flooding from second floor balcony reported to have occurred earlier in the day
- Main room is filthy and needs to be cleaned
- Shower has dirty clothes on floor and lime scale on shower head
- 7035987 – Vicki Lazado: haven't had dinner and need something to drink – complained of sugar being low to deputies and they ignored her until she was buzzed in
- Deputies claimed toilets were flooded by inmates

2404:

- Shower was observed running with lime scale
- 7010018 – Chardenae Reaves – court date canceled on 6/4 and doesn't know when it will occur again as there is a plan for her to be released to ODR

West Tower

1600: TV was on and Deputies were watching Star Wars

116. Narrative Continued

117. Narrative Continued

118. Narrative Continued

119. Narrative Continued

120. Narrative Continued

121. Overall, how would you rate this facility? *

- ☐ Satisfactory
- ☒ Unsatisfactory