

[View results](#)

Respondent

10      Anonymous

45:21

Time to complete

## Inspection Information

**1. Location Type and Location \***

- Courts
- Jails
- Sheriff Station

**2. LA County Jail \***

- Inmate Reception Center (IRC), 450 Bauchet St. Los Angeles, CA. 90012
- Century Regional Detention Facility (CRDF), 11705 S. Alameda St., Lynwood CA. 90262
- Los Angeles General Medical Center (LAGMC), 2051 Marengo Street, Los Angeles, CA. 90033
- Men's Central Jail (MCJ), 441 Bauchet Street, Los Angeles, CA. 90012
- Pitchess Detention Center (PDC) - North, 29320 The Old Road, Castaic, California 91384
- Pitchess Detention Center (PDC) -South, 29330 The Old Road, Castaic, California 91384
- North County Correctional Facility (NCCF), 29340 The Old Road,, Castaic, CA. 91384
- Twin Towers Correctional Facility (TTCF), 450 Bauchet St. Los Angeles, CA. 90012

**3. Date of this Inspection \***

11/28/2025

**4. Time of Inspection \***

9:00am

**5. Facility Count \***

3885

## 6. Module(s) inspected: \*

2600,2800,3700,4000,5000,9500

## 7. Total (all modules) current &amp; maximum count \*

Be specific, include Module(s) name(s)

4822

## 8. Name of Watch Commander on Duty \*

Lieutenant Roberts

## 9. Email Address of Watch Commander on Duty \*

teroberts@lasd.lacounty.gov

## 10. Phone Number of Watch Commander on Duty \*

teroberts@lasd.lacounty.gov

## 11. Inspection Report Out to Watch Commander on Duty \*

Yes - verbal

Yes - email

Yes - verbal and email

No Inspection Report Out was given to the Watch Commander on Duty

## 12. Name of Commissioner(s) who conducted the inspection \*

Puja Bhatia

Haley Broder

Norma Cumpian

Wynter Daggs

Eric J. Miller

Katherine Hennigan Ohanesian

Raymond Regalado

Johanna Terrones

Mary Veral

Other

## 13. Other stakeholders' observations were reported to (Select all that Apply): \*

- BOS
- Officer in Charge
- LASD
- ISD
- OIG
- COC
- Other

## 14. Name of the person(s) issues were reported to: \*

Lieutenant Roberts

## Conditions of Confinement

## 15. Cells/Toilets/Sinks \*

- Cells
- Toilets
- Sinks
- Other

## 16. Cells/Toilets/Sinks Overall Rating \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

17. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Cleaning and plumbing services needed.

## 18. COMMENTS RE: Cells/Toilets/Sinks

**19. Shower Conditions \*** Water Quality Water temperature Rust Mold Other**20. Showers Conditions Overall Rating (water temperature, rust, mold etc.) \*** Satisfactory Unsatisfactory Corrective Action Needed Not Applicable**21. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why***

Cleaning and plumbing services needed facility wide.

**22. COMMENT RE: Showers (water temperature, rust, mold etc.)**

Complaints of hot and cold temps not in working order.

**23. Crowding Overall Rating \*** Satisfactory Unsatisfactory Corrective Action Needed Not Applicable**24. COMMENT RE: Crowding****25. Cleanliness/Graffiti Overall Rating \*** Satisfactory Unsatisfactory Corrective Action Needed Not Applicable

26. **COMMENT RE:** Cleanliness/Graffiti

Cleaning needed.

27. **Safety, Conflict, Tension Overall Condition \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

28. **COMMENT RE:** Safety, Conflict, Tension29. **Common Areas Overall Rating \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

30. **COMMENT RE:** Common Areas

Cleaning and maintenance needed.

31. **Air Quality/Temperature Overall Conditions \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

32. **COMMENT RE:** Air Quality/Temperature

Smoke smells continue. Temperature cold. Windy on several floors.

**33. Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**34. Strip Search Issues \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**35. Drinking Water Overall Rating \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**36. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why***

Water is murky and felt to be unsafe to drink.

**37. COMMENT RE: Access (Drinking Water)**

Sinks in many cells not working. Many complained about water resources.

**38. Access to Mail, Reading Materials, Law Library \***

- Mail
- Reading Materials
- Law Library
- Other

## 39. Access (Mail/Reading Materials/Law Library) Overall Conditions \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

40. **COMMENT RE:** Access (Mail/Reading Materials/Law Library)

Complains some where not receiving their mail.

41. **Access to Toilets in Common Room \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

42. **COMMENT RE:** Access to Toilets in Common Room

Many toilets were not working.

43. **Access to Toiletries, Appropriate Combs/Brushes, FISH Kits \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

44. **COMMENT RE:** Access to Toiletries, Appropriate Combs/Brushes, FISH Kits45. **Access to Exercise Religious Practices \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

46. **COMMENT RE:** Access to Exercise Religious Practices

No complaints related to this issue.

47. **Access to Legal Counsel \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

48. **COMMENT RE:** Access (Legal Counsel)49. **Access to Visitation and Correspondence \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

50. **Solitary Confinement \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

51. **Privacy/Dignity (showers, bathrooms) \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

52. **COMMENT RE:** Privacy/Dignity (showers, bathrooms)

Complaints that there are cameras pointing into shower stalls etc.

**53. Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability) \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**54. Module Information Postings (re: time calculations, complaint, developmental disability) \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**55. Complaint Procedure (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**56. Fees Assessed/ Money on Books \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**57. COMMENT RE: Fees Assessed/ Money on Books**

Received several  
Complaints about broken vending machines and money on cards missing.

**58. Other Conditions of Confinement Issues or Concerns? \***

- Yes
- No

59. **COMMENT RE:** Other Conditions of Confinement Issue and or Concern?

## 60. Other Condition of Confinement Overall Rating \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## Nutrition

## 61. Quality/Concerns

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## 62. Access to special diets

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## Trustees

## 63. Quarters

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## 64. Training and Selection

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## 65. Workload and Hours

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## 66. Calculation of Time Served

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## Medical Services

## 67. Medical Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Wait Times	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Responsiveness	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
TB and Other Medical Screening	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Dental	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Vision	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Infectious Disease Protocol	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

**68. Medical Request Forms Available \*** Yes No**69. COMMENTS RE: Medical****70. Menstrual Products \*** AVAILABLE NOT Available Had to be requested Located in a central location**71. COMMENTS RE: Menstrual Cycle Products**

## Mental Health

**72. Mental Health Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wait Times	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Treatment Options	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Assessment Procedures	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

**73. COMMENTS RE: Mental Health**

## PREA and NARCAN

**74. Prison Rape Elimination Act (PREA) Issues: \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**75. Prison Rape Elimination Act (PREA) COMMENTs:****76. NARCAN \***

- Available
- Accessible
- Near Reach and no Obstacles
- Not Applicable
- Other

**77. NARCAN Overall Rating \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## Physical Structure of Facility

## 78. Physical Structure

- Walls
- Paint
- Floors
- Drains
- Plumbing
- Fixtures
- Air Vents
- Windows
- Other

## 79. Physical Structure Comment(s)

Very dirty and smelly.

## 80. Are Cleaning fluids and chemicals labeled and safely stored?

- Yes
- No
- Not Applicable
- Other

## 81. Weapons locker present?

- Yes
- No
- Not Applicable
- Other

## 82. Recreation/Sports Equipment:

Did not see any.

## 83. Are the hallways clear, are doors propped open or closed?

- Yes
- No
- Not Applicable
- Other

84. **Grounds:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

85. **Grounds COMMENTS:**
86. **Emergency Preparedness/Systems:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Airpack Tags	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Emergency Evacuation Routes	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Control Centers	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Emergency Lighting Fixtures	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Safety Drills	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
First Aid and Suicide Kits	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

87. **Emergency Preparedness/Systems COMMENTS:**

N/a

88. Holding areas (cells/rooms), is there access to drinking water and toilet?

- Yes
- No
- Not Applicable
- Other

89. Condition of individual cells/rooms, or dormitories:

Not is good condition. Many sinks and toilets broken or clogged.

90. Beds - Type of bed and is it off the floor?

Beds dirty and uncomfortable.

91. Adequate lighting:

No

92. Temperature:

No temp control in building. Very hot and poor air flow while also being freezing and windy on other floors.

## 93. Narrative Report

## Major Concerns

1. Continued dirt/trash/filth, smell of fire throughout the jail, with reports of rodents and bugs. This included a giant leak (full-size trash can already full of water and water going out into the hallway near 3700).
2. Many cells without running water or both hot/cold water.
3. Reports of no follow-ups to grievances submitted and reports of very slow medical follow-up.

## Medical Follow-Up Needs

1. Mark Nunez, 7135833, needs mental health support and follow-up following an assault for chest pain
2. Anthony, 6211321, needs dental for a broken tooth emergency; needs lead testing
3. Rafiel Avila, 7078031, needs an optometrist/glasses -- cannot see
4. William Branscomb, 7129503, needs re-evaluation for mental health care and needs albuterol for asthma
5. Jesse Randle, 7075606, needs urgent medical follow-up for kidney stones
6. Errol Jones, 6268950, needs back brace and thumb brace, along with glasses
7. Damioni Johnson, 7017851, needs dentist
8. 7109675, Errice Lewis (Ivy) needs trans services and abilify/suboxone
9. Requests in K6G dorm for regular trans women clinic checks every 6 weeks

## General Needs

Escalators remain broken (and dirty)

2600

- Big elevator has been broken for 3+ days

3100B

- Cell 8: No running water at all
- #25: 7067443, Xavier Ellis, not receiving high-protein special diet regularly
- #12: Phone doesn't work
- Cell 20: One light not working; sink not working; request for cleaning sponges
- Cell 19: No hot water
- Cell 22: No hot water; TV broken across; no working phone
- Reports of special diets/food getting taken by trustees
- Visible mold and something brown on the walls
- #23: Needs hygiene kit (Kevon Ray Burnettlytle, 7003874)

4400D

- Requests for vending
- Very cold in 4400
- Visible tenting
- No grievance forms available
- Cell 1: Only hot water (cold not working)
- Cell 4: No water
- Cell 5: No water working
- Cell 9, no hot water
- Cell 10, no hot water
- Cell 11, no hot water
- William Branscomb, 7129503, requesting move back to 5800 MH
- Cell 18: no cold water
- Cell 10: No hot water + not receiving mail
- only one working phone in day room

5000

- Entire floor smelled like mildew. Source seemed to be a shower/water closet with door open next door to 3032A. Watch Commander alerted.
- Very dirty escalator (stairs) leading up to 5000

9400

- Not enough chairs for the very full dorm (only seating for 28 out of 142)
- Need cleaning supplies
- Need additional trash cans
- 2 TVs not working, one missing cord entirely
- Vending machine access removed? Requests return, or return of funds if vending is on account and now cannot access vending
- Phones not working
- Very cold -- request for additional blankets
- Toilets broken (5 out of the 10 total for 142 people)
- Concerns about cameras facing showers and lack of privacy with cross-gender shower viewing
- Visible mold on ceiling
- No drain covers in showers
- Requests for bras and panties provided to trans women
- Medical request forms are available only outside of the dorm (along with grievances) -- difficult to get
- Specialized diet meals are not regularly received and people are reporting hunger.
- Request for FISH kits
- Observed a few mattresses without plastic
- Reports of rats eating into special diet food bags, milk coming lukewarm, bread coming with mold

We observed the new body cameras in action across the jail. We heard some positive reports about the new dinner service (coming warmer!), but still concerning reports of moldy food for the other meals.

94. Narrative Continued

95. Narrative Continued

96. Narrative Continued

97. Narrative Continued

98. Narrative Continued

99. Overall, how would you rate this facility? \*

Satisfactory

Unsatisfactory