

View results

Respondent

14 Anonymous

20:17

Time to complete

## Inspection Information

### 1. Location Type and Location \*

- Courts
- Jails
- Sheriff Station

### 2. LA County Jail \*

- Inmate Reception Center (IRC), 450 Bauchet St. Los Angeles, CA. 90012
- Century Regional Detention Facility (CRDF), 11705 S. Alameda St., Lynwood CA. 90262
- Los Angeles General Medical Center (LAGMC), 2051 Marengo Street, Los Angeles, CA. 90033
- Men's Central Jail (MCJ), 441 Bauchet Street, Los Angeles, CA. 90012
- Pitchess Detention Center (PDC) - North, 29320 The Old Road, Castaic, California 91384
- Pitchess Detention Center (PDC) -South, 29330 The Old Road, Castaic, California 91384
- North County Correctional Facility (NCCF), 29340 The Old Road,, Castaic, CA. 91384
- Twin Towers Correctional Facility (TTCF), 450 Bauchet St. Los Angeles, CA. 90012

### 3. Date of this Inspection \*

### 4. Time of Inspection \*

### 5. Facility Count \*

6. Module(s) inspected: \*

6000; 4400

7. Total (all modules) current & maximum count \*

Be specific, include Module(s) name(s)

3875/4802

8. Name of Watch Commander on Duty \*

Lt. Richard Cardenas

9. Email Address of Watch Commander on Duty \*

racarden@lasd.org

10. Phone Number of Watch Commander on Duty \*

n/a

11. Inspection Report Out to Watch Commander on Duty \*

- Yes - verbal
- Yes - email
- Yes - verbal and email
- No Inspection Report Out was given to the Watch Commander on Duty

12. Name of Commissioner(s) who conducted the inspection \*

- Puja Bhatia
- Haley Broder
- Norma Cumpian
- Wynter Daggs
- Eric J. Miller
- Katherine Hennigan Ohanesian
- Raymond Regalado
- Joahanna Terrones
- Mary Veral
- Other

13. Other stakeholders' observations were reported to *(Select all that Apply): \**

- BOS
- Officer in Charge
- LASD
- ISD
- OIG
- COC
- Other

14. Name of the person(s) issues were reported to: \*

Lt. Cardenas  
Dr. Sean Henderson  
Cpt Marchello  
Commander Montoya  
Lt. Gonzalez

## Conditions of Confinement

15. **Cells/Toilets/Sinks** \*

- Cells
- Toilets
- Sinks
- Other

16. Cells/Toilets/Sinks Overall Rating \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

17. **Shower Conditions \***

- Water Quality
- Water temperature
- Rust
- Mold
- Other

18. Showers Conditions Overall Rating (water temperature, rust, mold etc.) \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

19. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Visible mold; visible rust; told water temperature is too hot in shower in 4400C

20. **COMMENT RE:** Showers (water temperature, rust, mold etc.)

21. **Crowding Overall Rating \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

22. **Cleanliness/Graffiti Overall Rating \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

23. **Safety, Conflict, Tension Overall Condition \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

24. **Common Areas Overall Rating \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

25. **Air Quality/Temperature Overall Conditions \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

26. **COMMENT RE: Air Quality/Temperature**

Very cold in 4400. Moldy/leaks/issues in 6000.

27. **Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

28. **COMMENT RE: Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct)

29. **Strip Search Issues** \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

30. Drinking Water Overall Rating \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

31. Access (Mail/Reading Materials/Law Library) Overall Conditions \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

32. **Access to Toilets in Common Room** \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

33. **Access to Toiletries, Appropriate Combs/Brushes, FISH Kits** \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**34. Access to Exercise Religious Practices \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**35. Access to Legal Counsel \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**36. Access to Visitation and Correspondence \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**37. Solitary Confinement \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

**38. Privacy/Dignity (showers, bathrooms) \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

39. **Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability) \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

40. **Module Information Postings** (re: time calculations, complaint, developmental disability) \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

41. **Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

42. **COMMENT RE: Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC)

Multiple grievances are being filed and no response is being received. Need digital tracking system. those incarcerated show inspectors stacks of grievances without responses. In other modules, grievance forms are not available.

43. **Fees Assessed/ Money on Books \***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

44. **COMMENT RE: Fees Assessed/ Money on Books**

45. **Other Conditions of Confinement Issues or Concerns? \***

Yes

No

46. **COMMENT RE:** Other Conditions of Confinement Issue and or Concern?

Complaints that medical is very slow to come.  
 Multiple medical issues were reported directly to LASD and CHS.

6000:  
 Concerns about oversight -- reports that if "man down" is called, there's no answer for a "significant amount of time" and "threats of TV removal if there is actually no issue."

One person shared that they filed a PREA complaint 1.5 years ago and still have received no response, but have experienced retaliation and threats from the sergeant following their report.

Air filter at end of row needs cleaned  
 Phone approved for cell but not installed

6053 Urine falling from ceiling  
 Complaints about moldy burritos (alleging the jail re-serves unused food rather than throw it out).

4400C:  
 Very, very cold -- blankets + extra thermals requested. Showers are burning hot and scalded the men on the block.  
 Complaints about food poisoning from dinners. Complaints about lack of food (not enough) + hunger.  
 Complaints of very slow medical responses and turnarounds.  
 No working TV for this module  
 Desire to ensure receiving EBI credits appropriately for attending class - Complaint that men may not be receiving these credits from EBI schooling.  
 Tenting observed.  
 Lots of mold on vent and dirt on screens.

47. **Other Condition of Confinement Overall Rating \***

Satisfactory

Unsatisfactory

Corrective Action Needed

Not Applicable

## Nutrition

48. **Quality/Concerns**

Satisfactory

Unsatisfactory

Corrective Action Needed

Not Applicable

49. Access to special diets

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## Trustees

50. Quarters

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

51. Training and Selection

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## Medical Services

52. **Medical Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wait Times	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Responsiveness	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
TB and Other Medical Screening	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Dental	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Vision	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Infectious Disease Protocol	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

53. **Medical Request Forms Available \***

- Yes
- No

54. **COMMENTS RE:** Medical

55. **Menstrual Products \***

- AVAILABLE
- NOT Available
- Had to be requested
- Located in a central location

56. **COMMENTS RE:** Menstrual Cycle Products

**Mental Health**

57. **Mental Health Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wait Times	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Treatment Options	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Assessment Procedures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

58. **COMMENTS RE:** Mental Health

[Empty text box for comments]

## PREA and NARCAN

59. **Prison Rape Elimination Act (PREA) Issues:** \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

60. **Prison Rape Elimination Act (PREA) COMMENTS:**

Report that 1.5 years passed since PREA report without response and facing retaliation.

61. **NARCAN** \*

- Available
- Accessible
- Near Reach and no Obstacles
- Not Applicable
- Other

62. NARCAN Overall Rating \*

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

## Physical Structure of Facility

63. Physical Structure

- Walls
- Paint
- Floors
- Drains
- Plumbing
- Fixtures
- Air Vents
- Windows
- Other

64. Physical Structure Comment(s)

65. Are Cleaning fluids and chemicals labeled and safely stored?

- Yes
- No
- Not Applicable
- Other

66. Weapons locker present?

- Yes
- No
- Not Applicable
- Other

67. Recreation/Sports Equipment:

68. Are the hallways clear, are doors propped open or closed?

- Yes
- No
- Not Applicable
- Other

69. **Grounds:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

70. **Grounds COMMENTS:**

71. **Emergency Preparedness/Systems:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Airpack Tags	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Emergency Evacuation Routes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Control Centers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Emergency Lighting Fixtures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Safety Drills	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
First Aid and Suicide Kits	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

72. **Emergency Preparedness/Systems COMMENTS:**

73. Holding areas (cells/rooms), is there access to drinking water and toilet?

- Yes
- No
- Not Applicable
- Other

74. Condition of individual cells/rooms, or dormitories:

75. Beds - Type of bed and is it off the floor?

76. Adequate lighting:

77. Temperature:

78. Narrative Report

79. Narrative Continued

80. Narrative Continued

81. Narrative Continued

82. Narrative Continued

83. Narrative Continued

84. Overall, how would you rate this facility? \*

- Satisfactory
- Unsatisfactory