

[View results](#)

Respondent

16 Anonymous

28:24
Time to complete

Inspection Information

1. Location Type and Location *

- Courts
- Jails
- Sheriff Station

2. LA County Jail *

- Inmate Reception Center (IRC), 450 Bauchet St. Los Angeles, CA. 90012
- Century Regional Detention Facility (CRDF), 11705 S. Alameda St., Lynwood CA. 90262
- Los Angeles General Medical Center (LAGMC), 2051 Marengo Street, Los Angeles, CA. 90033
- Men's Central Jail (MCJ), 441 Bauchet Street, Los Angeles, CA. 90012
- Pitchess Detention Center (PDC) - North, 29320 The Old Road, Castaic, California 91384
- Pitchess Detention Center (PDC) -South, 29330 The Old Road, Castaic, California 91384
- North County Correctional Facility (NCCF), 29340 The Old Road,, Castaic, CA. 91384
- Twin Towers Correctional Facility (TTCF), 450 Bauchet St. Los Angeles, CA. 90012

3. Date of this Inspection *

2/4/2026 

4. Time of Inspection *

3:15p-5:15p

5. Facility Count *

4164

6. Module(s) inspected: *

1750, 5500, 5550,2200

7. Total (all modules) current & maximum count *

Be specific, include Module(s) name(s)

1750, 5500, 5550, 2200B

8. Name of Watch Commander on Duty *

Joseph Grigorian

9. Email Address of Watch Commander on Duty *

jhgrigor@lasd.org

10. Phone Number of Watch Commander on Duty *

213-974-4916

11. Inspection Report Out to Watch Commander on Duty *

- Yes - verbal
- Yes - email
- Yes - verbal and email
- No Inspection Report Out was given to the Watch Commander on Duty

12. Name of Commissioner(s) who conducted the inspection *

- Puja Bhatia
- Haley Broder
- Norma Cumpian
- Wynter Daggs
- Eric J. Miller
- Katherine Hennigan Ohanesian
- Raymond Regalado
- Joahanna Terrones
- Mary Veral
- Other

13. Other stakeholders' observations were reported to *(Select all that Apply): **

- BOS
- Officer in Charge
- LASD
- ISD
- OIG
- COC
- Other

14. Name of the person(s) issues were reported to: *

Capt. B. Tolmasoff accompanied on the inspection, along with BOS Justice Deputy A. Martinez

Conditions of Confinement

15. **Cells/Toilets/Sinks ***

- Cells
- Toilets
- Sinks
- Other

16. Cells/Toilets/Sinks Overall Rating *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

17. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

MCJ cells are small, cramped and 2200 smelled like fire.

18. **COMMENTS RE:** Cells/Toilets/Sinks

19. **Shower Conditions** *

- Water Quality
- Water temperature
- Rust
- Mold
- Did not review

20. Showers Conditions Overall Rating (water temperature, rust, mold etc.) *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

21. **Crowding Overall Rating** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

22. **COMMENT RE:** Crowding

We observed modules 5500 (population 88/90 capacity). 5550 57/67 capacity). MOH dorms. Extremely crowded, unable to see all the way through to the back. Tenting. There are no windows.

23. **Cleanliness/Graffiti Overall Rating** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

24. **COMMENT RE:** Cleanliness/Graffiti

Food and bags of trash observed on the floors. Servicon cleaners were observed working in 2200. Hopefully this will make the facility cleaner in future visits.

25. **Safety, Conflict, Tension Overall Condition ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

26. **Common Areas Overall Rating ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

27. **COMMENT RE:** Common Areas

Generally clean in the hallways and on the escalators.

28. **Air Quality/Temperature Overall Conditions ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

29. **COMMENT RE:** Air Quality/Temperature

Smelled like smoke/fire

30. **Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

31. **COMMENT RE:** Deputy/Detainee Relations (Including Specific Incidents or allegations of misconduct)

32. **Strip Search Issues** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

33. **Drinking Water Overall Rating** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

34. **Access (Mail/Reading Materials/Law Library) Overall Conditions** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

35. **COMMENT RE:** Access (Mail/Reading Materials/Law Library)

One gentleman in 1750 was having difficulty getting his legal mail. He would like a log sheet of his mail.

36. **Access to Toilets in Common Room** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

37. **Access to Toiletries, Appropriate Combs/Brushes, FISH Kits** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

38. **Access to Exercise Religious Practices ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

39. **Access to Legal Counsel ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

40. **COMMENT RE:** Access (Legal Counsel)

See above re legal mail

41. **Access to Visitation and Correspondence ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

42. **Solitary Confinement ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

43. **COMMENT RE:** Solitary Confinement

1750 housing is lockdown 24/7, with the exception of showers three days per week Monday, Wednesday, Friday shower and clothing exchange occurs on Thursdays. Toilet paper is distributed on Tuesdays

44. **Privacy/Dignity (showers, bathrooms) ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

45. **Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability) ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

46. **COMMENT RE:** Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)

5550/5500 is inappropriate housing for individuals with mental illness.

47. **Module Information Postings** (re: time calculations, complaint, developmental disability) *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

48. **Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

49. **Fees Assessed/ Money on Books** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

50. **COMMENT RE:** Fees Assessed/ Money on Books

51. **Other Conditions of Confinement Issues or Concerns?** *

- Yes
- No

52. **COMMENT RE:** Other Conditions of Confinement Issue and or Concern?

53. Other Condition of Confinement Overall Rating *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Nutrition

54. Quality/Concerns

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

55. Access to special diets

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Trustees

56. Quarters

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

57. Training and Selection

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

58. Workload and Hours

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

59. Calculation of Time Served

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Medical Services

60. Medical Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Wait Times	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Responsiveness	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
TB and Other Medical Screening	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Dental	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Vision	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Infectious Disease Protocol	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

61. Medical Request Forms Available *

Yes

No

62. If no, did you notify anyone? If so, who did you notify, and what steps were taken to correct the matter? *

Deputy in charge. 1750 and 2200 inmates had to rely on deputies to give them forms.

63. **COMMENTS RE:** Medical

Medical issues submitted individually to CHS

64. Menstrual Products *

AVAILABLE

NOT Available

Had to be requested

Located in a central location

65. **COMMENTS RE:** Menstrual Cycle Products

MCJ. Did not inspect K6g dorm on this inspection

Mental Health

66. Mental Health Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wait Times	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Treatment Options	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Assessment Procedures	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

67. COMMENTS RE: Mental Health

We observed modules 5500 (population 88/90 capacity). 5550 57/67 capacity). MOH dorms. Extremely crowded, you could not see all the way through to the back. There are no windows.

PREA and NARCAN

68. Prison Rape Elimination Act (PREA) Issues: *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

69. Prison Rape Elimination Act (PREA) COMMENTS:

70. NARCAN *

- Available
- Accessible
- Near Reach and no Obstacles
- Not Applicable
- Other

71. NARCAN Overall Rating *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Physical Structure of Facility

72. Physical Structure

- Walls
- Paint
- Floors
- Drains
- Plumbing
- Fixtures
- Air Vents
- Windows
- Other

73. Physical Structure Comment(s)

No windows anywhere; poor air circulation

74. Are Cleaning fluids and chemicals labeled and safely stored?

- Yes
- No
- Not Applicable
- Other

75. Weapons locker present?

- Yes
- No
- Not Applicable
- Other

76. Recreation/Sports Equipment:

77. Are the hallways clear, are doors propped open or closed?

- Yes
- No
- Not Applicable
- Other

78. **Grounds:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

79. **Grounds COMMENTS:**

80. **Emergency Preparedness/Systems:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Airpack Tags	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Emergency Evacuation Routes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Control Centers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Emergency Lighting Fixtures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Safety Drills	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
First Aid and Suicide Kits	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

81. **Emergency Preparedness/Systems COMMENTS:**

NA

82. Holding areas (cells/rooms), is there access to drinking water and toilet?

- Yes
- No
- Not Applicable
- Other

83. Condition of individual cells/rooms, or dormitories:

84. Beds - Type of bed and is it off the floor?

85. Adequate lighting:

86. Temperature:

87. Narrative Report

This inspection was conducted with BOS and SBC. We visited crowded MOH (medium observation housing) in 5000, and oldside cells on 1750 and 2200. MCJ is extremely old, dangerous, and decrepit.

2200

Cell 11. The light had been out for six months

Cell 13: There is no phone in the cell. It had been ripped off. There was one gentleman in that cell who had been there for a couple of days with no access to a phone.

We would like the UDAL for 2200 B for Feb 4 and February 3. We were told that the outdoor recreation was scheduled for a period but was stopped midway so incomplete (ie not everyone received their title 15 required outdoor time). We want to inspect how that is documented on the UDAL.

88. Narrative Continued

89. Narrative Continued

90. Narrative Continued

91. Narrative Continued

92. Narrative Continued

93. Overall, how would you rate this facility? *

- Satisfactory
- Unsatisfactory