

[View results](#)

Respondent

21 Anonymous

24:10
Time to complete

Inspection Information

1. Location Type and Location *

- Courts
- Jails
- Sheriff Station

2. LA County Jail *

- Inmate Reception Center (IRC), 450 Bauchet St. Los Angeles, CA. 90012
- Century Regional Detention Facility (CRDF), 11705 S. Alameda St., Lynwood CA. 90262
- Los Angeles General Medical Center (LAGMC), 2051 Marengo Street, Los Angeles, CA. 90033
- Men's Central Jail (MCJ), 441 Bauchet Street, Los Angeles, CA. 90012
- Pitchess Detention Center (PDC) - North, 29320 The Old Road, Castaic, California 91384
- Pitchess Detention Center (PDC) -South, 29330 The Old Road, Castaic, California 91384
- North County Correctional Facility (NCCF), 29340 The Old Road,, Castaic, CA. 91384
- Twin Towers Correctional Facility (TTCF), 450 Bauchet St. Los Angeles, CA. 90012

3. Date of this Inspection *

3/25/2026 

4. Time of Inspection *

9:30 am

5. Facility Count *

1472

6. Module(s) inspected: *

2103; 3600; 2600

7. Total (all modules) current & maximum count *

Be specific, include Module(s) name(s)

Functional Capacity: 1838; Facility Capacity: 2667

8. Name of Watch Commander on Duty *

Lt. Mejia

9. Email Address of Watch Commander on Duty *

A1mejia@lasd.org

10. Phone Number of Watch Commander on Duty *

n/a

11. Inspection Report Out to Watch Commander on Duty *

- Yes - verbal
- Yes - email
- Yes - verbal and email
- No Inspection Report Out was given to the Watch Commander on Duty

12. Name of Commissioner(s) who conducted the inspection *

- Puja Bhatia
- Haley Broder
- Norma Cumpian
- Wynter Daggs
- Eric J. Miller
- Katherine Hennigan Ohanesian
- Raymond Regalado
- Joahanna Terrones
- Mary Veral
- Other

13. Other stakeholders' observations were reported to (Select all that Apply): *

- BOS
- Officer in Charge
- LASD
- ISD
- OIG
- COC
- Other

14. Name of the person(s) issues were reported to: *

BOS
Commander Montoya
Lt. Gonzalez
Watch Commander
Correctional Health Services
COC

Conditions of Confinement

15. **Cells/Toilets/Sinks** *

- Cells
- Toilets
- Sinks
- Other

16. Cells/Toilets/Sinks Overall Rating *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

17. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

18. **COMMENTS RE:** Cells/Toilets/Sinks

19. **Shower Conditions ***

- Water Quality
- Water temperature
- Rust
- Mold
- Other

20. Showers Conditions Overall Rating (water temperature, rust, mold etc.) *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

21. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

22. **COMMENT RE:** Showers (water temperature, rust, mold etc.)

23. **Crowding Overall Rating ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

24. **Cleanliness/Graffiti Overall Rating ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

25. **Safety, Conflict, Tension Overall Condition ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

26. **Common Areas Overall Rating ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

27. **Air Quality/Temperature Overall Conditions ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

28. **COMMENT RE: Air Quality/Temperature**

29. **Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

30. **COMMENT RE: Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct)

31. **Strip Search Issues** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

32. **Drinking Water Overall Rating** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

33. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

No bottled waters are being given out regularly despite brown water continuously observed along with bugs in water.

34. **COMMENT RE:** Access (Drinking Water)

Water remains a persistent issue, both observed by Haley Broder & Puja Bhatia with dirty water with light brown color sample taken, and worms in both showers and cell sinks consistently reported by the women, water smelling of chlorine and making women sick with various medical issues (diarrhea, fungus infection, rash)

Water bottles have not been offered where issues are persistent, and when asked, Deputies have told the women to request it through medical or to purchase through commissary at \$2 per bottle (for a max of 5 per week), or via vending machine if available at \$1.95 for 16 ounces.

If bottles are offered, only two water bottles are offered and given for 1-2 days and then discontinued, resulting in the women having to drink dirty water or pay for water bottles, if available.

The commissioners were told only one module in CRDF was currently providing bottled water. When the commissioners went to that module (3600), they were informed that the woman have not been provided with any bottled water.

Water hot pots are broken or barely working, so the women have no way to consistently warm up their food in 3600 and 2600. This has been a consistent issue reported across dorms.

35. **Access to Mail, Reading Materials, Law Library** *

- Mail
- Reading Materials
- Law Library
- Other

36. Access (Mail/Reading Materials/Law Library) Overall Conditions *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

37. Access to Toilets in Common Room *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

38. Access to Toiletries, Appropriate Combs/Brushes, FISH Kits *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

39. COMMENT RE: Access to Toiletries, Appropriate Combs/Brushes, FISH Kits

Requests for FISH kits

40. Access to Exercise Religious Practices *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

41. Access to Legal Counsel *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

42. **Access to Visitation and Correspondence ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

43. **Solitary Confinement ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

44. **COMMENT RE: Solitary Confinement**

Cross-gender shower viewing, violating PREA is said to still be occurring.

45. **Privacy/Dignity (showers, bathrooms) ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

46. **COMMENT RE: Privacy/Dignity (showers, bathrooms)**

Cross-gender shower viewing, violating PREA is said to still be occurring.

47. **Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability) ***

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

48. **COMMENT RE: Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)**

Medical issue where a woman entered into CRDF with wheelchair due to leg issue, but the wheelchair was taken away and she will have to refuse court due to lack of access to a wheelchair for personal transport. Multiple medical grievance forms filed to get "W" status returned with no reply.

49. **Module Information Postings** (re: time calculations, complaint, developmental disability) *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

50. **Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

51. **COMMENT RE: Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC)

Deputy in 2600 was telling women that if they submit additional grievances for medical (if they have not heard back from a previous one) they will be put in the back of the medical appointment line.

Told that women are being denied grievance forms.

52. **Fees Assessed/ Money on Books** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

53. **COMMENT RE: Fees Assessed/ Money on Books**

54. **Other Conditions of Confinement Issues or Concerns?** *

- Yes
- No

55. **COMMENT RE: Other Conditions of Confinement Issue and or Concern?**

Persistent medical issues where multiple medical grievance forms have been filed by IPs with no response, some after 60-90 days.
Misinformation spread: Report that a deputy said that for every non-emergency medical request form submitted, \$3 would be taken from a person's commissary account.

PREA issues continue to be reported to commissioners, including continued cross-gender shower viewing by male deputies of female inmates.

56. Other Condition of Confinement Overall Rating *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Nutrition

57. Quality/Concerns

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

58. Access to special diets

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Trustees

59. Quarters

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

60. Training and Selection

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Medical Services

61. **Medical Services**

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Applicable |
|--------------------------------|-----------------------|----------------------------------|--------------------------|----------------------------------|
| Access | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Wait Times | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Responsiveness | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| TB and Other Medical Screening | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> |
| Dental | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Vision | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Infectious Disease Protocol | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> |

62. **Medical Request Forms Available ***

- Yes
- No

63. If no, did you notify anyone? If so, who did you notify, and what steps were taken to correct the matter? *

Requested in 2103

64. **COMMENTS RE: Medical**

Misinformation spread: Report that a deputy said that for every non-emergency medical request form submitted, \$3 would be taken from a person's commissary account.

Deputy in 2600 was telling women that if they submit additional grievances for medical (if they have not heard back from a previous one) they will be put in the back of the medical appointment line.

65. **Menstrual Products** *

- AVAILABLE
- NOT Available
- Had to be requested
- Located in a central location

66. **COMMENTS RE:** Menstrual Cycle Products

Mental Health

67. **Mental Health Services**

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Applicable |
|-----------------------|-----------------------|-----------------------|--------------------------|----------------------------------|
| Access | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> |
| Wait Times | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> |
| Treatment Options | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> |
| Assessment Procedures | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> |

68. **COMMENTS RE:** Mental Health

PREA and NARCAN

69. **Prison Rape Elimination Act (PREA) Issues:** *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

70. **Prison Rape Elimination Act (PREA) COMMENTS:**

Continued reports of cross-gender shower viewing in 2600 and 2103.

This includes reports of retaliation after filing PREA complaints against deputies and/or medical staff.

Two individuals reported calling the PREA Crime Stoppers number listed in the pamphlet in the module and nobody answered.

Reports that deputies in retaliation for reporting deputy sexual assaults are saying inappropriate comments to women: "Did you like sucking his dick?" and "Do you like it in the ass? Will you do that to me?" and "Why'd you choose him, not me?"

Report of another deputy turning off his body worn camera and commenting on women's bodies, asking to see their private body parts.

71. **NARCAN ***

Available

Accessible

Near Reach and no Obstacles

Not Applicable

Other

72. **NARCAN Overall Rating ***

Satisfactory

Unsatisfactory

Corrective Action Needed

Not Applicable

73. **PREA and NARCAN Comments:**

We remain very concerned about the cross-gender shower viewing and the ways in which PREA complaints are being handled at CRDF.

Phones

74. **Phone Overall Rating ***

Satisfactory (Accessible and Available)

Unsatisfactory (Available, but not Accessible)

Corrective Action Needed (Not Functioning or Not Functioning Properly, etc.)

Not Applicable

75. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

some are not working

76. **COMMENTS RE:** Phones

Education Based Incarceration Programming (EBI)

77. **Education Based Incarceration Programming (EBI)**

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Applicable |
|--------------|-----------------------|-----------------------|--------------------------|-----------------------|
| Availability | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Access | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

78. **EBI:** Volunteer Services

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Applicable |
|----------|-----------------------|-----------------------|--------------------------|-----------------------|
| Type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Access | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Concerns | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

79. **COMMENTS RE:** EBI

We observed a well-attended program on the 2000 floor: the Substance Treatment and Reentry Transition (START) class. We were told that there are approximately 100 participants in a rolling yearly basis, with 24 classes held for 1 hour each. Counselors support re-entry, and an enrollment letter is provided for court. This is offered for GP, no HOH, only security levels 8 and below.

Clean Clothing and Bedding

80. **Clean Clothing and Bedding** (including laundry practices)

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Facilities/Maintenance

81. **Facility/Maintenance:** Back Log Unfilled Order(s)

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

82. **Facility/Maintenance COMMENTS RE:** Back Log Unfilled Order(s)

83. Kitchen/Laundry

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Detainee

84. **Detainee Documentations** (e.g., intake/release, procedures):

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Applicable |
|--|-----------------------|-----------------------|--------------------------|-----------------------|
| Classification | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Logs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Detainee management | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Exit interview - policies/procedure grievances | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Generated funds | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

85. **Detainee Documentation COMMENTS:**

86. **Detainee Complaints/Concerns COMMENTS:**

87. **Discipline Proceedings:**

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

Deputy Staffing

88. **Deputy Staffing:** Quality of Interactions w/Detainees

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Applicable |
|---|-----------------------|-----------------------|--------------------------|-----------------------|
| Use of Force (Last 30 days) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Assault on Staff (Last 30 days) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Staff Training (MH, trauma informed etc.) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

89. **Deputy Staffing COMMENTS RE:** Quality of Interactions w/Detainees

90. **Deputy Complaint/Concerns COMMENTS:**

91. **Prior Corrective Action Resolution:**

92. Grievance Form Availability Overall Rating *

- Satisfactory (Available and being addressed timely)
- Unsatisfactory (Available but being ignored)
- Corrective Action Needed (Not Available, and no Where to be found, etc.)
- Not Applicable

93. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Title 15 Safety Checks: Witnessed safety checks and/or checked safety check logs, etc.

94. Title 15 Safety Checks

- Witnessed Safety Checks
- Checked Safety Logs
- Safety Checks Conducted Thoroughly
- Not Applicable
- Other

95. Title 15 Safety Checks Overall Rating *

- Satisfactory
- Unsatisfactory
- Corrective Action Needed
- Not Applicable

96. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

97. Title 15 Safety Check Comments:

Inspection Special Focus

98. Inspection Special Focus

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Available |
|---------------|-----------------------|-----------------------|--------------------------|-----------------------|
| COC | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Community | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| CHS | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| DMH | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| DPH | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Facilities | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Food Services | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| OIG | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Other | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

99. Inspection: Special Focus Request *(Select all that Apply):*

- COC
- Community
- CHS
- DMH
- DPH
- Facilities
- Food Services
- OIG
- N/A
- Other

100. Inspection: Special Focus Request Comments:

Physical Structure of Facility

101. Physical Structure

- Walls
- Paint
- Floors
- Drains
- Plumbing
- Fixtures
- Air Vents
- Windows
- Other

102. Physical Structure Comment(s)

Air vents appear to need deep cleaning; visible mold and dirt.
Water and drains still have fungus gnats.

103. Are Cleaning fluids and chemicals labeled and safely stored?

- Yes
- No
- Not Applicable
- Other

104. Weapons locker present?

- Yes
- No
- Not Applicable
- Other

105. Recreation/Sports Equipment:

106. Are the hallways clear, are doors propped open or closed?

- Yes
- No
- Not Applicable
- Other

107. **Grounds:**

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Applicable |
|--|-----------------------|-----------------------|--------------------------|-----------------------|
| Conditions | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

108. **Grounds COMMENTS:**

109. **Emergency Preparedness/Systems:**

| | Satisfactory | Unsatisfactory | Corrective Action Needed | Not Applicable |
|-----------------------------|-----------------------|-----------------------|--------------------------|-----------------------|
| Fire Extinguishers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Airpack Tags | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Emergency Evacuation Routes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Control Centers | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Emergency Lighting Fixtures | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Safety Drills | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| First Aid and Suicide Kits | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

110. **Emergency Preparedness/Systems COMMENTS:**

111. Holding areas (cells/rooms), is there access to drinking water and toilet?

- Yes
- No
- Not Applicable
- Other

112. Condition of individual cells/rooms, or dormitories:

113. Beds - Type of bed and is it off the floor?

114. Adequate lighting:

115. Temperature:

116. Narrative Report

We were told by the Watch Commander that bottled water was being given out in 3600 so we went there. We were told in 3600 that they have not been given bottled water.
Most elevators are back functioning; one on the east wing is still down.

Reports that deputies are not responding to "man down " instances every time and have accused individuals of faking or lying. Multiple women have fallen due to pooling water in 2600 dorm.

2103:
Water is visibly not clear. Little black maggots (fungus gnats) are visible in the sinks in cells and the shower drains.
The TV has been broken for 3+ months.
Major medical concerns were flagged for CHS.
Visible flakes in the sink water - no bottled water given out.
Deputies refused to conduct programming while SBC inspectors were present.

2600
Water is visibly brown with fungus gnats in sink drains in cells.
Reports that vending machines very quickly run out of water and there is not sufficient water for the women to get enough to drink for each week.
For women who need wheelchairs, there bunks are out in the main day room.
Reports that deputies are selectively turning on and off their cameras and indicating to the women that they are unable to speak to them about certain things when the cameras are on.
Food issues reported: bologna issues reported again (rotten), mayonnaise coming warm and rotten.

3600
No water bottles being distributed (except to pregnant women).
Very dirty air vents viewed.
Told by multiple women they are getting rashes and stomach illnesses from drinking the sink water in their cells.
Visible worms in the sinks.

117. Narrative Continued

118. Narrative Continued

119. Narrative Continued

120. Narrative Continued

121. Narrative Continued

122. Overall, how would you rate this facility? *

Satisfactory

Unsatisfactory