

[View results](#)

Respondent

40

Anonymous

23:49

Time to complete

Inspection Information

1. Location Type and Location *

- ☐ Courts
- ☒ Jails
- ☐ Sheriff Station

2. LA County Jail *

- ☐ Inmate Reception Center (IRC), 450 Bauchet St. Los Angeles, CA. 90012
- ☐ Century Regional Detention Facility (CRDF), 11705 S. Alameda St., Lynwood CA. 90262
- ☐ Los Angeles General Medical Center (LAGMC), 2051 Marengo Street, Los Angeles, CA. 90033
- ☐ Men's Central Jail (MCJ), 441 Bauchet Street, Los Angeles, CA. 90012
- ☐ Pitchess Detention Center (PDC) - North, 29320 The Old Road, Castaic, California 91384
- ☐ Pitchess Detention Center (PDC) -South, 29330 The Old Road, Castaic, California 91384
- ☒ North County Correctional Facility (NCCF), 29340 The Old Road,, Castaic, CA. 91384
- ☐ Twin Towers Correctional Facility (TTCF), 450 Bauchet St. Los Angeles, CA. 90012

3. Date of this Inspection *

7/16/2026



4. Time of Inspection *

10:30A

5. Facility Count *

2825

6. Module(s) inspected: *

900

7. Total (all modules) current & maximum count *

Be specific, include Module(s) name(s)

2825 // 3804

8. Name of Watch Commander on Duty *

Lt. Cynthia Lomardo

9. Email Address of Watch Commander on Duty *

cmlambar@lasd.org

10. Phone Number of Watch Commander on Duty *

NA

11. Inspection Report Out to Watch Commander on Duty *

☒

Yes - verbal

☐

Yes - email

☐

Yes - verbal and email

☐

No Inspection Report Out was given to the Watch Commander on Duty

12. Name of Commissioner(s) who conducted the inspection *

- ☐ Puja Bhatia
- ☐ Haley Broder
- ☐ Norma Cumpian
- ☒ Wynter Daggs
- ☐ Eric J. Miller
- ☐ Katherine Hennigan Ohanesian
- ☒ Raymond Regalado
- ☐ Joahanna Terrones
- ☐ Mary Veral
- ☐ Pamela Thompson - Bell
- ☐ Yana Grammer
- ☐ Other

13. Other stakeholders' observations were reported to (Select all that Apply): *

- ☐ BOS
- ☒ Officer in Charge
- ☐ LASD
- ☐ ISD
- ☐ OIG
- ☐ COC
- ☐ Other

14. Name of the person(s) issues were reported to: *

Lt. Lomardo

Conditions of Confinement

15. **Cells/Toilets/Sinks ***

☒ Cells

☒ Toilets

☒ Sinks

☐ Other

16. Cells/Toilets/Sinks Overall Rating *

☐ Satisfactory

☐ Unsatisfactory

☒ Corrective Action Needed

☐ Not Applicable

17. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

reported slow flushing and back up in some areas

18. **COMMENTS RE: Cells/Toilets/Sinks**

19. **Shower Conditions ***

☐ Water Quality

☐ Water temperature

☐ Rust

☒ Mold

☐ Other

20. Showers Conditions Overall Rating (water temperature, rust, mold etc.) *

☐ Satisfactory

☒ Unsatisfactory

☐ Corrective Action Needed

☐ Not Applicable

21. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

saw water puddle in addition to significant number of reports of plumbing issues (reported to the watch commander)

22. **COMMENT RE:** Showers (water temperature, rust, mold etc.)

did not see

23. **Crowding Overall Rating ***

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

24. **COMMENT RE:** Crowding

25. **Cleanliness/Graffiti Overall Rating ***

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

26. **COMMENT RE:** Cleanliness/Graffiti

main hallways were relatively clean but some areas were cluttered or junky (better than I have seen in the past, but not satisfactory).

27. **Safety, Conflict, Tension Overall Condition ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

28. **Common Areas Overall Rating ***

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

29. **COMMENT RE:** Common Areas

30. **Air Quality/Temperature Overall Conditions ***

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

31. **COMMENT RE:** Air Quality/Temperature

fine temperature inside, could have been cooler for how hot it already was in the morning. there was a foul smell in the area, and many outdoor areas were not being used and the only one that was had far less shade than other outdoor areas accessible to the facility.

32. **Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

33. **COMMENT RE:** Deputy/Detainee Relations (Including Specific Incidents or allegations of misconduct)

34. **Strip Search Issues ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

35. **Drinking Water Overall Rating ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

36. Access (Mail/Reading Materials/Law Library) Overall Conditions *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

37. Access to Toilets in Common Room *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

38. Access to Toiletries, Appropriate Combs/Brushes, FISH Kits *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

39. Access to Exercise Religious Practices *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

40. Access to Legal Counsel *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

41. **Access to Visitation and Correspondence ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

42. **Solitary Confinement ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

43. **Privacy/Dignity (showers, bathrooms) ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

44. **Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability) ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

45. **Module Information Postings** (re: time calculations, complaint, developmental disability) *

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

46. **Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

47. **Fees Assessed/ Money on Books** *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

48. **COMMENT RE:** Fees Assessed/ Money on Books

49. **Other Conditions of Confinement Issues or Concerns?** *

- ☒ Yes
- ☐ No

50. **COMMENT RE:** Other Conditions of Confinement Issue and or Concern?

There was one individual who had a seizure a day or two prior to our inspection in the discipline area of 900. I was talking to the people next to his cell and then heard a bang. When I (Daggs) checked on him, he said he had just had a seizure. I reported to the deputies in the nearest booth (5+) and they shared that he had a seizure a day or two prior to our inspection, he was checked out and cleared by medical, and he is now probably trying to get sent back to medical to no longer be in discipline. I let them know I did hear a loud bang so I did recommend they have a nurse check on him. I was not able to stay to ensure this happened but I did let the watch commander know on the way out.

51. **Other Condition of Confinement Overall Rating** *

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

Nutrition

52. Quality/Concerns

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

53. Access to special diets

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

54. **COMMENT RE:** Nutrition

In the discipline area, one individual who is allergic to tomatoes and has that listed on his special diet and paperwork, was served spaghetti. While he told trustees and deputies they did not have an alternative for him and he did not eat.

Trustees

55. Quarters

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

56. Training and Selection

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

Medical Services

57. Medical Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	☐	☐	☐	☐
Wait Times	☐	☐	☐	☐
Responsiveness	☐	☐	☐	☐
TB and Other Medical Screening	☐	☐	☐	☐
Dental	☐	☐	☐	☐
Vision	☐	☐	☐	☐
Infectious Disease Protocol	☐	☐	☐	☐

58. Medical Request Forms Available *

☐ Yes

☒ No

59. If no, did you notify anyone? If so, who did you notify, and what steps were taken to correct the matter? *

They had to ask trustees who were pretty good about getting it to them. I (Daggs) asked the deputy in duty in the 920 area and gave a few out.

60. **COMMENTS RE:** Medical

61. Menstrual Products *

☐ AVAILABLE

☒ NOT Available

☐ Had to be requested

☐ Located in a central location

62. **COMMENTS RE:** Menstrual Cycle Products

Mental Health

63. **Mental Health Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	☐	☐	☐	☐
Wait Times	☐	☐	☐	☐
Treatment Options	☐	☐	☐	☐
Assessment Procedures	☐	☐	☐	☐

64. **COMMENTS RE:** Mental Health

PREA and NARCAN

65. **Prison Rape Elimination Act (PREA) Issues:** *

- ☒ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

66. **Prison Rape Elimination Act (PREA) COMMENTS:**

67. **NARCAN** *

- ☐ Available
- ☐ Accessible
- ☐ Near Reach and no Obstacles
- ☒ Not Applicable
- ☐ Other

68. NARCAN Overall Rating *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

Physical Structure of Facility

69. Physical Structure

- ☐ Walls
- ☐ Paint
- ☐ Floors
- ☒ Drains
- ☒ Plumbing
- ☐ Fixtures
- ☐ Air Vents
- ☐ Windows
- ☐ Other

70. Physical Structure Comment(s)

71. Are Cleaning fluids and chemicals labeled and safely stored?

- ☐ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

72. Weapons locker present?

- ☐ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

73. Recreation/Sports Equipment:

74. Are the hallways clear, are doors propped open or closed?

- ☐ Yes
- ☒ No
- ☐ Not Applicable
- ☐ Other

75. **Grounds:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	☐	☒	☐	☐
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	☐	☐	☐	☒

76. **Grounds COMMENTS:**

77. **Emergency Preparedness/Systems:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	☐	☐	☐	☐
Airpack Tags	☐	☐	☐	☐
Emergency Evacuation Routes	☐	☐	☐	☐
Control Centers	☐	☐	☐	☐
Emergency Lighting Fixtures	☐	☐	☐	☐
Safety Drills	☐	☐	☐	☐
First Aid and Suicide Kits	☐	☐	☐	☐

78. **Emergency Preparedness/Systems COMMENTS:**

79. Holding areas (cells/rooms), is there access to drinking water and toilet?

- ☐ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

80. Condition of individual cells/rooms, or dormitories:

81. Beds - Type of bed and is it off the floor?

did not see any beds on the floor

82. Adequate lighting:

83. Temperature:

84. Narrative Report

- This was the "fallouts" area
- As we walked to 900 unit we were able observe recreation yard where a number of individuals were observed shooting hoop, running laps around enclosure, standing in small groups having conversation. What was concerning was the outside temperature was over 90 degrees and there was very little shade available.
- Unit 921A individuals were complaining that often one or two phones are out of service. At the time of the inspection, all phones were being used. Individuals who I was speaking to stated the phone situation was not an occasional problem.
- Many comments from the unit stated that the common shower and toilets serving the upper and lower tiers had slow flushing cycles where waste products did not completely flush. And shower drain was very slow.
- The common complaint from the unit was that flushing in many cells was problematic. Slow flushing cycle was common.
- Water pressure in unit has very low pressure
- witnessed a puddle of water between 2 pods
- In unit 922, the same complaints were common
- A form posted in unit 931A used the term "Discipline Diet." This was highlighted and circled. No definition could be given as to what type of diet this was. The watch commander shared there were no discipline diets, but she would check if those deputies were using an outdated form.
- request for more cleaning supplies
- food did not look nutritional - whole bread, bologna, juice, cookies (Commissioner Regalado took a baggy home may have a picture)

85. Narrative Continued

- In the discipline area there was a cell in which the two men did not have access to drinking water because their toilet was backed up for 4-5 days. It had been fixed the day before our inspection. He did have signs of dehydration, including severely chapped lips, which both Commissioners saw
- See early note about neighbor who had recently had a seizure

86. Narrative Continued

- A request was made for the Commission to inspect the trustee quarters upon our next visit

87. Narrative Continued

88. Narrative Continued

89. Narrative Continued

90. Overall, how would you rate this facility? *

- ☐ Satisfactory
- ☒ Unsatisfactory