

[View results](#)

Respondent

42

Anonymous

08:59

Time to complete

Inspection Information

1. Location Type and Location *

- ☐ Courts
- ☒ Jails
- ☐ Sheriff Station

2. LA County Jail *

- ☐ Inmate Reception Center (IRC), 450 Bauchet St. Los Angeles, CA. 90012
- ☐ Century Regional Detention Facility (CRDF), 11705 S. Alameda St., Lynwood CA. 90262
- ☐ Los Angeles General Medical Center (LAGMC), 2051 Marengo Street, Los Angeles, CA. 90033
- ☐ Men's Central Jail (MCJ), 441 Bauchet Street, Los Angeles, CA. 90012
- ☐ Pitchess Detention Center (PDC) - North, 29320 The Old Road, Castaic, California 91384
- ☐ Pitchess Detention Center (PDC) -South, 29330 The Old Road, Castaic, California 91384
- ☐ North County Correctional Facility (NCCF), 29340 The Old Road,, Castaic, CA. 91384
- ☒ Twin Towers Correctional Facility (TTCF), 450 Bauchet St. Los Angeles, CA. 90012

3. Date of this Inspection *

7/28/2026



4. Time of Inspection *

10:12-11:35a

5. Facility Count *

2263

6. Module(s) inspected: *

171 and 121

7. Total (all modules) current & maximum count *

Be specific, include Module(s) name(s)

Capacity 4261 Only 1226 beds available 53 are broken (B/O); 740 are closed (remodel, etc)

8. Name of Watch Commander on Duty *

Sgt Moran

9. Email Address of Watch Commander on Duty *

Jmoran@lasd.org

10. Phone Number of Watch Commander on Duty *

NA

11. Inspection Report Out to Watch Commander on Duty *

- ☐ Yes - verbal
- ☐ Yes - email
- ☒ Yes - verbal and email
- ☐ No Inspection Report Out was given to the Watch Commander on Duty

12. Name of Commissioner(s) who conducted the inspection *

- ☒ Puja Bhatia
- ☐ Haley Broder
- ☐ Norma Cumpian
- ☐ Wynter Daggs
- ☐ Eric J. Miller
- ☐ Katherine Hennigan Ohanesian
- ☐ Raymond Regalado
- ☐ Joahanna Terrones
- ☒ Mary Veral
- ☐ Pamela Thompson - Bell
- ☐ Yana Grammer
- ☐ Other

13. Other stakeholders' observations were reported to (Select all that Apply): *

- ☐ BOS
- ☒ Officer in Charge
- ☒ LASD
- ☐ ISD
- ☐ OIG
- ☐ COC
- ☐ Other

14. Name of the person(s) issues were reported to: *

Moran, Montoya, Henderson

Conditions of Confinement

15. **Cells/Toilets/Sinks** *

- ☒ Cells
- ☐ Toilets
- ☒ Sinks
- ☐ Other

16. Cells/Toilets/Sinks Overall Rating *

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

17. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Sanitary Issues:

-Cell 6C in Module 121 had no hot water and AC was not working. When reported, Officer Flores responded flippantly it must be inmates blocking vents and it's a central air issue, but after Commissioners insist he check on the cell, he noted the lack of hot water. A request for maintenance was requested by Commissioners to both Officer Flores and WC Moran

18. **COMMENTS RE:** Cells/Toilets/Sinks

19. **Shower Conditions** *

- ☐ Water Quality
- ☐ Water temperature
- ☒ Rust
- ☐ Mold
- ☐ Other

20. Showers Conditions Overall Rating (water temperature, rust, mold etc.) *

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

21. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

-Shower in 171A is very rusty and moldy. Did not look safe for showering

-Leak observed in 171B between Cell 6 & 8 from service room. Was fixed earlier in the day, but water observed all over floor

22. **COMMENT RE:** Showers (water temperature, rust, mold etc.)

23. **Crowding Overall Rating ***

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

24. **COMMENT RE:** Crowding

See narrative

25. **Cleanliness/Graffiti Overall Rating ***

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

26. **COMMENT RE:** Cleanliness/Graffiti

See narrative

27. **Safety, Conflict, Tension Overall Condition ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

28. **Common Areas Overall Rating ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

29. **Air Quality/Temperature Overall Conditions ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

30. **Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

31. **COMMENT RE:** Deputy/Detainee Relations (Including Specific Incidents or allegations of misconduct)

32. **Strip Search Issues ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

33. **Drinking Water Overall Rating ***

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

34. Access (Mail/Reading Materials/Law Library) Overall Conditions *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

35. Access to Toilets in Common Room *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

36. Access to Toiletries, Appropriate Combs/Brushes, FISH Kits *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

37. Access to Exercise Religious Practices *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

38. Access to Legal Counsel *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

39. **Access to Visitation and Correspondence** *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

40. **Solitary Confinement** *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

41. **Privacy/Dignity (showers, bathrooms)** *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

42. **Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)** *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

43. **Module Information Postings** (re: time calculations, complaint, developmental disability) *

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

44. **COMMENT RE:** Module Information Postings (re: time calculations, complaint, developmental disability)

See narrative

45. **Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

46. **Fees Assessed/ Money on Books** *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

47. **COMMENT RE:** Fees Assessed/ Money on Books

48. **Other Conditions of Confinement Issues or Concerns?** *

- ☐ Yes
- ☒ No

49. **COMMENT RE:** Other Conditions of Confinement Issue and or Concern?

50. Other Condition of Confinement Overall Rating *

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

Nutrition

51. Quality/Concerns

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

52. Access to special diets

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

Trustees

53. Quarters

- ☐ Satisfactory
- ☒ Unsatisfactory
- ☐ Corrective Action Needed
- ☐ Not Applicable

54. Training and Selection

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

55. Workload and Hours

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

56. Calculation of Time Served

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

Medical Services

57. **Medical Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	☐	☐	☐	☒
Wait Times	☐	☐	☐	☒
Responsiveness	☐	☐	☐	☒
TB and Other Medical Screening	☐	☐	☐	☒
Dental	☐	☐	☐	☒
Vision	☐	☐	☐	☒
Infectious Disease Protocol	☐	☐	☐	☒

58. **Medical Request Forms Available ***

- ☒ Yes
- ☐ No

59. **COMMENTS RE: Medical**

See narrative

60. **Menstrual Products ***

- ☐ AVAILABLE
- ☒ NOT Available
- ☐ Had to be requested
- ☐ Located in a central location

61. **COMMENTS RE:** Menstrual Cycle Products

Mental Health

62. **Mental Health Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	☐	☐	☐	☒
Wait Times	☐	☐	☐	☒
Treatment Options	☐	☐	☐	☒
Assessment Procedures	☐	☐	☐	☒

63. **COMMENTS RE:** Mental Health

See narrative

PREA and NARCAN

64. **Prison Rape Elimination Act (PREA) Issues:** *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

65. **Prison Rape Elimination Act (PREA) COMMENTS:**

66. **NARCAN** *

- ☐ Available
- ☐ Accessible
- ☐ Near Reach and no Obstacles
- ☒ Not Applicable
- ☐ Other

67. NARCAN Overall Rating *

- ☐ Satisfactory
- ☐ Unsatisfactory
- ☐ Corrective Action Needed
- ☒ Not Applicable

Physical Structure of Facility

68. Physical Structure

- ☐ Walls
- ☐ Paint
- ☐ Floors
- ☐ Drains
- ☐ Plumbing
- ☐ Fixtures
- ☐ Air Vents
- ☐ Windows
- ☐ Other

69. Physical Structure Comment(s)

70. Are Cleaning fluids and chemicals labeled and safely stored?

- ☐ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

71. Weapons locker present?

- ☐ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

72. Recreation/Sports Equipment:

73. Are the hallways clear, are doors propped open or closed?

- ☐ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

74. **Grounds:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	☐	☐	☐	☐
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	☐	☐	☐	☐

75. **Grounds COMMENTS:**

76. **Emergency Preparedness/Systems:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	☐	☐	☐	☐
Airpack Tags	☐	☐	☐	☐
Emergency Evacuation Routes	☐	☐	☐	☐
Control Centers	☐	☐	☐	☐
Emergency Lighting Fixtures	☐	☐	☐	☐
Safety Drills	☐	☐	☐	☐
First Aid and Suicide Kits	☐	☐	☐	☐

77. **Emergency Preparedness/Systems COMMENTS:**

78. Holding areas (cells/rooms), is there access to drinking water and toilet?

- ☐ Yes
- ☐ No
- ☐ Not Applicable
- ☐ Other

79. Condition of individual cells/rooms, or dormitories:

80. Beds - Type of bed and is it off the floor?

81. Adequate lighting:

171C

171A4 The light in the cell did not work, and the cell was very dark. Two people were housed in the cell, but a visual check of the interior was impossible without pressing one's face against the window.

82. Temperature:

83. Narrative Report

Most Pressing Issues:

-Visiting in 121 is still identified as discipline housing (confirmed by telephone with the visiting deputy), so loved ones are unable to schedule visits online. This needs to be fixed

-171B needs an updated Commissary list. IPs tried to order from commissary three weeks ago and were told their lists are old, but the list they are handed by Deputies and the lists posted on the wall are dated 7/2025. Officers in pod stated they would be updated and issue reported to WC

-171B Cell 8 has no mattress cover

Placement & Detention:

-Individual is charged with a misdemeanor. Per the computer reviewed by the LASD floor deputy, he last had court on 6/24. It could not be determined what happened or why he wasn't released until IRC determined that his defense counsel had placed a competency hold on him. He is sitting in jail awaiting assessment.

-One person has been enrolled ODR for a month, but not been taken for an evaluation and goes back to court on 9/3

One person has been enrolled in ODR since May, but not taken to program since enrollment

84. Narrative Continued

121

When the Commissioners arrived at the 121 module, the three deputies working there were watching a Patrick Swayze movie on AMC on the TV in the deputy station. They got up and left except for Officer Flores, who remained to answer our questions. When we reported the movie watching to the W/C, he was not alarmed. He told us that working in the jail is draining, and everyone is working 16-hour shifts. Sometimes deputies need to decompress.

This area was previously disciplinary housing (pre-2020), but now it's inmate worker housing. It was COVID housing during the pandemic, and LASD reportedly left it open and available during the World Cup in case they needed it for new arrests. Now, it houses low-security inmate workers.

48 single-occupant cells. 35 available (13 out of order). Many doors were open/unlocked, and low-security inmates were walking the halls. One empty cell had what appeared to be blood on the floor. The person across the hall from that room said that the room had been empty for several days.

85. Narrative Continued

86. Narrative Continued

87. Narrative Continued

88. Narrative Continued

89. Overall, how would you rate this facility? *

☐

Satisfactory

☒

Unsatisfactory