View results

Respondent

52 Anonymous

23:20
Time to complete

Inspection Information

1. Location Type and Location *

- (●) Courts
- ( ) Jails
- ( ) Sheriff Station

2. Court Location *

- ( ) Airport Courthouse, 11701 S. La Cienega, Los Angeles, CA. 90045
- ( ) Alfred J. McCourtney Juvenile Justice Center Courthouse, 1040 W. Avenue J, Lancaster, CA 93534
- ( ) Alhambra Courthouse, 150 West Commonwealth, Alhambra, CA 91801
- ( ) Bellflower Courthouse, 10025 East Flower Street, Bellflower, CA 90706
- ( ) Beverly Hills Courthouse, 9355 Burton Way, Beverly Hills, CA 90210
- ( ) Burbank Courthouse, 300 East Olive, Burbank, CA 91502
- ( ) Catalina Courthouse, 215 Sumner Avenue, Avalon, CA 90704
- ( ) Central Arraignment Courthouse, 429 Bauchet St., Los Angeles, CA. 90012
- ( ) Chatsworth Courthouse, 9425 Penfield Ave., Chatsworth, CA 91311
- ( ) Clara Shortridge Foltz Criminal Justice Center, 210 West Temple Street, Los Angeles, CA 90012
- ( ) Compton Courthouse, 200 West Compton Blvd., Compton, CA. 90020
- ( ) Downey Courthouse, 7500 East Imperial Highway, Downey, CA. 90242
- ( ) East Los Angeles Courthouse, 4848 E. Civic Center Way, Los Angeles, CA. 90022
- ( ) Edmund D. Edelman Children's Courthouse (ADULT HOLDING AREA), 201 Centre Plaza Drive, Monterey Park, CA 91754
- ( ) El Monte Courthouse, 11234 East Valley Blvd., El Monte, CA 91731
- ( ) Glendale Courthouse, 600 East Broadway, Glendale, CA 91206
- ( ) Governor George Deukmejian Courthouse, 275 Magnolia, Long Beach, CA 90802
- ( ) Hollywood Courthouse, 5925 Hollywood Blvd., Los Angeles, CA 90028
- (•) Inglewood Courthouse, One Regent Street, Inglewood, CA 90301
- ( ) Inglewood Juvenile Courthouse (ADULT HOLDING AREA), 110 Regent Street, Inglewood, CA 90301
- ( ) Metropolitan Courthouse, 1945 South Hill Street, Los Angeles, CA 90007
- ( ) Michael Antonovich Antelope Valley Courthouse, 42011 4th Street West, Lancaster, CA 93534
- ( ) Norwalk Courthouse, 12720 Norwalk Blvd., Norwalk, CA 90650
- ( ) Pasadena Courthouse, 300 East Walnut St., Pasadena, CA 91101
- ( ) Pomona Courthouse South, 400 Civic Center Plaza, Pomona, CA 91766
- ( ) San Fernando Courthouse, 900 Third Street, San Fernando, CA 91340
- ( ) Santa Clarita Courthouse, 23747 West Valencia Blvd., Santa Clarita, CA 91355
- ( ) Santa Monica Courthouse, 1725 Main Street, Santa Monica, CA 90401

- ○ Spring Street Courthouse, 312 North Spring Street, Los Angeles, CA 90012
- ○ Stanley Mosk Courthouse, 111 North Hill Street, Los Angeles, CA 90012
- ○ Sylmar Juvenile Courthouse, 16350 Filbert Street, Sylmar, CA 91342
- ○ Torrance Courthouse, 825 Maple Ave., Torrance, CA 90503
- ○ Van Nuys Courthouse East, 6230 Sylmar Ave., Van Nuys, CA 91401
- ○ Van Nuys Courthouse West, 14400 Erwin Street Mall, Van Nuys, CA 91401
- ○ West Covina Courthouse, 1427 West Covina Parkway, West Covina, CA 91790
- ○ Whittier Courthouse, 7339 South Painter Ave., Whittier, CA 90602

3. Date of this Inspection *

10/21/2026

4. Time of Inspection *

12pm

5. Facility Count *

16

6. Module(s) inspected: *

entire facility

7. Total (all modules) current & maximum count *

Be specific, include Module(s) name(s)

75

8. Name of Watch Commander on Duty *

Deputy Gamboa

9. Email Address of Watch Commander on Duty *

mgamboa@lasd.org

10. Phone Number of Watch Commander on Duty *

Unk

11. Inspection Report Out to Watch Commander on Duty *

- (●) Yes - verbal
- ( ) Yes - email
- ( ) Yes - verbal and email
- ( ) No Inspection Report Out was given to the Watch Commander on Duty

12. Name of Commissioner(s) who conducted the inspection *

- [ ] Puja Bhatia
- [ ] Haley Broder
- [ ] Wynter Daggs
- [ ] Katherine Hennigan Ohanesian
- [ ] Raymond Regalado
- [ ] Joahanna Terrones
- [x] Mary Veral
- [ ] Pamela Thompson - Bell
- [ ] Yana Grammer
- [ ] Other

13. Other stakeholders' observations were reported to *(Select all that Apply)*: *

- [ ] BOS
- [ ] Officer in Charge
- [x] LASD
- [ ] ISD
- [ ] OIG
- [ ] COC
- [ ] Other

14. Name of the person(s) issues were reported to: *

Deputy Gamboa, Cmdr Montoya

Conditions of Confinement

15. **Cells/Toilets/Sinks** *

- [x] Cells
- [x] Toilets
- [x] Sinks
- [ ] Other

16. Cells/Toilets/Sinks Overall Rating *

- (•) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

17. **COMMENTS RE**: Cells/Toilets/Sinks

18. **Shower Conditions** *

- [ ] Water Quality
- [ ] Water temperature
- [ ] Rust
- [ ] Mold
- [x] NA

19. Showers Conditions Overall Rating (water temperature, rust, mold etc.) *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

20. **Crowding Overall Rating** *

- (●) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

21. **COMMENT RE:** Crowding

22. **Cleanliness/Graffiti Overall Rating** *

- (●) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

23. **COMMENT RE:** Cleanliness/Graffiti

Very clean

24. **Safety, Conflict, Tension Overall Condition** *

- (●) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

25. **COMMENT RE:** Safety, Conflict, Tension

26. **Common Areas Overall Rating** *

- (●) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

27. **COMMENT RE:** Common Areas

28. **Air Quality/Temperature Overall Conditions** *

- (•) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

29. **COMMENT RE:** Air Quality/Temperature

Staff noted it can sometimes be difficult to maintain the temperature consistent across cells.

30. **Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) *

- (•) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

31. **Strip Search Issues** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

32. Drinking Water Overall Rating *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

33. Access (Mail/Reading Materials/Law Library) Overall Conditions *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

34. **Access to Toilets in Common Room** *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

35. **Access to Toiletries, Appropriate Combs/Brushes, FISH Kits** *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

36. **Access to Exercise Religious Practices** *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

37. **Access to Legal Counsel** *

- ◉ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ○ Not Applicable

38. **COMMENT RE:** Access (Legal Counsel)

39. **Access to Visitation and Correspondence** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

40. **Solitary Confinement** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

41. **Privacy/Dignity (showers, bathrooms)** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

42. **Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)** *

- (•) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

43. **Module Information Postings** (re: time calculations, complaint, developmental disability) *

- (•) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

44. **Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

45. **Fees Assessed/ Money on Books** *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

46. **COMMENT RE:** Fees Assessed/ Money on Books

47. **Other Conditions of Confinement Issues or Concerns?** *

- ○ Yes
- ◉ No

48. **COMMENT RE:** Other Conditions of Confinement Issue and or Concern?

I observed a magnetic sign on one of the cell doors that read "trial body," indicating that the cell was for people who are in court for their criminal trials. This is again an example of the department using extremely inhumane language to refer to human beings who are in their care. This word has been discussed at prior SBC meetings, and LASD leadership has told us they view it as unacceptable. What will the department do to ensure that these kinds of references are not used inside facilities? Using this language contributes to a culture of poor treatment of people who are incarcerated that SBC has repeatedly identified in our inspections.

49. Other Condition of Confinement Overall Rating *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

Nutrition

50. Quality/Concerns

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

51. Access to special diets

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

Trustees

52. Quarters

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

53. Training and Selection

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

54. Workload and Hours

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

55. Calculation of Time Served

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

Medical Services

56. Medical Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	○	○	○	◉
Wait Times	○	○	○	◉
Responsiveness	○	○	○	◉
TB and Other Medical Screening	○	○	○	◉
Dental	○	○	○	◉
Vision	○	○	○	◉
Infectious Disease Protocol	○	○	○	◉

57. Medical Request Forms Available *

- ○ Yes
- ◉ No

58. If no, did you notify anyone? If so, who did you notify, and what steps were taken to correct the matter? *

There are not forms available in the courthouse

59. **COMMENTS RE:** Medical

NA

60. **Menstrual Products** *

- [ ] AVAILABLE
- [x] NOT Available
- [ ] Had to be requested
- [ ] Located in a central location

61. **COMMENTS RE:** Menstrual Cycle Products

Did not see products at the courthouse

Mental Health

62. **Mental Health Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	○	○	○	◉
Wait Times	○	○	○	◉
Treatment Options	○	○	○	◉
Assessment Procedures	○	○	○	◉

63. **COMMENTS RE:** Mental Health

One gentleman with a suicide gown had just arrived from TTCF and was in an isolation cell. He hadn't been given lunch yet. Staff provided it when I asked.

PREA and NARCAN

64. **Prison Rape Elimination Act (PREA) Issues:** *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

65. **Prison Rape Elimination Act (PREA) COMMENTs:**

NA

66. **NARCAN** *

- [ ] Available
- [ ] Accessible
- [ ] Near Reach and no Obstacles
- [ ] Not Applicable
- [x] Did not see narcan

67. NARCAN Overall Rating *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

Physical Structure of Facility

68. Physical Structure

- [ ] Walls
- [ ] Paint
- [ ] Floors
- [ ] Drains
- [ ] Plumbing
- [ ] Fixtures
- [ ] Air Vents
- [ ] Windows
- [x] very clean; no markings noted

69. Physical Structure Comment(s)

NA

70. Are Cleaning fluids and chemicals labeled and safely stored?

- ○ Yes
- ○ No
- ○ Not Applicable
- ○ Other

71. Weapons locker present?

- ○ Yes
- ○ No
- ○ Not Applicable
- ○ Other

72. Recreation/Sports Equipment:

73. Are the hallways clear, are doors propped open or closed?

- ○ Yes
- ○ No
- ○ Not Applicable
- ○ Other

74. **Grounds:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	○	○	○	◉
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	○	○	○	◉

75. **Grounds COMMENTS:**

76. **Emergency Preparedness/Systems:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	○	○	○	◉
Airpack Tags	○	○	○	◉
Emergency Evacuation Routes	○	○	○	◉
Control Centers	○	○	○	◉
Emergency Lighting Fixtures	○	○	○	◉
Safety Drills	○	○	○	◉
First Aid and Suicide Kits	○	○	○	◉

77. **Emergency Preparedness/Systems COMMENTS:**

78. Holding areas (cells/rooms), is there access to drinking water and toilet?

- ○ Yes
- ○ No
- ○ Not Applicable
- ○ Other

79. Condition of individual cells/rooms, or dormitories:

80. Beds - Type of bed and is it off the floor?

81. Adequate lighting:

82. Temperature:

83. Narrative Report

These problems are not happening at Inglewood Court, but they were discussed, and we have talked about these issues at previous SBC mtgs:

1. One gentleman reported he is woken up at 2 am and must stay awake for nearly 24 hours when he comes to court because of the transportation from NCCF to MCJ to Inglewood and then back the same route. He is not in trial, but this would be extremely problematic if a person had to return to the courthouse for several days in a row.

2. It was also reported that NCCF and MCJ continue to have different policies about how much property is permitted at each facility. LASD staff is still throwing away people's property when they arrive at NCCF/Pitchess when they transfer with their MCJ-allowed property.

3. Lastly, a couple of people told me about significant cleanliness and plumbing problems in 2600 and 3500 in MCJ.

84. Narrative Continued

85. Narrative Continued

86. Narrative Continued

87. Narrative Continued

88. Narrative Continued

89. Overall, how would you rate this facility? *

- (●) Satisfactory
- ( ) Unsatisfactory