View results

Respondent

53 Anonymous

19:46
Time to complete

Inspection Information

1. Location Type and Location *

- ( ) Courts
- (•) Jails
- ( ) Sheriff Station

2. LA County Jail *

- ( ) Inmate Reception Center (IRC), 450 Bauchet St. Los Angeles, CA. 90012
- (•) Century Regional Detention Facility (CRDF), 11705 S. Alameda St., Lynwood CA. 90262
- ( ) Los Angeles General Medical Center (LAGMC), 2051 Marengo Street, Los Angeles, CA. 90033
- ( ) Men's Central Jail (MCJ), 441 Bauchet Street, Los Angeles, CA. 90012
- ( ) Pitchess Detention Center (PDC) - North, 29320 The Old Road, Castaic, California 91384
- ( ) Pitchess Detention Center (PDC) -South, 29330 The Old Road, Castaic, California 91384
- ( ) North County Correctional Facility (NCCF), 29340 The Old Road,, Castaic, CA. 91384
- ( ) Twin Towers Correctional Facility (TTCF), 450 Bauchet St. Los Angeles, CA. 90012

3. Date of this Inspection *

10/26/2026

4. Time of Inspection *

06:00pm

5. Facility Count *

1296

6. Module(s) inspected: *

2400 (2401, 2402, 2403, 2404)

7. Total (all modules) current & maximum count *

Be specific, include Module(s) name(s)

42

8. Name of Watch Commander on Duty *

Lt Duncan

9. Email Address of Watch Commander on Duty *

cduncan@lasd.org

10. Phone Number of Watch Commander on Duty *

(213) 473-6100

11. Inspection Report Out to Watch Commander on Duty *

- ( ) Yes - verbal
- ( ) Yes - email
- (•) Yes - verbal and email
- ( ) No Inspection Report Out was given to the Watch Commander on Duty

12. Name of Commissioner(s) who conducted the inspection *

- [ ] Puja Bhatia
- [ ] Haley Broder
- [ ] Wynter Daggs
- [ ] Katherine Hennigan Ohanesian
- [ ] Raymond Regalado
- [x] Joahanna Terrones
- [ ] Mary Veral
- [x] Pamela Thompson - Bell
- [ ] Yana Grammer
- [ ] Other

13. Other stakeholders' observations were reported to *(Select all that Apply)*: *

- [ ] BOS
- [ ] Officer in Charge
- [x] LASD
- [ ] ISD
- [ ] OIG
- [ ] COC
- [ ] Other

14. Name of the person(s) issues were reported to: *

Watch commander Lt Duncan, Commander Montaya, Lt Gonzalez, Dr Henderson

Conditions of Confinement

15. **Cells/Toilets/Sinks** *

- [x] Cells
- [x] Toilets
- [x] Sinks
- [ ] Other

16. Cells/Toilets/Sinks Overall Rating *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

17. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

see narrative

18. **COMMENTS RE**: Cells/Toilets/Sinks

see narrative

19. **Shower Conditions** *

- [x] Water Quality
- [x] Water temperature
- [x] Rust
- [x] Mold
- [ ] Other

20. Showers Conditions Overall Rating (water temperature, rust, mold etc.) *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

21. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

see narrative

22. **COMMENT RE:** Showers (water temperature, rust, mold etc.)

see narrative

23. **Crowding Overall Rating** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

24. **Cleanliness/Graffiti Overall Rating** *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

25. **COMMENT RE:** Cleanliness/Graffiti

see narrative

26. **Safety, Conflict, Tension Overall Condition** *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

27. **COMMENT RE:** Safety, Conflict, Tension

see narrative

28. **Common Areas Overall Rating** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

29. **COMMENT RE:** Common Areas

see narrative

30. **Air Quality/Temperature Overall Conditions** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

31. **COMMENT RE:** Air Quality/Temperature

see narrative

32. **Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

33. **COMMENT RE:** Deputy/Detainee Relations (Including Specific Incidents or allegations of misconduct)

34. **Strip Search Issues** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

35. Drinking Water Overall Rating *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

36. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

see narrative

37. **COMMENT RE:** Access (Drinking Water)

see narrative

38. **Access to Mail, Reading Materials, Law Library** *

- [ ] Mail
- [x] Reading Materials
- [ ] Law Library
- [ ] Other

39. Access (Mail/Reading Materials/Law Library) Overall Conditions *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

40. **COMMENT RE:** Access (Mail/Reading Materials/Law Library)

see narrative

41. **Access to Toilets in Common Room** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

42. **Access to Toiletries, Appropriate Combs/Brushes, FISH Kits** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

43. **COMMENT RE:** Access to Toiletries, Appropriate Combs/Brushes, FISH Kits

see narrative

44. **Access to Exercise Religious Practices** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

45. **Access to Legal Counsel** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

46. **Access to Visitation and Correspondence** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

47. **Solitary Confinement** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

48. **COMMENT RE:** Solitary Confinement

see narrative

49. **Privacy/Dignity (showers, bathrooms)** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

50. **COMMENT RE:** Privacy/Dignity (showers, bathrooms)

see narrative

51. **Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

52. **COMMENT RE:** Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)

see narrative

53. **Module Information Postings** (re: time calculations, complaint, developmental disability) *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

54. **Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

55. **COMMENT RE: Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC)

see narrative

56. **Fees Assessed/ Money on Books** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

57. **COMMENT RE:** Fees Assessed/ Money on Books

58. **Other Conditions of Confinement Issues or Concerns?** *

- ( ) Yes
- (•) No

59. **COMMENT RE:** Other Conditions of Confinement Issue and or Concern?

60. Other Condition of Confinement Overall Rating *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

Nutrition

61. Quality/Concerns

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

62. Access to special diets

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

Trustees

63. Quarters

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

64. Training and Selection

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

65. Workload and Hours

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

66. Calculation of Time Served

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

Medical Services

67. **Medical Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	○	○	◉	○
Wait Times	○	○	◉	○
Responsiveness	○	○	◉	○
TB and Other Medical Screening	○	○	○	◉
Dental	○	○	◉	○
Vision	○	○	◉	○
Infectious Disease Protocol	○	○	◉	○

68. **Medical Request Forms Available** *

- (●) Yes
- ( ) No

69. **COMMENTS RE:** Medical

see narrative

70. **Menstrual Products** *

- [x] AVAILABLE
- [ ] NOT Available
- [ ] Had to be requested
- [x] Located in a central location

71. **COMMENTS RE:** Menstrual Cycle Products

Mental Health

72. **Mental Health Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	( )	(●)	( )	( )
Wait Times	( )	(●)	( )	( )
Treatment Options	( )	(●)	( )	( )
Assessment Procedures	( )	(●)	( )	( )

73. **COMMENTS RE:** Mental Health

PREA and NARCAN

74. **Prison Rape Elimination Act (PREA) Issues:** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

75. **Prison Rape Elimination Act (PREA) COMMENTs:**

76. **NARCAN** *

- [x] Available
- [ ] Accessible
- [ ] Near Reach and no Obstacles
- [ ] Not Applicable
- [ ] Other

77. NARCAN Overall Rating *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

78. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Narcan is located outside of Pod and cells; would need help of deputy to use narcan

79. PREA and NARCAN Comments:

Phones

80. Phone Overall Rating *

- ( ) Satisfactory (Accessible and Available)
- ( ) Unsatisfactory (Available, but not Accessible)
- ( ) Corrective Action Needed (Not Functioning or Not Functioning Properly, etc.)
- (•) Not Applicable

Education Based Incarceration Programming (EBI)

81. **Education Based Incarceration Programming (EBI)**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Availability	( )	( )	( )	( )
Type	( )	( )	( )	( )
Access	( )	( )	( )	( )

82. **EBI:** Volunteer Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Type	( )	( )	( )	( )
Access	( )	( )	( )	( )
Concerns	( )	( )	( )	( )

83. **COMMENTS RE:** EBI

Clean Clothing and Bedding

84. **Clean Clothing and Bedding** (including laundry practices)

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

85. **COMMENTS RE: Clean Clothing and Bedding** (including laundry practices)

see narrative

Facilities/Maintenance

86. **Facility/Maintenance:** Back Log Unfilled Order(s)

- ○ Satisfactory
- ○ Unsatisfactory
- ◉ Corrective Action Needed
- ○ Not Applicable

87. **Faciltiy/Maintenance COMMENTS RE:** Back Log Unfilled Order(s)

see narrative

88. Kitchen/Laundry

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

89. Chemical Exposure (kitchen, laundry, trustee duties)

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

Deputy Staffing

90. **Deputy Staffing:** Quality of Interactions w/Detainees

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Use of Force (Last 30 days)	○	○	○	○
Assault on Staff (Last 30 days)	○	○	○	○
Staff Training (MH, trauma informed etc.)	○	○	○	○

91. **Deputy Staffing COMMENTS RE:** Quality of Interactions w/Detainees

92. **Deputy Complaint/Concerns COMMENTS:**

93. **Prior Corrective Action Resolution:**

94. Grievance Form Availability Overall Rating *

- ○ Satisfactory (Available and being addressed timely)
- ◉ Unsatisfactory (Available but being ignored)
- ○ Corrective Action Needed (Not Available, and no Where to be found, etc.)
- ○ Not Applicable

95. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Grievances are not being responded to as well as grievances forms are not being given out freely

Title 15 Safety Checks: Witnessed safety checks and/or checked safety check logs, etc.

96. **Title 15 Safety Checks**

- [x] Witnessed Safety Checks
- [ ] Checked Safety Logs
- [ ] Safety Checks Conducted Thoroughly
- [ ] Not Applicable
- [ ] Other

97. Title 15 Safety Checks Overall Rating *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

98. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Deputies pass by without looking into the cells and scan barcodes

99. Title 15 Safety Check Comments:

Inspection Special Focus

100. **Inspection Special Focus**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Available
COC	( )	( )	( )	( )
Community	( )	( )	( )	( )
CHS	( )	( )	( )	( )
DMH	( )	( )	( )	( )
DPH	( )	( )	( )	( )
Facilties	( )	( )	( )	( )
Food Services	( )	( )	( )	( )
OIG	( )	( )	( )	( )
Other	( )	( )	( )	( )

101. Inspection: Special Focus Request *(Select all that Apply)*:

- [ ] COC
- [ ] Community
- [ ] CHS
- [ ] DMH
- [ ] DPH
- [ ] Facilities
- [ ] Food Services
- [ ] OIG
- [ ] N/A
- [ ] Other

102. Inspection: Special Focus Request Comments:

Physical Structure of Facility

103. Physical Structure

- [ ] Walls
- [ ] Paint
- [ ] Floors
- [ ] Drains
- [ ] Plumbing
- [ ] Fixtures
- [ ] Air Vents
- [ ] Windows
- [ ] Other

104. Physical Structure Comment(s)

105. Are Cleaning fluids and chemicals labeled and safely stored?

- ○ Yes
- ○ No
- ◉ Not Applicable
- ○ Other

106. Weapons locker present?

- ◉ Yes
- ○ No
- ○ Not Applicable
- ○ Other

107. Recreation/Sports Equipment:

108. Are the hallways clear, are doors propped open or closed?

- ◉ Yes
- ○ No
- ○ Not Applicable
- ○ Other

109. **Grounds:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	○	○	○	○
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	○	○	○	○

110. **Grounds COMMENTS:**

111. **Emergency Preparedness/Systems:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	○	○	○	○
Airpack Tags	○	○	○	○
Emergency Evacuation Routes	○	○	○	○
Control Centers	○	○	○	○
Emergency Lighting Fixtures	○	○	○	○
Safety Drills	○	○	○	○
First Aid and Suicide Kits	○	○	○	○

112. **Emergency Preparedness/Systems COMMENTS:**

113. Holding areas (cells/rooms), is there access to drinking water and toilet?

- ○ Yes
- ○ No
- ○ Not Applicable
- ○ Other

114. Condition of individual cells/rooms, or dormitories:

115. Beds - Type of bed and is it off the floor?

116. Adequate lighting:

117. Temperature:

118. Narrative Report

CRDF Inspection Report
Date of Inspection: October 26, 2026
Time: 6:00 PM
Location: CRDF, 2400 Housing Unit (Pods 2401, 2402, 2403, and 2404)
Watch Commander: Lt. Duncan

I. Inspection Summary: Commissioners conducted an inspection of the CRDF 2400 Housing Unit, including Pods 2401, 2402, 2403, and 2404, on October 26, 2026, at approximately 6:00 PM. Multiple concerns were identified regarding sanitation, plumbing, shower access, water temperature, and cell maintenance. Commissioners also received reports from incarcerated persons (I/Ps) regarding prolonged periods without showers, malfunctioning toilets and sinks, accumulated trash, and unmet medical needs. All concerns were reported in person to Watch Commander Lt. Duncan following completion of the inspection.

II. Facility-Wide Concerns: 2400 Housing Unit (HOH)

1. Shower Availability and Maintenance
Only one functioning shower was available for all four pods.
The remaining three showers displayed "Out of Order – Work Order Submitted" signs dated October 19, 2026.
Green mold was observed in the downstairs showers marked out of order, which also reportedly lacked hot water.
The limited availability of functioning showers raises concerns regarding incarcerated persons' ability to maintain personal hygiene.

2. Sanitation and Cell Cleanliness
Cells appeared heavily soiled and poorly maintained, with conditions suggesting prolonged periods without adequate cleaning.
A trustee and deputies were observed beginning cleaning activities upon the commissioners' arrival.
Commissioners request follow-up regarding routine cell-cleaning procedures, sanitation standards, and the status of outstanding maintenance requests.

3. Water Quality and Boiler Issues
Commissioners received reports of water-related issues and a malfunctioning boiler associated with the west water tower.
Brown water reportedly had been coming from the pipes. Commissioners were informed that the issue had since been fixed.
Follow-up is requested to confirm the repairs, determine whether water quality was evaluated, and establish whether the water supply is safe for use.

4. PREA Reporting
Commissioners were informed that no PREA reports had been made since September 22, 2026, and that the matter had been investigated.
Follow-up is requested to clarify the scope and findings of the investigation and confirm the status of PREA reporting and documentation.

5. Death in Medical Clinic
Commissioners were informed that an incarcerated person, age 42, died in the medical clinic on October 26, 2026.
The cause of death was unknown at the time of the inspection.
Follow-up is requested regarding the circumstances of the death and any applicable review or investigation.

III. Pod-Specific Concerns

Pod 2401
Cell #1 – Plumbing and Biohazard Concern
The I/P reported that two work orders had been submitted regarding a malfunctioning toilet and sink.
A red biohazard bag was observed around the toilet.
Commissioners asked staff whether the I/P could be moved to another cell. Staff reported that no other cell or bed space was available.
Follow-up is requested regarding the plumbing repairs, the reason for the biohazard bag, and interim measures to maintain sanitary conditions.

Cell #3 – I/P Betty B. (#7310176)
The I/P reported not having showered for seven days.
The I/P also reported that trash had accumulated for approximately six to seven days.
Follow-up is requested regarding shower access, sanitation, and the removal of accumulated trash.

Cell #4 – Toilet and Sanitation
The toilet was reportedly full of trash while the I/P continued to occupy the cell.
Follow-up is requested regarding removal of the trash and restoration of sanitary conditions.

Cell #5 – Nonfunctioning Toilet
The toilet was covered with paper because it would not flush.
Two I/Ps reportedly had been housed in the cell with the malfunctioning toilet since Friday, October 23, 2026.
Follow-up is requested regarding the status of the repair and the measures taken

119. Narrative Continued

Pod 2402

Cell #9 – Accumulated Trash and Temperature Concern
A large pile of trash was observed in the cell.
The I/Ps reportedly complained that only cold air was being circulated.
Follow-up is requested regarding sanitation and the reported temperature-control issue.

Cell #25 – Accumulated Trash
The cell was reported to be full of trash.
Follow-up is requested to ensure the cell is cleaned and appropriate sanitation is maintained.

Cell #24 – I/P #7293123: Shower Access and Sink Malfunction
The I/P reported not having showered for seven days.
The sink reportedly discharged water forcefully, causing water to splash onto the floor.
Follow-up is requested regarding shower access, sink repairs, and potential slipping hazards from water on the floor.

Cell #32 – Nonfunctioning Sink
The sink was reported not to drain.
The I/P reportedly had to scoop standing water out of the sink using a cup.
Follow-up is requested regarding plumbing repairs and access to a functioning sink.

Cell #33 – Nonfunctioning Sink
The sink was reported not to drain.
Follow-up is requested regarding the repair and restoration of proper drainage.

Pod 2403
Cell #16 – Toilet and Water Access
The toilet reportedly would not flush.
The sink had no running water.
Follow-up is requested regarding immediate plumbing repairs and restoration of access to functioning sanitation and water facilities.

Cell #38 – I/P #7302692: Shower Access, Linen, and Indigent Supplies
The I/P reported not having showered since October 1, 2026, and not having received clean linen.
The I/P also reported requesting an indigent kit containing a comb and expressed concern that her hair was becoming matted.
Commissioners reported this concern to Watch Commander Lt. Duncan, who contacted unit staff.
Lt. Duncan was reportedly informed by unit staff that the I/P had been offered a shower at 8:00 AM and had refused.
Follow-up is requested to clarify the circumstances surrounding shower access, verify the status of clean linen and the indigent kit request, and ensure the I/P has access to necessary hygiene supplies.

IV. Medical Concerns Requiring Follow-Up

The following medical concerns were reported during the inspection and require appropriate medical review and follow-up.

1. Significant Ankle Swelling and Head Injury Complaint [redacted]
The I/P requested follow-up regarding extremely swollen ankles.
She reported that, following her arrest, she was taken to a hospital for evaluation.
She also reported headaches after the back of her head was struck against a wall.
Follow-up is requested to confirm that her current symptoms have been medically evaluated and that appropriate assessment and treatment are provided.

2. Anxiety and Medication Evaluation [redacted]

The I/P reported experiencing anxiety and stated that she had not been evaluated for possible medication.
She reported submitting several medical requests. Follow-up is requested regarding the status of her medical requests, clinical assessment, and appropriate treatment recommendations.

3. Pregnancy and Prenatal Care [redacted]

The I/P reported being approximately four months pregnant and stated that she was not receiving prenatal care. Follow-up is requested to verify her pregnancy-related medical care and ensure appropriate prenatal assessment and follow-up are provided.

V. Requested Follow-Up and Corrective Actions

Commissioners request that the appropriate facility personnel provide follow-up regarding the following:
UDAL: Provide UDAL for the October 26, 2026, inspection at approximately 6:00 PM, covering Pods 2401, 2402, 2403, and 2404.
Plumbing and sanitation: Address nonfunctioning toilets and sinks, accumulated trash, standing water, and biohazard-related concerns. Provide the status of outstanding work orders and completed repairs.

120. Narrative Continued

Shower access and hygiene: Restore the three nonfunctioning showers, confirm hot-water availability, and address reported delays in shower access, clean linen, and indigent hygiene supplies.

Water quality and temperature control: Confirm repairs related to the west water tower boiler and reported brown water, and address the reported cold-air circulation concern in Pod 2402, Cell #9.

Medical follow-up: Confirm appropriate assessment and follow-up for the reported ankle swelling and headaches, anxiety and pending evaluation, and lack of prenatal care.

PREA reporting: Clarify the report that no PREA reports had been made since September 22, 2026, and provide information regarding the reported investigation.

Death in the medical clinic: Provide available information regarding the October 26, 2026, death and the status of any applicable review or investigation.

Facility maintenance and oversight: Provide information regarding corrective measures, maintenance procedures, and steps to prevent recurring sanitation and plumbing concerns.

VI. Conclusion
The October 26, 2026, inspection identified multiple concerns involving sanitation, plumbing, shower access, water quality, and reported medical needs within the 2400 Housing Unit. Several incarcerated persons described prolonged periods without access to showers or functioning plumbing, while additional concerns involved accumulated trash and unmet hygiene needs. Medical follow-up was also requested for three incarcerated persons reporting potentially significant health concerns.

All concerns were reported in person to Watch Commander Lt. Duncan following the inspection. Commissioners request timely follow-up and documentation of corrective actions to ensure that appropriate sanitation, hygiene, maintenance, and medical-care standards are maintained throughout the facility.

121. Narrative Continued

122. Narrative Continued

123. Narrative Continued

124. Overall, how would you rate this facility? *

- ( ) Satisfactory
- (•) Unsatisfactory