View results

Respondent

48 Anonymous

11:32
Time to complete

Inspection Information

1. Location Type and Location *

- ( ) Courts
- (•) Jails
- ( ) Sheriff Station

2. LA County Jail *

- ( ) Inmate Reception Center (IRC), 450 Bauchet St. Los Angeles, CA. 90012
- ( ) Century Regional Detention Facility (CRDF), 11705 S. Alameda St., Lynwood CA. 90262
- ( ) Los Angeles General Medical Center (LAGMC), 2051 Marengo Street, Los Angeles, CA. 90033
- (•) Men's Central Jail (MCJ), 441 Bauchet Street, Los Angeles, CA. 90012
- ( ) Pitchess Detention Center (PDC) - North, 29320 The Old Road, Castaic, California 91384
- ( ) Pitchess Detention Center (PDC) -South, 29330 The Old Road, Castaic, California 91384
- ( ) North County Correctional Facility (NCCF), 29340 The Old Road,, Castaic, CA. 91384
- ( ) Twin Towers Correctional Facility (TTCF), 450 Bauchet St. Los Angeles, CA. 90012

3. Date of this Inspection *

9/25/2026

4. Time of Inspection *

12:00 PM

5. Facility Count *

unknown

6. Module(s) inspected: *

2400 2100 (Row B) 2200 (Row A) 2600/2800; 2801 3100 3100A 3200 (showers) 5600, 5700, 5800, 5900; chapel; EBI 3000 (Start classrooms)

7. Total (all modules) current & maximum count *

Be specific, include Module(s) name(s)

unknown

8. Name of Watch Commander on Duty *

Bengston

9. Email Address of Watch Commander on Duty *

lbengston@lasd.org

10. Phone Number of Watch Commander on Duty *

unknown

11. Inspection Report Out to Watch Commander on Duty *

- ( ) Yes - verbal
- ( ) Yes - email
- ( ) Yes - verbal and email
- (•) No Inspection Report Out was given to the Watch Commander on Duty

12. If no inspection report out was given to LASD, please provide context.

with OIG

13. Name of Commissioner(s) who conducted the inspection *

- [ ] Puja Bhatia
- [x] Haley Broder
- [ ] Wynter Daggs
- [ ] Katherine Hennigan Ohanesian
- [ ] Raymond Regalado
- [ ] Joahanna Terrones
- [ ] Mary Veral
- [ ] Pamela Thompson - Bell
- [ ] Yana Grammer
- [ ] Other

14. Other stakeholders' observations were reported to *(Select all that Apply)*: *

- [ ] BOS
- [ ] Officer in Charge
- [ ] LASD
- [ ] ISD
- [x] OIG
- [ ] COC
- [ ] Other

15. Name of the person(s) issues were reported to: *

Catharine Wright, OIG

Conditions of Confinement

16. **Cells/Toilets/Sinks** *

- [x] Cells
- [x] Toilets
- [x] Sinks
- [ ] Other

17. Cells/Toilets/Sinks Overall Rating *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

18. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

some non working

19. **COMMENTS RE**: Cells/Toilets/Sinks

20. **Shower Conditions** *

- [x] Water Quality
- [x] Water temperature
- [x] Rust
- [x] Mold
- [ ] Other

21. Showers Conditions Overall Rating (water temperature, rust, mold etc.) *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

22. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

mold, rust, dirt, trash

23. **COMMENT RE:** Showers (water temperature, rust, mold etc.)

24. **Crowding Overall Rating** *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

25. **COMMENT RE:** Crowding

26. **Cleanliness/Graffiti Overall Rating** *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

27. **COMMENT RE:** Cleanliness/Graffiti

28. **Safety, Conflict, Tension Overall Condition** *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

29. **COMMENT RE:** Safety, Conflict, Tension

30. **Common Areas Overall Rating** *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

31. **COMMENT RE:** Common Areas

32. **Air Quality/Temperature Overall Conditions** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

33. **COMMENT RE:** Air Quality/Temperature

34. **Deputy/Detainee Relations** (Including Specific Incidents or allegations of misconduct) *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

35. **COMMENT RE:** Deputy/Detainee Relations (Including Specific Incidents or allegations of misconduct)

36. **Strip Search Issues** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

37. Drinking Water Overall Rating *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

38. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

water coming out discolored and with particulate matter in some areas

39. **COMMENT RE:** Access (Drinking Water)

40. **Access to Mail, Reading Materials, Law Library** *

- [ ] Mail
- [ ] Reading Materials
- [ ] Law Library
- [x] Other

41. Access (Mail/Reading Materials/Law Library) Overall Conditions *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

42. **Access to Toilets in Common Room** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

43. **Access to Toiletries, Appropriate Combs/Brushes, FISH Kits** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

44. **COMMENT RE:** Access to Toiletries, Appropriate Combs/Brushes, FISH Kits

45. **Access to Exercise Religious Practices** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

46. **Access to Legal Counsel** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

47. **Access to Visitation and Correspondence** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

48. **Solitary Confinement** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

49. **Privacy/Dignity (showers, bathrooms)** *

- ( ) Satisfactory
- ( ) Unsatisfactory
- ( ) Corrective Action Needed
- (•) Not Applicable

50. **Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)** *

- ○ Satisfactory
- ○ Unsatisfactory
- ◉ Corrective Action Needed
- ○ Not Applicable

51. **COMMENT RE:** Special needs populations (pregnant, non-ambulatory, hearing impaired, mentally ill, medical conditions, developmental disability)

52. **Module Information Postings** (re: time calculations, complaint, developmental disability) *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

53. **Complaint Procedure** (e.g., Deputy, Medical Complaints - Confidential Procedures to SBC, OIG, COC) *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

54. **Fees Assessed/ Money on Books** *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

55. **COMMENT RE:** Fees Assessed/ Money on Books

56. **Other Conditions of Confinement Issues or Concerns?** *

- (●) Yes
- ( ) No

57. **COMMENT RE:** Other Conditions of Confinement Issue and or Concern?

58. Other Condition of Confinement Overall Rating *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (●) Corrective Action Needed
- ( ) Not Applicable

Nutrition

59. Quality/Concerns

- ( ) Satisfactory
- (●) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

60. Access to special diets

- ( ) Satisfactory
- (●) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

61. **COMMENT RE:** Nutrition

Trustees

62. Quarters

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

63. Training and Selection

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ○ Not Applicable

Medical Services

64. **Medical Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	○	○	○	○
Wait Times	○	○	○	○
Responsiveness	○	○	○	○
TB and Other Medical Screening	○	○	○	○
Dental	○	○	○	○
Vision	○	○	○	○
Infectious Disease Protocol	○	○	○	○

65. **Medical Request Forms Available** *

- ○ Yes
- ◉ No

66. If no, did you notify anyone? If so, who did you notify, and what steps were taken to correct the matter? *

Deputies

67. **COMMENTS RE:** Medical

68. **Menstrual Products** *

- [ ] AVAILABLE
- [x] NOT Available
- [ ] Had to be requested
- [ ] Located in a central location

69. **COMMENTS RE:** Menstrual Cycle Products

Mental Health

70. **Mental Health Services**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Access	○	○	○	○
Wait Times	○	○	○	○
Treatment Options	○	○	○	○
Assessment Procedures	○	○	○	○

71. **COMMENTS RE:** Mental Health

PREA and NARCAN

72. **Prison Rape Elimination Act (PREA) Issues:** *

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ◉ Not Applicable

73. **Prison Rape Elimination Act (PREA) COMMENTs:**

74. **NARCAN** *

- [x] Available
- [ ] Accessible
- [ ] Near Reach and no Obstacles
- [ ] Not Applicable
- [ ] Other

75. NARCAN Overall Rating *

- ( ) Satisfactory
- (•) Unsatisfactory
- ( ) Corrective Action Needed
- ( ) Not Applicable

76. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Not enough for the number of individuals; should be in classrooms and chapel; trustees should be trained on how to use it; it is not accessible to people in cells

77. PREA and NARCAN Comments:

Phones

78. Phone Overall Rating *

- ( ) Satisfactory (Accessible and Available)
- ( ) Unsatisfactory (Available, but not Accessible)
- ( ) Corrective Action Needed (Not Functioning or Not Functioning Properly, etc.)
- (•) Not Applicable

Education Based Incarceration Programming (EBI)

79. **Education Based Incarceration Programming (EBI)**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Availability	◯	◯	◯	◯
Type	◯	◯	◯	◯
Access	◯	◯	◯	◯

80. **EBI:** Volunteer Services

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Type	◯	◯	◯	◯
Access	◯	◯	◯	◯
Concerns	◯	◯	◯	◯

81. **COMMENTS RE:** EBI

Clean Clothing and Bedding

82. **Clean Clothing and Bedding** (including laundry practices)

- ◯ Satisfactory
- ◉ Unsatisfactory
- ◯ Corrective Action Needed
- ◯ Not Applicable

83. **COMMENTS RE: Clean Clothing and Bedding** (including laundry practices)

Facilities/Maintenance

84. **Facility/Maintenance:** Back Log Unfilled Order(s)

- ○ Satisfactory
- ○ Unsatisfactory
- ◉ Corrective Action Needed
- ○ Not Applicable

85. **Faciltiy/Maintenance COMMENTS RE:** Back Log Unfilled Order(s)

86. Kitchen/Laundry

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ○ Not Applicable

Detainee

87. **Detainee Documentations** (e.g., intake/release, procedures)**:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Classification	○	○	○	○
Logs	○	○	○	○
Detainee management	○	○	○	○
Exit interview - policies/procedure grievances	○	○	○	○
Generated funds	○	○	○	○

88. **Detainee Documentation COMMENTS:**

89. **Detainee Complaints/Concerns COMMENTS:**

90. **Discipline Proceedings:**

- ○ Satisfactory
- ○ Unsatisfactory
- ○ Corrective Action Needed
- ○ Not Applicable

Deputy Staffing

91. **Deputy Staffing:** Quality of Interactions w/Detainees

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Use of Force (Last 30 days)	○	○	○	○
Assault on Staff (Last 30 days)	○	○	○	○
Staff Training (MH, trauma informed etc.)	○	○	○	○

92. **Deputy Staffing COMMENTS RE:** Quality of Interactions w/Detainees

93. **Deputy Complaint/Concerns COMMENTS:**

94. **Prior Corrective Action Resolution:**

95. Grievance Form Availability Overall Rating *

- ○ Satisfactory (Available and being addressed timely)
- ○ Unsatisfactory (Available but being ignored)
- ◉ Corrective Action Needed (Not Available, and no Where to be found, etc.)
- ○ Not Applicable

96. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Need to be available in rows

Title 15 Safety Checks: Witnessed safety checks and/or checked safety check logs, etc.

97. **Title 15 Safety Checks**

- [x] Witnessed Safety Checks
- [ ] Checked Safety Logs
- [ ] Safety Checks Conducted Thoroughly
- [ ] Not Applicable
- [ ] Other

98. Title 15 Safety Checks Overall Rating *

- ( ) Satisfactory
- ( ) Unsatisfactory
- (•) Corrective Action Needed
- ( ) Not Applicable

99. *If deemed unsatisfactory or corrective action is needed please provide brief comment on why*

Not thorough, comprehensive checks

100. Title 15 Safety Check Comments:

Inspection Special Focus

101. **Inspection Special Focus**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Available
COC	○	○	○	○
Community	○	○	○	○
CHS	○	○	○	○
DMH	○	○	○	○
DPH	○	○	○	○
Facilties	○	○	○	○
Food Services	○	○	○	○
OIG	○	○	○	○
Other	○	○	○	○

102. Inspection: Special Focus Request *(Select all that Apply)*:

- [ ] COC
- [ ] Community
- [ ] CHS
- [ ] DMH
- [ ] DPH
- [ ] Facilities
- [ ] Food Services
- [x] OIG
- [ ] N/A
- [ ] Other

103. Inspection: Special Focus Request Comments:

Narcan availability

Physical Structure of Facility

104. Physical Structure

- [ ] Walls
- [ ] Paint
- [ ] Floors
- [ ] Drains
- [ ] Plumbing
- [ ] Fixtures
- [ ] Air Vents
- [ ] Windows
- [ ] Other

105. Physical Structure Comment(s)

106. Are Cleaning fluids and chemicals labeled and safely stored?

- ( ) Yes
- ( ) No
- ( ) Not Applicable
- ( ) Other

107. Weapons locker present?

- ( ) Yes
- ( ) No
- ( ) Not Applicable
- ( ) Other

108. Recreation/Sports Equipment:

109. Are the hallways clear, are doors propped open or closed?

- ◯ Yes
- ◯ No
- ◯ Not Applicable
- ◯ Other

110. **Grounds:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Conditions	◯	◯	◯	◯
Unlawful postings on exterior grounds (e.g., if ever been convicted cannot visit a detainee, etc.)	◯	◯	◯	◯

111. **Grounds COMMENTS:**

112. **Emergency Preparedness/Systems:**

	Satisfactory	Unsatisfactory	Corrective Action Needed	Not Applicable
Fire Extinguishers	◯	◯	◯	◯
Airpack Tags	◯	◯	◯	◯
Emergency Evacuation Routes	◯	◯	◯	◯
Control Centers	◯	◯	◯	◯
Emergency Lighting Fixtures	◯	◯	◯	◯
Safety Drills	◯	◯	◯	◯
First Aid and Suicide Kits	◯	◯	◯	◯

113. **Emergency Preparedness/Systems COMMENTS:**

114. Holding areas (cells/rooms), is there access to drinking water and toilet?

- ○ Yes
- ○ No
- ○ Not Applicable
- ○ Other

115. Condition of individual cells/rooms, or dormitories:

116. Beds - Type of bed and is it off the floor?

117. Adequate lighting:

118. Temperature:

119. Narrative Report

Findings by Location

2400

Interior temperature very warm.

2100, Row B

Cell #9: No toilet paper; reportedly requested for 3 days. Visible smoke in the area.
Cell #11: No mattress and no blanket, reportedly for 3 days.
Showers lack rails needed for ADA accessibility; a significant number of individuals on this row use canes.
Multiple reports of individuals still waiting for canes despite already being diagnosed and assigned one.

2200, Row A

Cell #5: Water not working; phone has been broken for 3 months.
Cell #8: Short one mattress for 7 days — 4 people assigned to the cell but only 3 mattresses provided.
Cell #1: Not receiving kosher lunches.
Requests submitted for cleaning supplies, gloves, and toilet paper.
Row is very hot, humid, and stuffy.
Narcan is not accessible to individuals inside cells.

2600/2800 (lower hallway area outside cells, near stairs)

The water basin with spigot is completely full and dirty; appears clogged.
Two Narcan units are stationed outside each row.
Reports that FISH kits are not being distributed during IRC processing.

2801

Multiple reports of leaks; incarcerated individuals caulked the one sink themselves using bars of soap. The wall section needs proper sealing.
Broken, foul-smelling urinal.
Ventilation not working.
Twelve people are housed in this unit, a dayroom converted to housing; residents report being glad to be in this housing area.
Chapel Narcan supply is empty (0 available).

3100

A "Thin Blue Line" flag is displayed in the deputy area, visible to all incarcerated individuals passing by.
The deputy area appears semi-self-barricaded with items.

3100A

Cell #9: Resident reports feeling ill after drinking sink water and reports visible particles in the water.
Reports of breakfast and lunch being served together, around 11 AM–12 PM.
Cell #7: Sink broken.
Strong sewer smell halfway down the row.
Cell #22: Resident reports personal property was lost by LASD one year ago; most wants his Amazon books returned.

3200 Showers

Showers labeled as ADA-accessible have a large step at the entrance, making them not actually ADA accessible and creating a slip hazard.
One bench is positioned next to one of the spigots in the middle of the shower area.
One of the three spigots next to the "ADA" bench does not work.

5600 (covering 5600/5700/5800/5900)

Only 2 Narcan units available for the large dorm.
Only 1 Custody Assistant (CA) manages all four sides (5600, 5700, 5800, 5900) — approximately 87 people per side, roughly 348 people total — with 8 Narcan units available across all sides plus the one carried on her person.
This supervision ratio (1 CA to 348 people) appears unreasonable and unsafe.

EBI 3000 (Start Classrooms)

No Narcan available in the classrooms.

120. Narrative Continued

Narcan Availability & Coverage Gaps
Locations: 2200A, 2600/2800, 2801 (chapel), 5600, EBI 3000
Pattern: Narcan is either inaccessible, understocked, or absent across multiple high-population areas.
Not accessible inside cells (2200A); chapel supply at zero; only 2 units for the 5600 dorm cluster with 8 total across ~348 people under one CA; none in the Start classrooms (EBI 3000).
ADA Non-Compliance & Fall Hazards
Locations: 2100 Row B, 3200 showers
Pattern: Showers marketed or expected to be ADA-accessible are not, creating injury risk for residents who use mobility aids.
Examples: No rails on Row B showers despite many cane users; 3200 "ADA" shower has a step at entry, a non-working spigot near the bench, and no rail support — a documented slip risk.

Basic Supply Shortages
Locations: 2100 Row B, 2200A
Pattern: Extended denial of toilet paper, mattresses, blankets, cleaning supplies, and gloves.
Examples: No toilet paper for 3 days (2100B #9); no mattress/blanket for 3 days (2100B #11); cell short a mattress for 7 days (2200A #8); requests for cleaning supplies and gloves unmet (2200A).

Water System & Plumbing Failures
Locations: 2200A, 3100A, 2600/2800, 2801
Pattern: Non-functioning or contaminated water sources going unaddressed.
Examples: Water not working (2200A #5); resident became ill and reported particles in sink water (3100A #9); sink broken (3100A #7); clogged/full water basin (2600/2800); leaking sink caulked by residents themselves with soap (2801).
Facility Conditions & Environmental Hazards
Locations: 2400, 2200A, 2801, 3100A
Pattern: Poor climate control, broken ventilation, and odor issues affecting habitability.
Examples: Very warm (2400); hot, humid, stuffy row (2200A); non-working vent and broken, smelly urinal (2801); sewer smell halfway down the row (3100A).

Dietary Accommodation Failures
Locations: 2200A, 3100A
Pattern: Failure to meet dietary requirements and meal-timing standards.
Examples: Kosher lunches not received (2200A #1); breakfast and lunch served together around 11 AM–12 PM (3100A).

Symbolic Display & Deputy Area Conduct
Locations: 3100
Pattern: Display of a politically contested symbol visible to the incarcerated population, alongside a deputy area appearing self-blocked off.
Examples: "Thin Blue Line" flag visible to all passing incarcerated individuals; deputy station semi-barricaded with items.
Recommended action: Review facility policy on displayed materials in shared/visible areas; assess deputy-area barricading for safety and transparency implications.

121. Narrative Continued

122. Narrative Continued

123. Narrative Continued

124. Narrative Continued

125. Overall, how would you rate this facility? *

- ( ) Satisfactory
- (•) Unsatisfactory