


County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Corner Sleeve	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	Adjustable Corner Diagonal 179ACD-B	- Converts 90° & curved corners (up to 9") to usable work areas - Allows use of adjustable arm and keyboard platform when the natural corner of the worksurface does not permit it - Adjusts to fit 1" to 2.25" thick work surfaces - Clamping design eliminates spacers, saving installation time - Works with Pinnacle 2 and Pinnacle AD arms - Dimensions: 12"W x 1.75"H	
Corner Sleeve	Humanscale Sales Rep: Harvey Thompson 310-486-6119 hthompson@humanscale.com	DE-200	16" Corner Sleeve - Fits desk 1" to 1.5" thick work surfaces - Converts 90° desk corner to diagonal surfaces - Compatible with all Humanscale keyboard tray systems	
Document Holder	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	Rite In Line Document Holder Item#: 2550 - 11 3/4" wide Item# 2650 - 17 3/4" wide	- Places documents directly in-line with the monitor; reducing bending and twisting of neck and shoulders - Made with 1/4" ultra-thin composite plastic - Slotted style angle adjustment lets you instantly change angle from 42° to 82° 5 3/8" height adjustability allows document holder to drop over front edge of work surface so that documents do not block view of the monitor - Available in two sizes: 11 3/4" wide: 11 3/4"W x 9 1/2"D x 11 1/2"H 17 3/4" wide: 17 3/4"W x 9 1/2"D x 11 1/2"H	
Document Holder	3M	In-line Document Holder DH640	- Height and angle adjustable document holder places documents in-line with your monitor and keyboard. - The stable weighted base allows ledge to dip below the desk edge increasing desk space - Elastic line guide marks you place, keeps pages open and stretches to accommodate even the thickest books - The 18" wide backplate and 300 sheet capacity supports books, catalogs and any size document - Dimensions: 11"W x 18"D x 4"H	
Electric Stapler	Stanley Bostitch	Impulse Electric Stapler 30 Sheet Capacity Item #: 02210 45 Sheet Capacity Item #: B8E-VALUE	- Electric full strip stapler 30 sheet capacity: 9.75"W x 2.88"D x 4.88"H 45 sheet capacity: 3.13"W x 8.88"D x 6.75"H	

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Electric Hole Punch	Swingline	Optima 20 Electric Punch Item #: A7074520	• Compact electric hole punch is lightweight and easily portable, powered by an AC adapter or 6AA batteries. • 20 sheet capacity • Dimensions: 5.5"W x 16.73"L x 6.89"H	
Floor Mat	Ultra SmartMat	Ultra SmartMat	The Ultra Smart Mat in our Classic Black color. The same thickness, cushion and function as the Premium Smart Mat with an antimicrobial rubber top treated for the life of the product. Overall Mat Thickness: 3/4" (includes cushion, backing and surface materials) Surface Type: Nitrile Rubber Cushion Type: Nitrile Closed Cell Cushion Thickness: 0.625" Dimensions: 32" x 21"	
Floor Mat	The Sit-Stand SmartArt	Smart Mat Hard surfaces SSM7-0002 Carpeted surfaces SSM7-0001	• Mat Moves between Sitting and Standing positions via Patented Foot Activated Touch-Point. • Easily moves back and forth under the desk without bending or lifting. • Enhances the Value of your Sit Stand Desk by encouraging standing times and more frequent position changes. • Durable Commercial Quality Mat • Phthalate-free polyurethane material Dimensions: 31" x 21" may vary slightly.	
Footrest	3M	FR330	• Adjustable tilt & height • Heavy-duty steel • Contoured "non-skid" foot platform designed for maximum comfort • Dimensions: 4"H x 18"W x 13"D	

County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Headset	Poly – Bluetooth (Wireless)	Voyager 4300 UC	- Bluetooth v5.2, wireless range with included BT700 USB-A or USB-C adapter - Flexible noise canceling boom with dual microphone - Battery Charge time: 1.6 hours for a full charge Fast Charge: up to 10 hours listening time after 15 mins of charge - Range: up to 50 meters/164 feet - Multipoint connectivity, headset connect to two devices at the same time, remembers up to 8 devices - Headset Controls: Call answer/end, mute, volume +/-, power ON/OFF/PAIRING 2-year limited warranty included	
Headset	Logitech (Wireless)	Zone Wireless 2 UC Version with receiver: Item# 981-001497	- Active noise cancellation - Bluetooth v5.3 with up to 50m wireless connectivity range - Battery life (talk time): Up to 20 hours - Battery life (listening time): Up to 25 hours - Charging: 2 hours for a full charge. - Connection type: Bluetooth, USB-C and USB-A (for versions with receiver). Connect headset to the computer with USB-C cable.	
Keyboard	Kensington	Pro Fit Ergo Keyboard Wired- Item# K75400US Wireless Item# K75402US	- Ergonomist-approved design positions your hand for improved comfort. - Built-in wrist rest and neutral grip supports, cushions, and positions the wrist for comfort and neutral hand alignment. - Built-in wrist rest supports, cushions, and cradles the wrists. - Quiet keys mean typing is smooth, easy, and non-disruptive. - Dimensions: 9.92"L x 18.98"W x 1.5" H	
Keyboard	Logitech	Ergo K860 Split Wireless Keyboard 920-009166	- Wireless range: 10 m (33-ft) wireless range - Pillowed Wrist Rest: Curved wrist rest with memory foam - Scooped keys match the shape of your fingertips - Tilt legs of 0, -4 and -7 degrees - Connect with the USB receiver or Bluetooth - Dimensions: 17.95"L x 9.17"D x 1.89"H	




County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Keyboard	Logitech	Wave Keys 920-011898	• Compact keys: Wave Keys' compact size allows you to bring your mouse closer to your body, resulting in a more natural shoulder position compared to a full size keyboard • Connect with Bluetooth or the Logi Bolt Receiver: Use Easy-Switch to switch between laptop, tablet and phone (compatible with Windows/macOS/iPadOS/ChromeOS); up to 3 years battery life (3) • Dimensions: 14.8"L x 8.62"W x 1.18"H	
Keyboard	Goldtouch	Goldtouch Go!2 Bluetooth Wireless Mobile Keyboard GTP-0044W	• Full-sized keys and all the benefits of Bluetooth technology, the Wireless Mobile Keyboard is truly the perfect companion for the on-the-go worker • Goldtouch patented lock and lever system, find perfect fit with adjustments from 0° to 30° along the horizontal plane and 0° to 30° along the vertical plane • Bluetooth technology will sync this cordless keyboard with all your mobile devices. • Light, slim, and easy to fold • Compatible with Windows 7, 8, 10, Vista, XP, and 2000, and Mac 10.4 and above. Just pair and play! Additionally, this keyboard has multimedia key support for both Windows and Mac OS. • Dimensions: 13.5"W x 6"D x .9"H	
Keyboard	Goldtouch	Goldtouch Elite Keyboard GTE-08899	• Adjusts from 0-30° on the horizontal plane and 0-60° on the vertical plane; • Improved handle design for easier tenting and splaying; • Half-height, laser printed keys; • PC and Mac compatible at the flick of the rear toggle switch; • New Default and Alternate keyboard layout; • Weight: 3.3 lb Dimensions: 15.25" width x 6.50" depth	

County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Numeric Keypad for Goldtouch Keyboard	Goldtouch	Goldtouch Numeric Pad GTE-ELITE	- Allows you to do all your calculations from the keypad; errors are reduced, and efficiency is enhanced - Keyboard plugs directly into USB port in numeric keypad - The keypad has all the essential keys such as Tab, Escape, Backspace and frequently needed symbols. - To be paired with the Goldtouch keyboard - Dimensions: 6"L x 3 3/4"W x 1"H	
Keyboard	Kinesis Sales Rep: Russ Hitt 800.454.6374 x529 rhitt@kinesis.com	Freestyle Pro KB900-BRN	- Adjustable split keyboard design to accommodate a wide range of users. - The basic configuration allows up to 12 inches of separation. If you need additional separation, simply remove the cable compartment cover located on the back of the left key module and thread out more of the stored cable until you find your desired width. - Dimensions: 15.5"W x 7.25"D x 1.25"H	
Numeric Keypad for Kinesis Keyboard	Kinesis Sales Rep: Russ Hitt 800.454.6374 x529 rhitt@kinesis.com	Freestyle2 Keypad KP800	- Low-profile numeric keypad with detachable palm support for 10-key users. - Includes Windows hotkeys for cut, copy and paste. - Dimensions: 3.5"W x 0.875"H x 10"D (with palm support) x 7.125"D (without palm support)	
Keyboard Tray	Humanscale Sales Rep: Harvey Thompson 310-486-6119 hthompson@humanscale.com	Combo Platform 6G10090F2022	- Combo Platform with 9"Clip Mouse with synthetic leather foam with 22" track. - Dimensions: 21"L x 13.1"W	


County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Keyboard Tray	Humanscale Sales Rep: Harvey Thompson 310-486-6119 hthompson@humanscale.com	6G550-F22	- Height adjustment range is 7" and comes with synthetic foam wrist rest 550 tray is designed to keep both mouse and keyboard on same surface allowing closer reach to mouse 7" is 1.75" above track and 5.25" below track - Dimensions: 10.325W" x 25"L	
Keyboard Tray	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	<u>Platform</u> Banana-Board Platform UB2180S25 <u>Track</u> Pinnacle 2-VALUE 22" track: 3175-22NB 17" track: 3175-17NB	- Injection molded plastic platform includes a document holder and cable management system - Adjustable mouse platform is constructed from ultra-thin phenolic materials and slides easily from side to side for both left or right-handed users - Removable memory foam palm support - Platform requires radius or diagonal of 12" or more for proper installation and use	
Keyboard Tray	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	<u>Platform</u> Microsoft Natural Banana-Board Keyboard Tray UB2181SN25 <u>Track</u> Pinnacle 2-VALUE 22" track: 3175-22NB 17" track: 3175-17NB	- Ultra-thin phenolic platform design is contoured to accommodate the Microsoft Natural Keyboard and includes our Optimizer document holder and cable management system - Adjustable mouse platform slides easily from side to side for both left or right-handed users - Platform requires radius or diagonal of 12" or more for proper installation and use	
Keyboard Tray	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	Revo Platform 17" track length: Item# 2227-17 12" track length: Item# 2227-22 <u>Track</u> Pinnacle 2-VALUE 22" track: 2172-22 17" track 2172-17	- Mouse-Over and Mouse Leveling positioning - Independent mouse tilt. No tools required right/left reversible. - Available as solo platform or as part of complete system which includes Pinnacle 2 keyboard arm with 17" or 22" track. - Optimizer document holder and cable management	


County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Keyboard Tray	Grand Stands Sales Rep: Thad Brennan 626-926-5319 Thad@grandstands.com	Platform with 9" Flexmouse Tray 15810K-1	1/4" thick, non-skid pads, wire mouse guard and microfilm mousing surface - Adjustable 9" flex mouse platform for multiple way use; left and right-handed option available - Dimensions: 20"L x 10"W (platform)	 CLOSE
Keyboard Wrist Rest	Kensington	Wrist Pillow® Keyboard Wrist Rest – Black L22801US	- Pillow foam for soft, durable support - Rest provides comfortable support that's wide enough for any keyboard and numeric pad - Large surface eliminates pressure points to improve comfort - Wrist rest easily conforms to wrist without restricting motion - Dimensions: 19.25" L X 3.5" W X 1.0" H	
Laptop Arm	Ergotron Sales Rep: Dale Rusnak 925-808-9335 Dale.Rusnak@ergotron.com	LX Desk Laptop Arm Monitor Arm 45-682-292 Notebook Tray 50-193-200	- Offers ergonomic screen positioning using patented Constant Force™ Technology - Use with or without a docking station; handles virtually any size laptop - Folds to fit under storage shelves or cabinets - Cables stay hidden under the arm and through the extension - Weight capacity: 2.5-12lbs - Desk clamp attaches to .4" -2.4" thick work surfaces	
Laptop Holder	Ergotron Sales Rep: Dale Rusnak 925-808-9335 Dale.Rusnak@ergotron.com	Neo-Flex Notebook Lift Stand 33-334-085	- Includes stand, cable ties, hook and loop, adhesive non-slip pads - Designed for use with a separate, external keyboard for proper ergonomics - Height Adjustment: A combination of lift and tilt can move the height of a notebook's screen through a 6" (15 cm) range - Up to 360° of side-to-side swivel - Weight adjustable design—3.5–14 lbs. is compatible with most laptops, with or without port replicator - Product Weight: 3.6 lbs. - Dimensions: 13.7"L x 11.3"-13.9"W	

County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Monitor Arms	Grand Stands Sales Rep: Thad Brennan 626 926-5319 Thad@grandstands.com	ACE20 Monitor Arm ACE20-S	• 20" of vertical height range • True sit to stand without the need for poles • Tilt adjustment, swivels portrait to landscape • 27.5" front to back distance, compacts to 4" • Clamp and grommet mount included • Up to 30 pounds of supported weight, for single monitor • Internal Cable Management • Tilt adjustment: +/- 15° • VESA Compatibility: 75x75mm/100x100mm • Colors: Silver (-S), Black (-B) • Limited lifetime warranty	
Monitor Arms	Humanscale Sales Rep: Harvey Thompson 310-486-6119 hthompson@humanscale.com	<u>M/Flex</u> 1) X221DSSC – Dual monitor arm, dynamic arm with sliders/12" post/clamp/silver 2) X2NTNCASF12 – Single monitor arm/12" straight link, dynamic arm. 12 post/clamp/silver 3) X2NTNCBSPTBPTB12 – Dual monitor arm/4" straight link, 8" straight link, dynamic arm/12" post/clamp/silver (Best for corner installs)	1) MFlex dual monitor arm system ideal for height adjustable desks or rectangular surfaces/ Clamp mount. 2) Mflex Single monitor air with 12" straight link, dynamic arm. Clamp mount provides great reach. 3) Mflex dual monitor arm with 4" straight link, 8" straight link, dynamic/clamp mount. May use at corner application for two monitors.	

County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Monitor Arms	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	Conform LT Dual Slider Monitor Arm System CONF-LT-D1A-SL- 12PB-TPCG-S	- Expandable, interchangeable components ensure future adaptability - Designed for fast, easy installation - Easily route and conceal cables through the integrated wire managers - Quickly folds down to provide users with maximum desk space - Supports two monitors 5–17 lbs each - Maximum monitor height: 19.5" (full range of motion) - Articulation range: 13" - Forward reach: 15.375" - Stowed depth: 5.5" - Monitor: Tilt: +90°/-45°; Pivot: +/-90°; Rotation: +/-90° - Standard VESA (75 mm & 100 mm)	
Monitor Arms	HumanKnoll Sales Rep: Ramona Quinn 818-402-0394 Ramona_quinn@millerknoll.com	Flo X Single Flo X Dual Flo X Triple	- Provides smooth, dynamic movement that allows users to position large screens with minimal effort. - Supports a wide weight range: 7–40 lbs for the single arm (adjustable down to 7–20 lbs by disengaging one spring with an Allen key). - Rotates easily between landscape and portrait orientations with advanced tilt capability. - Available in single, dual, and triple configurations, allowing screens to be arranged flat, in a continuous curve, or in a cockpit setup. - Weight Capacity: 7–40 lbs (adjustable to 7–20 lbs) - Maximum Screen Size: Up to 43 inches - Height Range: 8.2" – 21.1" - Horizontal Reach: 3.6" – 24.1" - Width: 5.1" - Orientation: Landscape and portrait - Warranty: 12 years Flo X Single: Supports 1 monitor (7–40 lbs, up to 43") Flo X Dual: Supports 2 monitors (8–18 lbs each, up to 32") Flo X Triple: Supports 3 monitors (4.5–11 lbs each, up to 27")	 

County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Monitor Riser	3M	Adjustable Monitor Stand MS80B	- Contemporary design with stacking columns raises monitor from 1" to 5 7/8" in increments of 1 5/8" to an ergonomically correct level - Features 11" of storage space underneath to maximize desk space - Dimension: 15"x12"	
Mouse	Contour Design Sales Rep: Kristina Ajello 213-257-1360 kristinaa@contourdesign.com	RollerMouse RED CDRMRED10110 RollerMouse RED Plus CDRMRED10210	- Centered design keeps hands relaxed. - The rollerbar is textured for extra grip and ensures smooth, accurate navigation with minimal effort. - Adjustable controls and wrist pads. - Dimensions (height x width x depth): 0.9 in x 16.15 in, 4.0 in (RED); 0.9 in x 16.75 in, 6.0 in (RED+) has deeper palm rest for users with larger hands, longer fingers)	
Mouse	Contour Design Sales Rep: Kristina Ajello 213-257-1360 kristinaa@contourdesign.com	SliderMouse Pro – Slim CDSMPRO10110	- Centered Mouse with mechanical sliderbar - Dimensions: 15"W x 4.8"L x 0.9"H	
Mouse	Contour Design Sales Rep: Kristina Ajello 213-257-1360 kristinaa@contourdesign.com	RollerMouse Go (wireless) CDRMGO10000 RollerMouse Go + Dock Bundle CDRMGO10213	- Compact, lightweight, and comes with a protective sleeve and detachable wrist rest. - Wrist rest for RollerMouse Go: RollerMouse Go + Dock converts the compact RollerMouse Go to a standard width for optimized wrist rest support while mousing and typing. The mouse is magnetically attached to the dock, making it simple to dock and undock. - Dimensions: 12"L x 2.5"W x 0.9"H - Dimensions with dock bundle: 15.4"L x 5.3"W x 0.9"H	 RollerMouse Go + Dock Bundle: 

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Mouse	Contour Design Sales Rep: Kristina Ajello 213-257-1360 kristinaa@contourdesign.com	UniMouse (wireless) Right Hand CDUMBK11001 Left Hand CDUMBK11002	- Effortlessly switch postures to engage different muscles and tendons while avoiding fixed, static positions. - Fully adjustable and may be inverted into vertical or semi-vertical mouse with tilt range of 35-70 degrees movable thumb support in all directions - Adjusts to fit all hand sizes. - Dimensions: 4.7"L x 3"W x 2.2"H	
Mouse	Goldtouch	Semi-Vertical Mouse (Wireless) Right Hand KOV-GSV-RMW Left Hand KOV-GSV-LMW	- Sizing: Users with hands up to 7.5" can comfortable use this mouse. If attachment flange is added, it can accommodate users with hands up to 8" 66 degree slope creates optimal comfort and hand/wrist positioning - Detachable ergo grip flange keeps palm off the surface of the desk	
Mouse	Goldtouch	FlexMouse™ Bluetooth® Wireless Computer Mouse (Right-Handed) KOV-GTM-FLEX-BT	- Four interchangeable mousing backs, ranging from Small to X-Large, will fit the smallest to the largest hands. - The additional attachments do not have to go unused. Smaller attachments can be used for tasks that require more precision, whereas larger attachments can be used for general use to maximize comfort. - Mouse moves your wrist into an ideal 24 degree angle, eliminating the discomfort caused by wrist pronation. A thumb cushion encourages a more comfortable grip. - Over-sized buttons to easily click without overly bending the interphalangeal joints, reducing arthritic discomfort.	
Mouse Wrist Rest	Kensington	Wrist Pillow® Mouse Wrist Rest L57822US	- Pillow foam for soft, durable support - Non-skid base keeps wrist rest firmly in place - Rest provides comfortable support that's large enough for any mouse or trackball - Large surface eliminates pressure points to improve comfort - Wrist rest easily conforms to hand without restricting motion - Large mousing surface for all-day ease and comfort	

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Mouse Wrist Rest	IMAK Ergo	Wrist Cushion for Mouse A10174	IMAK Ergo Wrist Cushion for Mouse is filled with massaging ergobeads, making for the most comfortable ergonomic wrist support available. The unique design is shaped for easy maneuvering of the mouse, while comfortably supporting your wrist and forearm for eliminate stress.	
Seating - FOR SHERIFF USE ONLY	Office Master Sales Rep: Peter Trevino 310-938-8448 Peter@EPICtrends.net	A) Weight Capacity - 350 lbs. 1) IU76PD - JR-BN 2) IU79PD - JR-BN B) Weight Capacity - 400 lbs. 1) MX84PD - JR-BN 2) MX84IU -JR-BN	- Seat Depth: 18" – 20.5" Seat Width: 22" Seat Height: 17" – 22" Back Adjustability: 4" Back Height: 22" Back Width: 22" For intensive use applications that require an extra measure of toughness and reliability. Built with a heavy-duty structure and upholstered with memory foam in the seat and in fabrics that feature high double-rub count. Arm rests – JR-BM = Height adjustable T arms with fold-back feature with ballistic nylon upholstered arm pads. - Seat Depth: 18" – 21.1" Seat Width: 22" Seat Height: 17" – 22" Back Adjustability: 4" Back Height: 28" Back Width: 19.5" Weight Capacity: 300 lbs Warranty: 7 years	
Seating - Petite	Office Master Sales Rep: Peter Trevino 310-938-8448 Peter@EPICtrends.net	Paramount PT69-KR-200	Seat Depth: 16.5 - 19" Seat Width: 19" Seat Height: 17" – 22" Back Adjustability: 3" Back Height: 22" Back Width: 17" Arm Width (horizontal - in & out adjustment): 1" per side only KR 200 (JR 77 doesn't adjust horizontally) Arm Height (vertical – up & down adjustment): KR 200 – 2.75 or JR 77 – 4.25" Weight Capacity: 300 lbs. Warranty: 12 years	

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Seating - Petite	Sitmatic Sales Rep: Nathan Kelly 562-833-9926 nate@sitmatic.com	Forma FOR32, SX, SH10, NC, 1A (with Nano Cylinder)	Seat Depth: 17.0" – 19.50" Seat Width: 19.0" Seat Height: 15" – 17.75" Back Adjustability: 6" Back Height: 23" Back Width: 20" Weight Capacity: 300 lbs. Warranty: 10 years	
Seating - Petite	RFM Sales Rep: John Fuire 714-609-9312 pcschaiguy@aol.com	Trademark 2515-480-13B-65MM- 23A-55C	Seat Depth: 17.5" Seat Width: 18.5" Seat Height: 18" – 20.5" Back Adjustability: 3.5" Back Height: 20.0" Back Width: 19.0" Arm Width (horizontal - in & out adjustment) Arm Height (vertical – up & down adjustment): 08A: 3" Weight Capacity: 300 lbs. Warranty: 12 years	
Seating - Petite	RFM Sales Rep: John Fuire 714-609-9312 pcschaiguy@aol.com	Evolve 1535-23A- 480S-13B-65MM-68L NOTE: Adjustable air lumbar for upper and lower back.	Seat Depth: 17.5" Seat Width: 18.5" Seat Height: 17.27" – 19.75" Back Adjustability: 3" Back Height: 23.5" Back Width: 19.0" Weight Capacity: 300 lbs. Warranty: 12 years	
Seating - Petite - Wide	Office Master Sales Rep: Peter Trevino 310-938-8448 Peter@EPICtrends.net	PT 74-KR200	Seat Depth: 17.0 - 19.5" Seat Width: 20" Seat Height: 17.0 – 22.0" Back Adjustability: 3" Back Height: 18.0" Back Width: 17.0" Weight Capacity: 300 lbs. Warranty: 12 years limited	

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Seating - Petite - Wide	Sitmatic Sales Rep: Nathan Kelly 562-833-9926 nate@sitmatic.com	FORMA FOR33, SX, SH20 +1A	Seat Depth: 17.0" to 19.5" Seat Width: 21.0" Back Height: 16.75" – 20.25" Backrest Adjustability: 6" Back Height: 23.0" Back Width: 20.0" Weight capacity: 300lbs Warranty: 10 years	
Seating - Petite - Wide	RFM Sales Rep: John Fuire 714-609-9312 pcschaiguy@aol.com	Trademark 2515-422- 23A	Seat Depth: 17.5" Seat Width: 20.5" Seat Height: 18.5" – 21.75" Back Adjustability: 3.5" Back Height: 20" Back Width: 19" Arm Width (horizontal - in & out adjustment): 1" per side only KR 200 (JR 77 doesn't adjust horizontally) Arm Height (vertical – up & down adjustment): KR 200 – 2.75", JR 77 - 4.25" Weight Capacity: 300 lbs. Warranty: 12 years limited	
Seating - Standard	Office Master Sales Rep: Peter Trevino 310-938-8448 Peter@EPICtrends.net	Paramount PT78-KR-200	Seat Depth: 18 – 20.5" Seat Width: 21" Seat Height: 17 – 22" Back Adjustability: 4" Back Height: 22" Back Width: 19.5" Arm Width (horizontal - in & out adjustment): 1" per side only KR 200 (JR 77 doesn't adjust horizontally) Arm Height (vertical – up & down adjustment): KR 200 – 2.75", JR 77 - 4.25" Weight Capacity: 300 lbs. Warranty: 12 years limited	

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Seating - Standard	Sitmatic Sales Rep: Nathan Kelly 562-833-9926 nate@sitmatic.com	FORMA FOR33, SX, +1A	Seat Depth: 19.0" – 21.5" Seat Width: 21.0" Seat Height: 16.75" – 20.25" Back Adjustability: 6.0" Back Height: 23.0" Back Width: 20.0" Weight Capacity: 300 lbs. Warranty: 10 years	
Seating - Standard	RFM Sales Rep: John Fuire 714-609-9312 pcschairguy@aol.com	Trademark 2535-23A	Seat Depth: 19" Seat Width: 20" Seat Height: 18.5" – 21.50" Back Adjustability: 3.5" Back Height: 24" Back Width: 19" Weight Capacity: 300 lbs. Warranty: 12 years	
Seating - Standard	RFM Sales Rep: John Fuire 714-609-9312 pcschairguy@aol.com	Evolve 1535-D-23A-68L NOTE: Adjustable air lumbar for upper and lower back.	Seat Depth: 17.5" Seat Width: 18.5" Seat Height: 18.5" – 21.75" Back Adjustability: 3.5" Back Height: 23.5" Back Width: 19" Weight Capacity: 300 lbs. Warranty: 12 years	
Seating - Slim/Tall	Office Master Sales Rep: Peter Trevino 310-938-8448 Peter@EPICtrends.net	PT79-KR300 NOTE: Chair is made for an employee that is over 6'3" tall.	Seat Depth: 21.5" – 24.6" Seat Width: 23.5" Seat Height: 19" - 25" Back Adjustability: 4" Back Height: 28" Back Width: 19.5" Arm Width (horizontal - in & out adjustment): 1" per side only KR 200 (JR 77 doesn't adjust horizontally) Arm Height (vertical – up & down adjustment): KR 200 – 2.75", JR 77 - 4.25" Weight Capacity: 300 lbs. Warranty: 12 years	

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Seating - Slim/Tall	RFM Sales Rep: John Fuire 714-609-9312 pcschairguy@aol.com	Trademark 2535-899 NOTE: Adjustable air lumbar for upper and lower back. NOTE: Chair is made for an employee that is over 6'3".	Seat Depth: 19" Seat Width: 20" Seat Height: 18.5" – 21.75" Back Adjustability: 3.5" Back Height: 24" Back Width: 19" Weight Capacity: 300 lbs. Warranty: 12 years	
Seating - Slim/Tall	Sitmatic Sales Rep: Nathan Kelly 562-833-9926 nate@sitmatic.com	FORMA FOR33, SX, SL, XC, +1A NOTE: Chair is made for an employee that is over 6'3".	Seat Depth: 21" – 23.5" Seat Width: 21" Seat Height: 18" – 25" Back Adjustability: 6" Back Height: 23.0" Back Width: 20.0" Arm Width (horizontal - in & out adjustment): 2" range per side for +1N armrest option (width adjusts by fingertip lever; 6 positions; 10" long by 4") Arm Height (vertical – up & down adjustment): 4" range for 1N armrest option (height adjusts by fingertip lever; 10 positions; 10" long by 4") Weight Capacity: 400 lbs. Warranty: 10 years	
Seating - Heavy/Wide	Office Master Sales Rep: Peter Trevino 310-938-8448 Peter@EPICtrends.net	MXIU 84 (petite backrest)	Seat Depth: 17" – 19.5" Seat Width: 24" Seat Height: 18" – 23" Back Adjustability: 4" Back Height: 20" Back Width: 23.5" Arm Width (horizontal - in & out adjustment): 1" per side only KR 200 (JR 77 doesn't adjust horizontally) Arm Height (vertical – up & down adjustment): KR 200 – 2.75", JR 77 - 4.25" Cylinder: Weight Capacity: 400 lbs. Warranty: 12 years	

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Seating - Heavy/Wide	Office Master Sales Rep: Peter Trevino 310-938-8448 Peter@EPICtrends.net	MXIU 88 (standard backrest)	Seat Depth: 17" – 19.5" Seat Width: 24" Seat Height: 18" – 23" Back Adjustability: 4" Back Height: 25" Back Width: 23.5" Arm Width (horizontal - in & out adjustment): 1" per side only KR 200 (JR 77 doesn't adjust horizontally) Arm Height (vertical – up & down adjustment): KR 200 – 2.75", JR 77 - 4.25" Cylinder: Weight Capacity: 400 lbs. Warranty: 12 years	
Seating - Heavy/Wide	Sitmatic Sales Rep: Nathan Kelly 562-833-9926 nate@sitmatic.com	Plus Size Chair FORMA FOR34, SX, +1A	Seat Depth: 22.0" – 24.5" Seat Width: 24" Seat Height: 16.75 – 20.25" Back Adjustability: 6" Back Height: 23.0" Back Width: 21.0" Arm Width (horizontal - in & out adjustment): 2" range per side for +1N armrest option (width adjusts by fingertip lever; 6 positions; 10" long by 4") Arm Height (vertical – up & down adjustment): 4" range for 1N armrest option (height adjusts by fingertip lever; 10 positions; 10" long by 4") Weight Capacity: 400 lbs. Warranty: 10 years	
Seating - Heavy/Wide	RFM Sales Rep: John Fuire 714-609-9312 pcschairguy@aol.com	Trademark BT28	Seat Depth: 20" Seat Width: 24" Seat Height: 18.5" – 22" Back Adjustability: 4" Back Height: 24" Back Width: 19" Weight Capacity: 500 lbs. Warranty: 12 years	

**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

PRODUCT TYPES	MANUFACTURERS	MODEL NO.	DESCRIPTIONS	PICTURES
Seating - Heavy/Wide	RFM Sales Rep: John Fuiere 714-609-9312 pcschairguy@aol.com	Evolve BT16-2004-25A-60L	Seat Depth: 22" Seat Width: 24" Seat Height: 19.25" – 22.75" Back Adjustability: 2.75" Back Height: 19.5" Back Width: 18.5" Weight Capacity: 400 lbs. Warranty: 12 years	
Seating - Stool	Sitmatic Sales Rep: Nathan Kelly 562-833-9926 nate@sitmatic.com	GoodFit GFU13, ST, SD, HT, FR24, BNB26, 1A, AN/Fabric code HT = Tall stool cylinder height for desks taller than 36"	Seat Depth: 19.0" – 21.5" Seat Width: 21.0" Seat Height: 24.5" – 34.0" Back Adjustability: 6" Back Height: 17.0" Back Width: 17.0" Foot ring: 24" diameter Weight Capacity: 300 lbs. Warranty: 10 years	
Seating - Executive Chair	RFM Sales Rep: John Fuiere 714-609-9312 pcschairguy@aol.com	A) PETITE: 4515 Medium Managers Chair 25" resin base. B) STANDARD: 4585 Executive High Back Chair 27" resin base.	A) Seat Depth: 18.5" – 20.5" Seat Width: 19.5" Seat Height: 19.6" – 23" Back Adjustability: 4" Back Height: 22.75" Back Width: 20.25" Arm Width (horizontal - in & out adjustment): Arm Height (vertical – up & down adjustment): B) Seat Depth: 20" – 22" Seat Width: 21" Seat Height: 19.5" – 22.75" Back Adjustability: 4" Back Height: 30" Back Width: 22" Arm Width (horizontal - in & out adjustment): Arm Height (vertical – up & down adjustment): Weight Capacity: 300 lbs. Warranty: 10 years	



**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

Sit and Stand Electric Table	Grand Stands Sales Rep: Thad Brennan 626 926-5319 Thad@grandstands.com	Stage: L3	Height ranges must be at least 23" to 48".	
Sit and Stand Electric Table	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	1) Sierra HX 2) Ascent4 -Three-stage bases	Height ranges must be at least 22.5" to 48.7".	



**County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026**

Sit and Stand Desk Converted	Uplift Desk	E7 Electric Standing Desk Converter	• Quickly switch between seated height and standing height with the touch of a button • Detachable, tiered keyboard tray holds both keyboard and mouse pad • Not limited by weight, lift anything from 0 to 110 lb. • Lowered keyboard tray allows your seated height to be ergonomic - most other converters make your seated height higher and worse • Sits on top of your current desk with no clamping or mounting required • Built-in Advanced Memory Keypad remembers your preferred heights • Single monitor ready, add the dual monitor arm accessory to hold two. Monitor arm is not adjustable. • Generous height range of 21" fits a wide range of users • The monitor arms can rotate from portrait to landscape • Warranty: 15 years Keyboard tray dimensions 28" W x 10.5" D x 0.75" H Desktop dimensions 30" W x 21.5" D x 0.75" H Required desktop depth 26" The keyboard tray adjustment ranges from 25.5" to 49.5" inches in height.	
Sit and Stand Platform	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	Ultra-Thin Platform and Extended Range Arms 22"– Pinnacle AD Platform UB185-25 Track 3176-22TG NOTE: Designs for Petite person	Compact Platform System • Sized compact keyboards less than 6" deep • UltraThin™ .25" solid phenolic construction • Removable memory foam palm support • Right/Left configurable Extended Range Arms – Pinnacle AD • Adjusts from 7.25" above to 53/4 below the work surface • Tilt ranges from -15° to +10° • 360-degree swivel for easy positioning and storage • Independent height and angle controls • Low profile ball bearing track is 5.75" wide and is available in 17", 22" or 28" length • 17" track has 6" of platform storage • 22" track has 11" of platform storage • 28" track has 17" of platform storage	

County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

Sit and Stand Platform	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	<u>Platform</u> Banana-Board Platform UB2180S25 <u>Track</u> 22" track: 3176-22TG 17" track: 3176-17TG	Platform • Injection molded plastic platform includes a document holder and cable management system • Adjustable mouse platform is constructed from ultra-think phenolic materials and slides easily from side to side for both left or right-handed users • Removable memory foam palm support • Platform requires radius or diagonal of 12" or more for proper installation and use Keyboard Arm Features • System includes Leader Standard or Sit-Stand arm ○ Standard Arm adjusts from 2.38" above to 6.5" below track ○ Sit-Stand Arm adjusts from 8.25" above to 6" below worksurface • No knob, no lever Lift-n-Lock height adjustment with Dial-a-Tilt knob ○ Standard Arm 30° tilt range: -20° +10° ○ Sit-Stand Arm 25° tilt range: -15° +10° • Height & tilt readout panel(17" track) • 17" or 22" nylon glide track and 360° arm swivel at track • Smooth black powder-coat finish	 Top view dimensions: 27" (total width), 19" (platform width), 8" (platform depth), 12.87" (platform height), 13.25" (mouse platform height), 16.12" (total height), 18.5" (platform base width), 2.62" (platform base depth). Side view dimensions: 8.25" (arm height), 6" (arm depth), 17" (track length), 22" (track length).
Sit and Stand Platform	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	<u>Platform</u> Microsoft Natural Banana-Board Keyboard Tray UB2181SN25 <u>Track</u> 22" track: 3176-22TG 17" track: 3176-17TG	Platform • Ultra-thin phenolic platform design is contoured to accommodate the Microsoft Natural Keyboard and includes our Optimizer document holder and cable management system • Adjustable mouse platform slides easily from side to side for both left or right-handed users • Platform requires radius or diagonal of 12" or more for proper installation and use Keyboard Arm Features • System includes Leader Standard or Sit-Stand arm ○ Standard Arm adjusts from 2.38" above to 6.5" below track ○ Sit-Stand Arm adjusts from 8.25" above to 6" below worksurface • No knob, no lever Lift-n-Lock height adjustment with Dial-a-Tilt knob ○ Standard Arm 30° tilt range: -20° +10° ○ Sit-Stand Arm 25° tilt range: -15° +10° • Height & tilt readout panel • 17" or 22" nylon glide track and 360° arm swivel at track • Smooth black powder-coat finish	 Top view dimensions: 27 1/2" (total width), 19 3/4" (platform width), 7 3/4" (platform depth), 16" (platform height), 13 1/4" (mouse platform height), 15" (platform base width). Side view dimensions: 8.25" (arm height), 6" (arm depth), 17" (track length), 22" (track length).

County of Los Angeles
Commonly Ordered Equipment
Ergonomics Standard Product List
Last update: 09/11/2026

Task Light	Humanscale Sales Rep: Harvey Thompson 310-486-6119 hthompson@humanscale.com	Nova Task Light NVEBB Size: Standard or XL Clamp Base or Desktop Base	Designed to complement any work surface and enhance any workstyle, the new Nova task light offers endless adaptability in a striking, sculptural form. The custom lens and LED array create a uniform pool of glare-free light that can be adjusted exactly to each user's preference. Energy Star-certified to benefit people and the planet, Nova is a lighting solution for today and the future. Measurement: Standard Size: Lower arm: 13.8" Upper arm: 13" XL Size: Lower arm 15.9" Upper arm: 15.1"	 The diagram shows two versions of the Nova Task Light. The 'NOVA' model has a lower arm of 13.8" and an upper arm of 13". The 'NOVA XL' model has a lower arm of 15.9" and an upper arm of 15.1". A third, smaller diagram shows the light head being adjustable.
Task Light	Workrite Sales Rep: John Swanstrom john@architecturalharmony.com	1) Astra 3 Double Arm - AST3-DA-WOB-S 2) Astra 3 Table Base - LTG-TB-TD-S	The Astra 3 Double Arm was designed to provide outstanding reach in a small footprint. With nearly 3 feet of extension from the base and a 270° rotating head, the Astra 3 Double Arm puts illumination exactly where it is needed. The Astra 3 features intuitive touch button programmable controls, allowing the user to return to the same dimming level as last used. A simple double touch of the button adjusts light to maximum brightness instantaneously. Astra 3 can also be programmed for auto shut off after 5 or 10 hours of use and the plug in occupancy sensor maximizes energy savings by automatically turning off the light when the workspace is not in use. Features & Benefits: 34.9" Reach from base/mount - Multiple base options - Included occupancy sensor - Touch button on/off & dimming controls 50,000+ hour life LED's (L70 rating) 12 W transformer included: 24 V, 0.5 A - Class 2 transformer: 3" x 1.125" x 1.75"	 The diagram shows the Astra 3 Double Arm light. Below it is a 'Dimensional Illustration' with the following measurements: total reach of 30.3", a vertical segment of 14.9", a horizontal segment of 4.6", and a total horizontal reach of 34.9". It also shows the head rotating 220° and the base rotating 270°.
Voice Activation Software	Zephyr-TEC Chris Mantani cmantani@zephyr-tec.com Office: 650-364-4853 Cell: 650-773-8862	- Software - Training	Dragon® Version 16 takes voice command to the next level with enhanced features for greater accuracy and speed when creating documents, emailing, searching the web and more - at work, school, on the go, or in the office. Get the world's best-selling and most accurate speech recognition software for the PC, used by millions of people.	 The image shows the box for Dragon Professional Version 16 by Nuance. It features a large blue stylized 'G' logo and the text 'Dragon® Professional' and 'Version 16'.