

## Validation Checklist <u>1:1 ALS Program Orientation / Competencies</u> <u>Tracheostomy Suctioning</u>

NAME:(Please Print)			ID#			
OB POSITION:		ΓIAL: [	R	ENEWAL: DATE:		
	PRE	PARA	ΓΙΟΝ			
Skill Component		Yes	No	Comments		
Establishes body substance isolation precautions						
Assesses the patient for the need to suction tracheal secretions						
Ensures the tracheostomy ties are secure						
Ensures suction device is working						
Opens suction kit or individua	Opens suction kit or individual supplies					
Opens/unfolds the sterile container and fill with irrigation solution						
	For the adult patient:					
Sets appropriate suction	100-120 mmHg					
setting:	For Peds and Elderly:					
	Peds/Elderly 60-100mmHg					
	PR	OCEDL	IRE			
Skill Component		Yes	No	Comments		
Measures the suction catheter against the length of the inner cannula or spare tracheostomy tube						
Pre-oxygenates patient	Increase oxygen liter flow to 15 Liters/minute for several breaths – if on oxygen Ventilate with BMV device 4-5 times					
Removes oxygen source - if						
Unlocks and removes inner cannula - <i>if the device has an</i> <u>inner cannula</u>						
Dons sterile gloves – <i>if</i>	If the tracheostomy tube is new (4-6 weeks)					
indicated	If the patient is immunocompromised					
Connects the catheter to the suction tubing/device and						
keeps dominant hand sterile – <i>if wearing sterile gloves</i> Suctions a small amount of irrigation solution to lubricate the catheter						
Inserts catheter into tracheostomy tube/stoma <u>without</u> applying suction						

Skill Component		Yes	No	Comments
Advances catheter gently to the pre-measured suction depth appropriate level:	For tracheostomy tube: Advances the suction catheter to the measured length into the tracheostomy tube For a stoma: Advances the suction catheter approximately three (3) inches into the stoma			
Suction while withdrawing catheter using a rotating motion				
	Adult – max 10 sec			
Suctions no more than:	Peds – max 5-10 sec			
	Infants – max 5 sec.			
Replaces oxygen source – it	findicated			
Delivers positive pressure ventilation – <i>if indicated</i>	Adult 10-12/minute (1 breath q 5-6 sec.) Infant and Children 12-20/minute			
(1 breath q 3-5 sec.) Evaluates airway patency and heart rate				
Suctions the remaining wate				
Discards the container appro	opriately			
Discards contaminated catheter around a gloved hand and pull the glove over the catheter Pulls glove from other hand over packaged catheter and discard in approved waste receptacle				
Dons a clean set of gloves				
	REPLAC			
Skill Ca		Yes	No	Comments
Skill Component Checks for a clean or spare the inner cannula		100		
Removes the oxygen source – <i>if applied</i>				
Replaces and locks the clean inner cannula in place				
Developed: 1/10 Revised: 11/2018				I

Validator Attestation Statement for Tracheostomy Suctioning Competency: *My signature below indicates that I have reviewed/validated each line item and that completion by the employee occurred on the date stated at the top of this document.* 

DATOR NAME / SIGNATURE:	DATE:
I understand the content and have completed the above competency assessment and verif that I am a competent provider of this service as a result of training, experience and/or co	1
I understand that I have not met the criteria needed to verify that I am competent provide to participate in additional leaning activities as assigned in order to meet criteria.	r of this service. I agree
I also understand that this form will be kept in my education file and is available upon re-	quest.

DATE: \_\_\_\_\_