Projections of Hospital-based Healthcare Demand due to COVID-19 in Los Angeles County December 9, 2020 Update

County DHS COVID-19 Predictive Modeling Team:

Roger J. Lewis, MD, PhD;¹ Juliana Tolles, MD, MHS;¹ M. Claire Jarashow, PhD, MPH;² Fei Wu, PhD;³ Joe Marion, PhD;⁴ Kert Viele, PhD;⁴ Todd Graves, PhD;⁴ Henry Shin;¹ Frederic Schoenberg, PhD;⁵ Andrea Bertozzi, PhD;⁵ Tom Belin, PhD⁵

- 1. Los Angeles County, Department of Health Services
- 2. Los Angeles County, Department of Public Health
- 3. Los Angeles County, Office of the Chief Information Officer
- 4. Berry Consultants, LLC, Austin, TX
- 5. University of California, Los Angeles





Key Findings of the December 9th Update


- This update includes data through December 7, 2020.
- There has been a minor change in our approach to modeling hospital demand.
- Key findings:
 - The number of <u>new</u> patients with COVID-19 requiring hospitalization each day across Los Angeles County has continued to increase over the last week.
 - The estimated transmission number ("R") is 1.14 with an uncertainty of 1.09 to 1.21. This is unchanged from last week, when the estimate was 1.14 with an uncertainty of 1.07 to 1.22. When R is above 1, cases will increase over time.

 - The model suggests about 1 in 140 Los Angeles County residents are currently infectious to others and that about 1 in 5 have had COVID-19.

How Many in Los Angeles are Infectious to Others?

- The DHS team's epidemic model estimates the number of people in Los Angeles County who:
 - Are still susceptible to infection if exposed;
 - Have been exposed and are incubating, but not infectious;
 - Have COVID-19 and are infectious to others, though they may have no symptoms; and
 - Have had COVID-19 and either recovered or died, so they are no longer infectious
- The model suggest that about 0.71% (uncertainty of 0.45% to 1.03%) of everyone in Los Angeles County is <u>currently</u> infected and infectious to others.
- This suggests about 1 in 140 (between 1 in 220 and 1 in 100) Los Angeles County residents are currently infectious to others. Last week this estimate was 1 in 200.

A Patient's Journey | COVID-19



Goal of physical distancing, public use of cloth face coverings, quarantine, isolation and similar actions <u>is to reduce the number</u> <u>of new susceptible people exposed during this time</u>


Hospital New Patient Projections: From Last Week



Hospital New Patient Projections




Effective Transmission Number "R"



Note: We have adjusted the R that we present to account for the fraction of the population that is presumed to be immune to reinfection. At the beginning of the pandemic, this fraction was essentially zero so this would not have made any difference. But as more people have been infected, and are presumed to have immunity, we are presenting an R that includes this factor.


Predictions of Demand in LA County | Hospital Beds



Uncertainty
with no change
in transmission
behavior

Additional uncertainty if transmission behavior varies


Predictions of Demand in LA County | ICU Beds



Predictions of Demand in LA County | Ventilators



Predictions of Daily Mortality LA County




Uncertainty with no change in transmission behavior

Additional uncertainty if transmission behavior varies


Daily reported deaths

Δ 7-day running average

Hospital Admissions are a Varying Fraction of New Cases



Daily New COVID-19 Hospitalizations by Service Planning Areas (SPAs), per 100 Hospital Beds




- The transmission of COVID-19 in Los Angeles County is changing over time, with different patterns in different geographic areas
- More detailed geographical analysis is required to identify specific communities needing additional support in identifying cases and limiting spread

What about Influenza?

• We have not yet seen significant influenza activity in Los Angeles County. The usual seasonal increase in utilization of hospital beds from influenza-associated illnesses is shown below. Influenza-associated illnesses typically lead to a demand for hospital beds similar to the current demand for patients with COVID-19. These estimates will be updated when influenza activity is detected.

 Daily hospital admissions for COVID-19

 Hospital bed utilization for COVID-19




 Typical daily hospital admissions for influenzaassociated illnesses

 Typical hospital census of patients with influenzaassociated illnesses

Effect of Behaviors to Control Transmission

If transmission....



... of LA County residents will have been infected by March 31, 2021 *

^{*(}This includes adults and children)