

## Winter 2021-2022 Omicron Surge

LA Health Services wants to share up-to-date information about COVID-19 so you can keep yourself and your family safe. The Omicron variant spreads much more easily. Please stay away from large gatherings and keep your mask on indoors when around others.

# Know Before You Go

- 1. The Emergency Room (ER) should only be used for emergency care. You should not go for COVID-19 testing or for COVID/flu symptoms that are not serious.
- 2. If you have mild symptoms, call your Primary Care <u>clinic</u> or the Nurse Advice Line (NAL) at 844-804-0055. The NAL is open 7am-7pm, 7 days a week. Do not go to the ER or walk into clinics.
- 3. Get tested if you have COVID-19 symptoms. Visit <u>covid19.lacounty.gov/testing/</u> for testing places near you.
- 4. You can still get Emergency Services (such as 911), but it may take longer than usual.

## **Finding a Testing Location**

All testing sites on the LA County testing website gives COVID-19 tests at no cost. Your insurance coverage or immigration status does not matter. To find a testing location please visit <u>covid19.lacounty.gov/testing/</u>.

You can now get "Pick-Up Testing Kits" -- pick up a PCR test kit, do the test anywhere, then drop off the completed kit. You can get a "Pick-Up Testing Kit" at 13 testing sites across LA County. You do not need an appointment and can get a kit until the supply for the day runs out. *For more information on where to get a pick-up kit, please visit: <u>Pick-Up Testing Kit</u>* 

### Vaccine & Booster Updates

New information about vaccines and boosters:

- a. Anyone 12 years and older who got the 2-dose Pfizer-BioNTech shots should get a booster 5 months after their second shot.
- b. Anyone 18 years and older who got the 2-dose Moderna shots should get a booster 5 months after their second shot
- c. People who got Johnson & Johnson's Janssen vaccine should get a booster 2 months after the shot
- d. Children 5-11 years old who have a weakened immune system should get one more dose of the Pfizer vaccine 28 days after their second shot

To schedule a vaccine or booster appointment, call your <u>clinic</u> or visit the <u>LA Health Patient</u> <u>Portal.</u> For more information visit <u>COVID-19 Vaccine Booster Shots | CDC.</u>

### Available Treatments for Severe COVID-19

Call your provider if you think you are a high-risk patient with moderate to severe COVID-19 symptoms. You can ask about treatment options, such as medicines you can take by mouth at home. Keep in mind that most patients with COVID-19 will not need treatment.

