

SUBJECT: **PATIENT REFUSAL OF TREATMENT/TRANSPORT AND TREAT AND RELEASE AT SCENE** REFERENCE NO. 834

PURPOSE: To provide guidelines for EMS personnel to determine which patients who do not wish to be transported to the hospital have decision-making capacity to refuse EMS treatment and/or transport, and to identify those who may be safely released at scene.

AUTHORITY: California Health and Safety Code, Division 2.5, Sections 1797.220, 1798, (a). California Welfare and Institution Code, Sections 305, 625, 5150, and 5170. Title 22, California Code of Regulations, Section 100169.

DEFINITIONS:

Adult: A person at least eighteen years of age.

Against Medical Advice (AMA): A patient or a legal representative of a patient who has decision-making capacity and who refuses treatment and/or transport for **an emergency medical condition** as advised by EMS providers, physician on scene, and/or Base personnel.

Assess, Treat, and Release: A patient who does not desire transport to the emergency department for evaluation and after an assessment and/or treatment by EMS personnel, **does not** have an ongoing emergent medical condition, a high-risk presentation, or social risk factors and is released at scene to follow-up with the patient's regular healthcare provider or a doctor's office or clinic.

Authorized Advanced Health Care Provider: An EMS physician authorized to direct EMS care on the scene or via telemedicine as per Ref. 816 – Physician at the Scene, or an advanced practiced provider who is identified by the EMS Provider Agency Medical Director to provide medical direction via telemedicine as approved by the EMS Agency Medical Director.

Decision-Making Capacity: The ability to understand the nature and consequences of proposed health care. This includes understanding the significant risks and benefits and having the ability to make and communicate a decision regarding the proposed health care in the patient's primary language, if feasible. A person has decision-making capacity if they are able to:

- Communicate the need for treatment, the implications of receiving and of not receiving treatment, and alternative forms of treatment that are available, and
- Relate the above information to their personal values, and then make and convey a decision.


The lack of decision-making capacity may be:

- Temporarily lost (e.g., due to unconsciousness, influence of mind-altering substances, mental illness, or cognitive impairment)
- Permanently lost (e.g., due to irreversible coma, persistent vegetative state,

EFFECTIVE: 11-8-93
REVISED: 01-01-23
SUPERSEDES: 09-01-21

PAGE 1 OF 7

APPROVED: 
Director, EMS Agency


Medical Director, EMS Agency

- untreatable brain injury, or dementia)
- Never existed (i.e., due to profound neurodevelopmental disorder, those who are deemed by the Court as incompetent or a person under conservatorship)

Emancipated Minor: A person under the age of 18 years is an emancipated minor if any of the following conditions are met:

- Married or previously married
- Currently or previously in a valid domestic partnership
- On active military duty
- The person has received a declaration of emancipation pursuant to Section 7122 of the California Family Code, which includes all of the following: at least fourteen (14) years of age, living separate and apart from their parents and managing their own financial affairs (may be verified by DMV Identification Card)

Emergency Medical Condition: A condition or situation in which a medical illness is suspected in a patient and there is an immediate need for medical attention. Patients with any abnormal vital signs: heart rate and rhythm, respiratory rate, blood pressure (except for isolated asymptomatic hypertension), oxygen saturation, and temperature (Ref. 1380 – Medical Control Guideline Vital Signs); and/or those who meet any criteria for Base Contact (Ref. 1200.2 – Base Contact Requirements) are considered to have an emergency medical condition.

High Risk Presentation: Features by history or presentation that are likely to be high risk for complications, progression of disease, underlying serious illness or injury, or require Base Contact. High risk chief complaints include chest pain, abdominal pain, pregnancy, gastrointestinal bleeding, syncope, neurologic symptoms (e.g., dizziness/vertigo, weakness, visual changes), and altered mental status. High risk features include:

- Patients less than 12 months of age
- Patients older than 70 years of age
- Patients with complicating comorbidities (i.e., active underlying cardiac, respiratory, kidney, liver, oncologic (cancer) or neurologic disease, or who are immunocompromised (e.g., history of HIV, chemotherapy, transplantation))

Implied Consent: This is a type of consent involving the presumption that an unconscious or a person lacking decision-making capacity would consent to lifesaving care. This shall include minors with an emergency medical condition when a parent or legal representative is not available.

Lift Assist: EMS is dispatched to a scene to assist with transfer of a patient to a bed or wheelchair.

Medical Home: A team-based health care delivery model, which is led by a health care provider (i.e., primary care physician) to provide continuous, coordinated, and comprehensive medical care.

Minor: A person less than eighteen years of age.

Minor Not Requiring Parental Consent is a person who:

- Is 12 years or older and in need of care for a reportable medical condition or substance abuse
- Is pregnant and requires care related to the pregnancy

- Is in immediate danger of suspected physical or sexual abuse
- Is an emancipated minor

No Contact / No Patient: EMS is dispatched to a scene and is either cancelled prior to arriving at scene or no patient is found.

Patient: A person who seeks or appears to require medical assessment and/or medical treatment (Ref. 606, Documentation of Prehospital Care)

Person Contact / No Patient: EMS is dispatched to a scene and a person is identified as a potential patient, is alert and appropriate for situation and declines assessment by EMS.

Psychiatric Hold: A patient who is held against their will for evaluation under the authority of Welfare and Institutions Code (e.g., Section 5150, 5585 [minors]) because the patient is a danger to themselves, a danger to others, and/or gravely disabled (i.e., unable to care for self). This is a written order by law enforcement officer, County mental health worker, or a health worker certified by the County to place an individual on a psychiatric hold.

Public Assist: EMS is dispatched to a scene for assistance for nonmedical issues involving a person.

Social Risk Factors: Persons experiencing homelessness, patients in congregate living, and those who are a resident of skilled nursing facilities.

Treatment in Place: A patient who, after an assessment and treatment by EMS personnel and medical clearance by an authorized advanced healthcare provider (e.g., physician, nurse practitioner, physician assistant) on scene (Ref. 816 Physician at the Scene) or via Telemedicine, does not require ambulance transport to an emergency department. Appropriate follow-up should be arranged by the authorized advanced healthcare provider on scene or via Telemedicine.

PRINCIPLES:

1. An adult or emancipated minor who has decision-making capacity has the right to determine the course of their medical care including the refusal of care. These patients must be advised of the risks and consequences resulting from refusal of medical care. A patient less than eighteen (18) years of age, with the exception of minors not requiring parental consent, must have a parent or legal representative to refuse evaluation, treatment, and/or transport for an emergency medical condition.
2. A patient determined by EMS personnel or the base hospital to lack decision-making capacity may not refuse care AMA or be released at scene. Mental illness, drugs, alcohol, or physical/mental impairment may impair a patient's decision-making capacity but are not sufficient to eliminate decision-making capacity.
3. In situations where patients who have attempted suicide or expressed suicidal intent, or where other factors lead EMS personnel to suspect suicidal intent, such patients should be regarded as lacking decision-making capacity. These patients may decline treatment but cannot decline transport.
4. A patient on a psychiatric hold may not be released at scene and cannot sign-out AMA. The patient can refuse any medical treatment as long as it is not an imminent threat to

life or limb.

5. At no time are EMS personnel to put themselves in danger by attempting to treat and/or transport a patient who refuses care.
6. Patients for whom 9-1-1 is called but are not transported represent a potentially high-risk group and provider agencies should/shall have quality review programs specific to this patient population.

POLICY:

- I. **Adult With Decision-Making Capacity or Minor (Not Requiring Parental Consent)
Refusing Transport Against Medical Advice**
 - A. EMS personnel shall advise the patient of the risks and consequences which may result from refusal of treatment and/or transport. The patient should be advised to seek immediate medical care.
 - B. Base contact should be made prior to the patient leaving the scene for patients who would otherwise meet Base Contact criteria (Ref. 1200.2 – Base Contact Requirements) in order for Base personnel to have the opportunity to interview the patient and to evaluate the appropriateness of the AMA. Base personnel should be allowed to speak to the patient and/or family prior to the patient leaving the scene.
 - C. EMS personnel shall relay all the circumstances to the Base including assessment and care rendered, reasons for refusal, and the patient's plan for transportation and follow-up care.
 - D. EMS personnel shall make Base Contact prior to releasing a child at the scene with a parent or caregiver for all pediatric patients less than or equal to 12 months of age .
 - E. EMS personnel shall have the patient or their legal representative, as appropriate, sign the release (AMA) section of the Patient Care Record (EMS Report Form/Electronic Patient Care Record/ePCR). The signature shall be witnessed, preferably by a family member.
 - F. A patient's refusal to sign the AMA section should be documented on the Patient Care Record.
- II. **Individual Lacking Decision-Making Capacity or a Minor (Requiring Parental Consent)**
 - A. The patient should be transported to an appropriate receiving facility under implied consent. A psychiatric hold is not required.
 - B. If EMS personnel or the base hospital determines it is necessary to transport the patient against their will and the patient resists, or the EMS personnel believe the patient will resist, assistance from law enforcement should be requested in transporting the patient. Law enforcement may consider the placement of a psychiatric hold on the patient but this is not required for transport.

-
- C. Law enforcement should be involved whenever EMS personnel believe a parent or other legal representative of the patient is acting unreasonably in refusing immediate care and/or transport.

III. Patients Assessed, Treated, and Released

- A. EMS personnel shall assess the patient for an ongoing emergency medical condition, high risk presentations, social risk factors, and assess that the patient or their legal representative has the capacity to decline transport.
- B. Patients with an ongoing emergency medical condition, high risk presentation or social risk factors who do not desire transport to the emergency department shall be handled as refusing transport against medical advice (refer to Policy Section I).
- C. Patients or the legal representatives of patients who contact EMS for minor complaints in order to have an assessment performed and determination made of the seriousness of the complaint and need for treatment, but later *decline transport* qualify to be assessed, treated, and released.
 - 1. In such cases, the EMS personnel should perform an assessment including vital signs, and after the patient or patient's legal representative's states they do not wish transport, the patient may be assessed, treated, and released at the scene.
 - 2. Patients should be instructed by EMS to follow-up with the patient's medical home or primary care physician. The advice given should be documented on the Patient Care Record. The following statement is recommended: "After our assessment, you feel that you do not wish to be transported and you do not require immediate care in the emergency department. You should seek care with your regular healthcare provider or a doctor's office or clinic within 24 hours. If you have worsening or persistent symptoms or change your mind and desire transport, recontact 9-1-1."
- D. EMS personnel should not require patients who are Assessed, Treated and Released at scene to sign the release (AMA) section of the Patient Care Record, as this implies that the patient is at significant risk by not utilizing the EMS system for treatment and/or transportation.
- E. If subsequent to further assessment and discussion, the patient or the patient's legal representative desires transport, EMS personnel should transport the patient to the hospital per destination policies.

IV. Documentation

- A. Public Assist and Person Contact/No Patient does not require completion of a Patient Care Record. Documentation should follow the EMS provider agency's operational policy.
- B. A Patient Care Record must be completed for each patient or contact encounter (i.e., Lift Assist, AMA, Assess, Treat and Release, and Treatment in Place),

including those refusing emergency medical evaluation, care and/or transportation against medical advice and those released at scene. EMS personnel shall ensure that documentation is in compliance with Ref. 606 – Documentation of Prehospital Care. Patient Care Record documentation should include:

1. AMA:
 - a. Patient history and assessment, including findings of an emergency medical condition or requirement to make Base Contact
 - b. Assessment by EMS that the patient or legal representative is alert and has the decision-making capacity to refuse EMS assessment
 - c. What the patient is refusing (i.e., medical care, transport) and reason for refusal
 - d. Risk and consequences of refusing care and/or transport, benefits of transport, and alternatives as explained to the patient or legal representative
 - e. Statement that the patient understands and verbalizes the risks and consequences of refusing care and/or transport
 - f. Signature of patient or legal representative
 - g. Patient's plan for follow-up care
 - h. Contact with Base Hospital, as applicable
 - i. For Minors, the relationship of the person(s) to whom the patient is being released
2. Assess, Treat and Release:
 - a. Patient history and assessment, including absence of findings of an emergency medical condition
 - b. Assessment by EMS that the patient or legal representative is alert and has the capacity to make collaborative decision making with EMS to accept on-scene treatment, understand the need to have capacity for appropriate follow-up, but decline transport
 - c. Discussion with patient including risks of non-transport, benefits of transport, and alternatives
 - d. Plan for follow-up care including when to recall 9-1-1, seek emergency department care or follow-up with their medical home
 - e. If Base contact was made (when applicable)

- f. For Minors, the relationship of the person(s) to whom the patient is being released
 - 3. Treatment in Place:
 - a. Document as per Assess, Treat, and Release and also include the name of the authorized advanced health care provider
- V. Quality Improvement
- A. Each Provider Agency shall have a quality improvement program for patients who are not transported to the ED. The quality improvement program should include but may not be limited to the following:
 - 1. Monitor data on the frequency, percent, and type of nontransports.
 - 2. Establish a process for review of patient care records on a percentage of nontransports to include assessment of impact on the patient's outcome, and education/training provided as indicated by this review.
 - 3. Develop a process for evaluating rate of repeat call to 9-1-1 or "rekindles".
 - B. Base Hospital shall incorporate patients released at the scene into their Quality Improvement Program (Ref. 304 – Paramedic Base Hospital Standards). The quality improvement program may include but not limited to the following:
 - 1. Review of select number of Base Hospital contacts for AMA and provide education to base personnel as appropriate from that review.
 - 2. Inclusion of cases of patients released at the scene in Base Hospital Audio Recording Reviews.
 - 3. Notification of EMS provider agency quality improvement staff when the base has knowledge of patients who are released at the scene and return for evaluation in the emergency department.

CROSS REFERENCE:

Prehospital Care Manual:

- Ref. No. 304, **Paramedic Base Hospital Standards**
- Ref. No. 606, **Documentation of Prehospital Care**
- Ref. No. 832, **Treatment/Transport of Minors**
- Ref. No. 816, **Physician At The Scene**
- Ref. No. 1200, **Treatment Protocols**, et al.
- Ref. No. 1200.2, **Base Contact Requirements**
- Ref. No. 1309, **Color Code Drug Doses**
- Ref. No. 1380, **Medical Control Guidelines: Vital Signs**