

Application Release Notes

Name of Application:	EPSDT Service
Environment & Date of Deployment:	TST: February 25 th , 2022
Environment & Date of Deployment:	QA: April 27 th , 2022
Environment & Date of Deployment:	PROD: June 22 nd , 2022

Version Number: Version 202101

WSDL URL: TST: <https://b2btst.dmh.lacounty.gov/EPSDTService/EPSDTServiceInterface.svc?singlewsdl>
 QA: <https://b2bqa.dmh.lacounty.gov/EPSDTService/EPSDTServiceInterface.svc?singlewsdl>
 PROD: <https://b2b.dmh.lacounty.gov/EPSDTService/EPSDTServiceInterface.svc?singlewsdl>

Documents URL: <https://dmh.lacounty.gov/pc/cp/epsdt/>

Requirements

ID	Description
11879 11880	<p>Added submission validation for the SubmissionID data attribute on the following operations:</p> <p><i>GetCANS</i> <i>GetPSC</i> <i>UpdateCANS</i> <i>UpdatePSC</i> <i>DeleteCANS</i> <i>DeletePSC</i></p> <p>Note: SubmissionID must be a GUID. GUID consists of 36 characters broken up in to a sequence of hexadecimal numbers (0-9 and a-f) in the following format: xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx</p> <p>Web Service Description Language (WSDL) has been updated for SubmissionID type as below: new wsdl: <pre><xs:simpleType name="SubmissionIDType"> <xs:restriction base="xs:string"/> </xs:simpleType></pre> old wsdl: <pre><xs:simpleType name="SubmissionIDType"> <xs:restriction base="xs:string"> <xs:pattern value="\d{1,9}"/> </xs:restriction> </xs:simpleType></pre></p>
11953, 11956, 11963, 11964, 11965, 11966	Added functionality so that Trading Partners can create, update, and delete a CANS and PSC record for only the provider numbers associated to the submitting Program ID (AKA Legal Entity Number).
12030, 12031	Added functionality to accept submissionID as integer for GetPSC, GetCANS, UpdatePSC, UpdateCANS, DeletePSC and DeleteCANS operations to perform transactions. Note: All new submissionIDs must be a GUID. Integers are no longer supported for new submissions.
12046, 12047	Added functionality to validate acceptable values submitted in the 'Provider Number' on



ID	Description
	<p>the following operations:</p> <p>AddCANS, UpdateCANS, AddPSC UpdatePSC</p>
12510	<p>Added reference to the DMH Dictionary Service for ProviderNumberDictionary in EPSDT WSDL so that Trading Partners are able to retrieve provider number values list from Dictionary Service.</p>
14281, 14282	<p>Added references to Dictionary Service for AdminCloseReasonCANS and AdminCloseReasonPSC in EPSDT WSDL.</p>
12612	<p>Modified EPSDT WSDL version from 201901 to 202101.</p>
13181, 13182	<p>Added functionality to verify that the submitted Provider Number is associated with the submitted SubmissionID on the UpdatePSC and UpdateCANS operations.</p>
14193, 14237, 14202, 14238, 14286, 14287, 14255, 14288	<p>Added functionality to verify that when submitted Assessment Type code equals 5 then new data attribute <i>AdminCloseReason</i> is present for the following operations:</p> <p>AddCANS AddPSC UpdateCANS UpdatePSC</p> <p>Note: WSDL has been modified to add new data attribugte AdminCloseReason in <Assessment> element:</p> <p>Old WSDL: <Assessment Date="" Type="" /></p> <p>New WSDL: <Assessment Date="" Type="" AdminCloseReason="" /></p>
14208, 14239, 14293, 14294	<p>Modified the schemas in EPSDT SERVICE to add a new data attribute <i>AdminCloseReason</i> on the GetCANS and GetPSC operations' responses.</p> <p>Note: WSDL has been modified to add new data attribugte AdminCloseReason in <Assessment> element:</p> <p>Old WSDL: <Assessment Date="" Type="" /></p> <p>New WSDL: <Assessment Date="" Type="" AdminCloseReason="" /></p>
14284, 14285	<p>Added validation to accept codes 1, 2 or 4 for <i>AdminCloseReason</i> for AddCANS and UpdateCANS operations. Added validation to accept codes 1, 3 or 4 for <i>AdminCloseReason</i> for AddPSC and UpdatePSC operations.</p>
14289, 14292	<p>Added validation to accept only the following codes: 1, 2, 4, 5 or 6 for <i>Type</i> attribute in</p>

ID	Description
	AddPSC, and AddCANS operations.
14296	<p>Added conditional requirement logic which verifies AddCANS operation input as below. Following data attributes are not accepted in AddCANS operation's submission when code '5' is submitted in [Type]:</p> <ul style="list-style-type: none"> HasCaregiver ContributorName1 ContributorRelationship1 ContributorName2 ContributorRelationship2 ContributorName3 ContributorRelationship3 < ChildBehavioralEmotionalNeeds> Psychosis ImpulsivityHyperactivity Depression Anxiety Oppositional Conduct AngerControl SubstanceUse AdjustmentToTrauma < LfeDomainFunctioning> FamilyFunctioning LivingSituation SocialFunctioning DevelopmentalIntellectual DecisionMaking SchoolBehavior SchoolAchievement SchoolAttendance MedicalPhysical SexualDevelopment Sleep < RiskBehaviors> SuicideRisk NonSuicidalSelfInjuriousBehavior OtherSelfHarm DangerToOthers SexualAggression DelinquentBehavior Runaway IntentionalMisbehavior < StrengthsDomain> FamilyStrengths Interpersonal EducationalSetting TalentsInterests SpiritualReligious CulturalIdentity CommunityLife NaturalSupports



ID	Description
	<p>Resiliency < CulturalFactors> Language TraditionsAndRituals CulturalStress < CaregiverResourcesAndNeeds> CaregiverName CaregiverRelationship Supervision InvolvementWithCare Knowledge SocialResources ResidentialStability MedicalPhysical MentalHealth SubstanceUse Development Safety <PotentiallyTraumaticAdverseChildhoodExp> SexualAbuse PhysicalAbuse EmotionalAbuse Neglect MedicalTrauma WitnessToFamilyViolence WitnessToCommunitySchoolViolence NaturalOrManmadeDisaster WarTerrorismAffected VictimWitnessToCriminalActivity DisruptionInCaregivingAttachmntLosses ParentalCriminalBehaviors</p>
14301	<p>Added conditional requirement logic which verifies AddPSC operation input as below. Following data attributes are not accepted in AddPSC operation's submission when code '5' is submitted in [Type]:</p> <p>RespondentName RespondentRelationship CaregiverDeclinedToRespond CaregiverDidNotRespondToAllQuestions < PSCToolQ> ComplainsOfAchesAndPains SpendsMoreTimeAlone TiresEasilyHasLittleEnergy FidgetyUnableToSitStill HasTroubleWithTeacher LessInterestedInSchool ActsAsIfDrivenByAMotor DaydreamsTooMuch DistractedEasily IsAfraidOfNewSituations FeelsSadUnhappy IsIrritableAngry</p>



ID	Description
	<p>FeelsHopeless HasTroubleConcentrating LessInterestInFriends FightsWithOtherChildren AbsentFromSchool SchoolGradesDropping IsDownOnHimOrHerself VisitsTheDoctorWithDoctorFindingNothingWrong HasTroubleSleeping WorriesALot WantsToBeWithYouMoreThanBefore FeelsHeOrShelsBad TakesUnnecessaryRisks GetsHurtFrequently SeemsToBeHavingLessFun ActsYoungerThanChildrenHisOrHerAge DoesNotListenToRules DoesNotShowFeelings DoesNotUnderstandOtherPeoplesFeelings TeasesOthers BlamesOthersForHisOrHerTroubles TakesThingsThatDoNotBelongToHimOrHer RefusesToShare</p>
14379	<p>Added conditional requirement logic which verifies submission for UpdateCANS operation as below: When an active existing CANS record has the value 5 for Type attribute then the following attributes are not accepted in UpdateCANS operation's submission:</p> <p>ContributorName1 ContributorRelationship1 ContributorName2 ContributorRelationship2 ContributorName3 ContributorRelationship3</p> <p>< ChildBehavioralEmotionalNeeds> Psychosis ImpulsivityHyperactivity Depression Anxiety Oppositional Conduct AngerControl SubstanceUse AdjustmentToTrauma < LlifeDomainFunctioning> FamilyFunctioning LivingSituation SocialFunctioning DevelopmentalIntellectual DecisionMaking SchoolBehavior</p>



ID	Description
	<p>SchoolAchievement SchoolAttendance MedicalPhysical SexualDevelopment Sleep < RiskBehaviors> SuicideRisk NonSuicidalSelfInjuriousBehavior OtherSelfHarm DangerToOthers SexualAggression DelinquentBehavior Runaway IntentionalMisbehavior < StrengthsDomain> FamilyStrengths Interpersonal EducationalSetting TalentsInterests SpiritualReligious CulturalIdentity CommunityLife NaturalSupports Resiliency < CulturalFactors> Language TraditionsAndRituals CulturalStress < CaregiverResourcesAndNeeds> Supervision InvolvementWithCare Knowledge SocialResources ResidentialStability MedicalPhysical MentalHealth SubstanceUse Development Safety <PotentiallyTraumaticAdverseChildhoodExp></p> <p>SexualAbuse PhysicalAbuse EmotionalAbuse Neglect MedicalTrauma WitnessToFamilyViolence WitnessToCommunitySchoolViolence NaturalOrManmadeDisaster WarTerrorismAffected VictimWitnessToCriminalActivity DisruptionInCaregivingAttachmntLosses ParentalCriminalBehaviors</p>



ID	Description
14380	<p>Added conditional requirement logic which verifies submission for UpdatePSC operation as below: When an active existing PSC record has the value 5 for Type attribute then the following attributes are not accepted in UpdatePSC operation's submission:</p> <ul style="list-style-type: none"> RespondentName RespondentRelationship CaregiverDeclinedToRespond CaregiverDidNotRespondToAllQuestions < PSCToolQ> ComplainsOfAchesAndPains SpendsMoreTimeAlone TiresEasilyHasLittleEnergy FidgetyUnableToSitStill HasTroubleWithTeacher LessInterestedInSchool ActsAsIfDrivenByAMotor DaydreamsTooMuch DistractedEasily IsAfraidOfNewSituations FeelsSadUnhappy IsIrritableAngry FeelsHopeless HasTroubleConcentrating LessInterestInFriends FightsWithOtherChildren AbsentFromSchool SchoolGradesDropping IsDownOnHimOrHerself VisitsTheDoctorWithDoctorFindingNothingWrong HasTroubleSleeping WorriesALot WantsToBeWithYouMoreThanBefore FeelsHeOrShesBad TakesUnnecessaryRisks GetsHurtFrequently SeemsToBeHavingLessFun ActsYoungerThanChildrenHisOrHerAge DoesNotListenToRules DoesNotShowFeelings DoesNotUnderstandOtherPeoplesFeelings TeasesOthers BlamesOthersForHisOrHerTroubles TakesThingsThatDoNotBelongToHimOrHer RefusesToShare
14381	<p>Added conditional requirement logic to omit the empty data attributes in the EPSDT GetCANS operation's output as outlined in the Details below when an active existing EPSDT CANS record has value '5' in Type data attribute, so that it will be consistent with the current standard of omitting empty data attributes in the output.</p> <p>Details:</p> <ul style="list-style-type: none"> HasCaregiver



ID	Description
	ContributorName1 ContributorRelationship1 ContributorName2 ContributorRelationship2 ContributorName3 ContributorRelationship3 < ChildBehavioralEmotionalNeeds> Psychosis ImpulsivityHyperactivity Depression Anxiety Oppositional Conduct AngerControl SubstanceUse AdjustmentToTrauma < LifeDomainFunctioning> FamilyFunctioning LivingSituation SocialFunctioning DevelopmentalIntellectual DecisionMaking SchoolBehavior SchoolAchievement SchoolAttendance MedicalPhysical SexualDevelopment Sleep < RiskBehaviors> SuicideRisk NonSuicidalSelfInjuriousBehavior OtherSelfHarm DangerToOthers SexualAggression DelinquentBehavior Runaway IntentionalMisbehavior < StrengthsDomain> FamilyStrengths Interpersonal EducationalSetting TalentsInterests SpiritualReligious CulturalIdentity CommunityLife NaturalSupports Resiliency < CulturalFactors> Language TraditionsAndRituals CulturalStress < CaregiverResourcesAndNeeds>



ID	Description
	<p>Supervision InvolvementWithCare Knowledge SocialResources ResidentialStability MedicalPhysical MentalHealth SubstanceUse Development Safety <PotentiallyTraumaticAdverseChildhoodExp></p> <p>SexualAbuse PhysicalAbuse EmotionalAbuse Neglect MedicalTrauma WitnessToFamilyViolence WitnessToCommunitySchoolViolence NaturalOrManmadeDisaster WarTerrorismAffected VictimWitnessToCriminalActivity DisruptionInCaregivingAttachmntLosses ParentalCriminalBehaviors</p>
14382	<p>Added conditional requirement logic to omit the empty data attributes in the EPSDT GetPSC operation's output as outlined in the Details below when an active existing EPSDT PSC record has value '5' in Type data attribute, so that it will be consistent with the current standard of omitting empty data attributes in the output.</p> <p>Details: RespondentName RespondentRelationship CaregiverDeclinedToRespond CaregiverDidNotRespondToAllQuestions < PSCToolQ> ComplainsOfAchesAndPains SpendsMoreTimeAlone TiresEasilyHasLittleEnergy FidgetyUnableToSitStill HasTroubleWithTeacher LessInterestedInSchool ActsAsIfDrivenByAMotor DaydreamsTooMuch DistractedEasily IsAfraidOfNewSituations FeelsSadUnhappy IsIrritableAngry FeelsHopeless HasTroubleConcentrating LessInterestInFriends FightsWithOtherChildren AbsentFromSchool</p>



ID	Description
	<p>SchoolGradesDropping IsDownOnHimOrHerself VisitsTheDoctorWithDoctorFindingNothingWrong HasTroubleSleeping WorriesALot WantsToBeWithYouMoreThanBefore FeelsHeOrShelsBad TakesUnnecessaryRisks GetsHurtFrequently SeemsToBeHavingLessFun ActsYoungerThanChildrenHisOrHerAge DoesNotListenToRules DoesNotShowFeelings DoesNotUnderstandOtherPeoplesFeelings TeasesOthers BlamesOthersForHisOrHerTroubles TakesThingsThatDoNotBelongToHimOrHer RefusesToShare</p>
14383	<p>Added conditional requirement logic to retrieve the following required data attributes as outlined in the Details below in the GetPSC operation's output when an active existing PSC record has value '5' for [Type] data attribute, so that it will be consistent with the current standard of including required data attributes in the output.</p> <p>Details: SubmissionID ID Type Date ProviderNumber PractitionerReviewingNPI AdminCloseReason</p>
14384	<p>Added conditional requirement logic to retrieve the following required data attributes in the GetCANS operation's output when an active existing CANS record has value '5' in [Type] data attribute, so that it will be consistent with the current standard of including required data attributes in the output.</p> <p>SubmissionID ID Type Date ProviderNumber AssessingPractitionerNPI AdminCloseReason</p>
14436	<p>Added conditional requirement logic to validate when the input for [Type] data attribute is not code 5 then the AddPSC operation's submission MUST contain data as outlined in the Details below, so that it will meet the business rule for data collection.</p> <p>-Following data attributes are required: Date Type</p>

ID	Description
	<p>ID ProviderNumber PractitionerReviewingNPI RespondentName RespondentRationship</p> <p>-Following data attributes are optional: CaregiverDeclinedToRespond CaregiverDidNotRespondToAllRequiredQuestions</p>
14437	<p>Added conditional requirement logic to validate when an active existing PSC record does not have code 5 for Type attribute then the UpdatePSC operation's submission contain data as outlined in the Details below, so that it will meet the business rule for data collection.</p> <p>Details: -Following data attributes are required: SubmissionID ProviderNumber PractitionerReviewingNPI RespondentName RespondentRelationship</p> <p>-Following data attributes are optional: CaregiverDeclinedToRespond CaregiverDidNotRespondToAllRequiredQuestions</p>
14439	<p>Added conditional requirement logic for UpdateCANS operation to validate when the active existing CANS record has a different code than 5 in Type attribute then the submission should contain data as outlined in the Details below, so that it will meet the business rule for data collection.</p> <p>Details: When [Type] <>"5" for an active CANS record Then the following data attributes should be accepted in the UpdateCANS operation submission: The following data elements/attributes should be required for the UpdateCANS: SubmissionID ProviderNumber AssessingPractitionerNPI ContributorName1 ContributorRelationship1 < ChildBehavioralEmotionalNeeds> Psychosis ImpulsivityHyperactivity Depression Anxiety Oppositional Conduct AngerControl SubstanceUse AdjustmentToTrauma</p>



ID	Description
	<p>< LifeDomainFunctioning> FamilyFunctioning LivingSituation SocialFunctioning DevelopmentalIntellectual DecisionMaking SchoolBehavior SchoolAchievement SchoolAttendance MedicalPhysical SexualDevelopment Sleep < RiskBehaviors> SuicideRisk NonSuicidalSelfInjuriousBehavior OtherSelfHarm DangerToOthers SexualAggression DelinquentBehavior Runaway IntentionalMisbehavior < StrengthsDomain> FamilyStrengths Interpersonal EducationalSetting TalentsInterests SpiritualReligious CulturalIdentity CommunityLife NaturalSupports Resiliency < CulturalFactors> Language TraditionsAndRituals CulturalStress < PotentiallyTraumaticAdverseChildhoodExper> SexualAbuse PhysicalAbuse EmotionalAbuse Neglect MedicalTrauma WitnessToFamilyViolence WitnessToCommunitySchoolViolence NaturalOrManmadeDisaster WarTerrorismAffected VictimWitnessToCriminalActivity DisruptionInCaregivingAttachmntLosses ParentalCriminalBehaviors</p> <p>The following data element/attributes should be optional for the UpdateCANS: ContributorName2 ContributorRelationship2 ContributorName3</p>



ID	Description
14442	<p>ContributorRelationship3</p> <p>Added conditional requirement logic for AddCANS operation of EPSDT SERVICE to validate when the input for Type attribute is not 5 then the submission should contain data as outlined in the Details below, so that it will meet the business rule for data collection.</p> <p>Details: When [Type] <>"5" Then the following data attributes should be accepted in the AddCANS operation submission:</p> <p>The following data elements/attributes should be required for the AddCANS:</p> <p>Date Type ID ProviderNumber HasCaregiver AssessingPractitionerNPI ContributorName1 ContributorRelationship1 < ChildBehavioralEmotionalNeeds> Psychosis ImpulsivityHyperactivity Depression Anxiety Oppositional Conduct AngerControl SubstanceUse AdjustmentToTrauma < LifeDomainFunctioning> FamilyFunctioning LivingSituation SocialFunctioning DevelopmentalIntellectual DecisionMaking SchoolBehavior SchoolAchievement SchoolAttendance MedicalPhysical SexualDevelopment Sleep < RiskBehaviors> SuicideRisk NonSuicidalSelfInjuriousBehavior OtherSelfHarm DangerToOthers SexualAggression DelinquentBehavior Runaway IntentionalMisbehavior < StrengthsDomain> FamilyStrengths</p>



ID	Description
	<p>Interpersonal EducationalSetting TalentsInterests SpiritualReligious CulturalIdentity CommunityLife NaturalSupports Resiliency < CulturalFactors> Language TraditionsAndRituals CulturalStress < PotentiallyTraumaticAdverseChildhoodExper> SexualAbuse PhysicalAbuse EmotionalAbuse Neglect MedicalTrauma WitnessToFamilyViolence WitnessToCommunitySchoolViolence NaturalOrManmadeDisaster WarTerrorismAffected VictimWitnessToCriminalActivity DisruptionInCaregivingAttachmntLosses ParentalCriminalBehaviors</p> <p>The following data element/attributes should be optional for the AddCANS: ContributorName2 ContributorRelationship2 ContributorName3 ContributorRelationship3</p>
14440	<p>Added conditional requirement logic for AddPSC operation of EPSDT SERVICE to MODIFY the EXISTING PSCToolQ validation as outlined in the details below, so that business rules will be fulfilled.</p> <p>Details: When [Type] <> 5 and CaregiverDeclinedToRespond = 'Y' or CaregiverDidNotRespondToAllRequiredQuestions = 'Y' Then all PSCToolQ questions can be blank.</p> <p>When [Type] <> 5 and CaregiverDeclinedToRespond <> 'Y' and CaregiverDidNotRespondToAllRequiredQuestions <>'Y' Then up to 3 of the 35 PSCToolQ questions can be blank.</p>
14441	<p>Added conditional requirement logic for UpdatePSC operation of EPSDT SERVICE to MODIFY the EXISTING PSCToolQ validation as outlined in the details below, so that business rules will be fulfilled.</p> <p>Details: When an existing active PSC record has [Type] <> 5 and the update payload has</p>



ID	Description
	<p>CaregiverDeclinedToRespond = 'Y' or CaregiverDidNotRespondToAllRequiredQuestions = 'Y' Then all PSCToolQ questions can be blank.</p> <p>When an existing active PSC record has [Type] <> 5 and the update payload has CaregiverDeclinedToRespond <> 'Y' and CaregiverDidNotRespondToAllRequiredQuestions <> 'Y' Then up to 3 of the 35 PSCToolQ questions can be blank.</p>
17619	<p>Added conditional requirement logic in EPSDT SERVICE for AddCANS operation to error out the submission that meets the criteria identified in the details below, so that no duplicate record will be created.</p> <p>Details: When a Trading Partner submits an AddCANS operation to create a new CANS record for a client that has -same provider -same assessment type -same assessment date as another existing active CANS record---then web service will return an error for that submission and record will not be created.</p>
17620	<p>Added conditional requirement logic in EPSDT SERVICE for AddPSC operation to error out the submission that meets the criteria identified in the details below, so that no duplicate record will be created.</p> <p>Details: When a Trading Partner submits an AddPSC operation to create a new PSC record for a client that has -same provider -same assessment type -same assessment date as another existing active PSC record---then web service will return an error for that submission and record will not be created.</p>