COUNTY OF LOS ANGELES - DEPARTMENT OF MENTAL HEALTH MHSA Implementation and Outcomes Division

Summary of PEI Practice Outcomes (Data as of 06/8/17)

					Outc	omes, Starting July 2	2011 through					
Evidence-Based Practice	OMA Data	Treatment	Inactive Completed	Tx Cycles Completed	General	Percent	All Time	Matched	eted Practice Specific Outcome	Percent Improvement Pre	All Time	Matched
	Entry Rate	Cycles	EBP Yes	EBP No	Outcome Measure	Improvement Pre to Post Treatment	Matched Pairs %	Pairs % (Last 3 yrs)	Measure	to Post Treatment	Matched Pairs %	Pairs % (Last 3 yrs)
Aggression Replacement Training		3,322	42.15%	57.85%	YOQ Total Score (n=392)	25.00%	33.11%	55.71% (n=156)	ECBI Intensity Scale (n=378)		37.72%	58.08%
(ART)	67.07%		(n=1,238)	(n=1,699)	YOQ-SR Total Score (n=483)	14.00%	56.16%	69.77% (n=90)	ECBI Problem Scale (n=378)	21.00%	57.7276	(n=133)
ART Skillstreaming	67.07%	303	52.43%	47.57%	YOQ Total Score (n=25)	29.00%	26.04%	N<20	ECBI Intensity Scale (n=20)	25.00%	21.51%	N/A
ARTSKIISTEAMIng			(n=97)	(n=88)	YOQ-SR Total Score (n=6)	N<20	N/A	N/A	ECBI Problem Scale (n=20)	23.00%	21.31%	N/A
					YOQ Total Score	49.00%	68.50%	68.35%	PTSD-RI Child/ Adolescent Severity Score (n=209)	53.00%	63.91%	63.73% (n=58)
Alternatives for Families Cognitive Behavioral Therapy (AF-CBT)	78.15% 1,09	1,099	49.17%	50.83%	Score (n=261)			(n=95)	PTSD-RI-5 Child/Adol. Severity Score (n=18)	N<20	N/A	N/A
			(n=385)	(n=398)	YOQ-SR Total Score	42.00%	71.14%	73.33%	PTSD-RI Parent Severity Score (n=212)	e 50.00%	62.35%	64.89% (n=61)
					(n=106)			(n=44)	PTSD-RI-5 Parent Severity Score (n=18)	N<20	N/A	N/A
					YOQ Total Score (n=59)				RBPC Anxiety- Withdrawal Raw Score (n=55)	50.00%	N/A	N/A
						50.00%	67.82%	<mark>2%</mark> N<20	RBPC Attention Problems- Immaturity Raw Score (n=55)	50.00%	N/A	N/A
Brief Strategic Family	71.01%	180	64.23%	35.77%					RBPC Conduct Disorder Raw Score (n=55)	42.00%	N/A	N/A
Brief Strategic Family Therapy (BSFT)	71.01/6	100	(n=88)	(n=49)					RBPC Motor Tension Excess Raw Score (n=55)	50.00%	N/A	N/A
					YOQ-SR Total Score (n=32)	46.00%	68.09%	% N<20	RBPC Psychotic Behavior Raw Score (n=55)	0.00%	N/A	N/A
									RBPC Socialized Aggression Raw Score (n=55)	50.00%	N/A	N/A

					Outc	omes, Starting July 2	2011 through	<mark>h June 8, 201</mark> 7					
Evidence Deced			Inactive	Tx Cycles				Comple	leted Practice				
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	
Caring for Our Families	69.25%	5% 728	67.58%	32.42%	YOQ Total Score	23.00%	36.57%	41.56%	ECBI Problem Scale (n=59)	30.00%	24.79%	37.84%	
(CFOF)			(n=371)	(n=178)	(n=132)				ECBI Intensity Scale (n=59)	20.00%		(n=28)	
					OQ Total Score (n=17)	N<20	N/A	N/A	SOPS Disorganized Symptoms (D) Total Score (n=44)	60%			
Center for the					YOQ Total	22.00%	77 4 40/	77.14%	SOPS General Symptoms (G)Total Score (n=44)	71.00%			
Assessment & Prevention of Prodromal States	56.96%	6 183	47.89% (n=68)	52.11% (n=74)	Score (n=27)	33.00%	77.14%	(n=27)	(n=44) SOPS Negative Symptoms (N) Total Score (n=38)	58.00%	72.13%	73.33% (n=44)	
(CAPPS)					YOQ-SR Total Score	VOQ-SR tal Score 32.00% 75.56% 75.56% (n=44)	66.00%						
					(n=34)			(n=34)	SOPS Total of All Scores (n=44)	61.00%			
Child-Parent Psychotherapy (CPP)	63.12%	4,431	4724% (n=1,670)	52.76% (n=1,865)	YOQ Total Score (n=380)	55.00%	52.34%	59.57% (n=140)	TYCYC PTS Total Score (n=572)	19.00%	49.61%	55.76% (n=213)	
Cognitive Behavioral Intervention for	92.68%	114	65.59%	34.41%	YOQ Total Score (n=32)	28.00%	52.46%	N<20	PTSD-RI Child/ Adolescent Severity Score (n=33)	28.00%	55.00%	N<20	
Trauma in Schools (CBITS)	92.08%	114	(n=61)	(n=32)	YOQ-SR Total Score (n=21)	18.00%	53.85%	N<20	PTSD-RI Parent Severity Score (n=21)	23.00%	34.43%	N<20	
					OQ Total Score (n=193)	20.00%	63.28%	61.86% (n=60)					
Crisis Oriented Recovery Services (CORS)	33.34%	3,575	58.72% (n=1,455)	41.28% (n=1023)	YOQ Total Score (n=817)	29.00%	72.82%	86.38% (n=406)	No specific out	come measure requ	practice		
					YOQ-SR Total Score (n=370)	28.00%	70.48%	78.66% (n=188)					
Dialectical Behavior Therapy (DBT)	34.54%	86	40.91% (n=9)	59.09% (n=13)	OQ Total Score (n=6)	N<20	N/A	N/A	DERS Total Score (n=5)	N<20	N/A	N/A	

MHSA Implementation and Outcomes Division

					Outc	omes, Starting July 2	2011 through	<mark>1 June 8,</mark> 2017	·				
Esidence Deced			Inactive	Tx Cycles				Comple	eted Practice				
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	
					OQ Total Score (n=4)	N<20	N/A	N/A					
Depression Treatment Quality Improvement (DTQI)		1,043	62.09% (n=619)	37.91% (n=378)	YOQ Total Score (n=335)	43.00%	56.97%	59.59% (n=115)	PHQ-9 Total Score (n=346)	62.00%	68.65%	63.29% (n=100)	
					YOQ-SR Total Score (n=328)	48.00%	66.13%	67.52% (n=106)					
								FAD Affective Involvement (n=25)	0.00%				
					YOQ Total Score (n=110)	39.00%	59.78%	65.78% (n=71)	FAD Affective Responsiveness (n=25)	50.00%			
		2.73% 320				FAD Behavioral Control (n=25)	0.00%						
Families Overcoming Under Stress (FOCUS)	72.73%		73.23% (n=186)	26.77% (n=68)					FAD Communication (n=25)	0.00%	32.47%	N<20	
					YOQ-SR Total Score	28%	52.63%	61.36%	FAD General Functioning (n=25)	0.00%			
					(n=40)			2.63% (n=27) FAD Problem Solving 0.00% (n=25)					
									FAD Roles (n=25)	FAD Roles			
Functional Family	61.50%	1,590	65.72%	34.28%	YOQ Total Score (n=706)	31.00%	82.38%	88.20% (n=157)	No specific out	come measure requ	ired for this	practice	
Therapy (FFT)	01.50%	1,390	(n=876)	(n=457)	YOQ-SR Total Score (n=631)	27.00%	82.81%	85.43% (n=129)	No specific out			practice	
Group Cognitive Behavioral Therapy for Major Depression (Group CBT)	90.03%	1,055	43.07% (n=317)	56.93% (n=419)	OQ Total Score (n=200)	22.00%	63.29%	81.25% (n=26)	PHQ-9 Total Score (n=222)	42.00%	70.03%	87.88% (n=29)	
	71.02%	1.02% 2,183 ,	63.41% (n=1,201)	36.59% (n=693)	YOQ Total	27.00%	76.63%	81.40%	ECBI Intensity Scale (n=785)	cale 17.00%	66.69%	78.89%	
	, 1.02/0	2,103			Score (n=879)	27.0070	70.0370	(n=302)	ECBI Problem Scale (n=785)	35.00%	00.0378	(n=299)	

MHSA Implementation and Outcomes Division

					Outc	omes, Starting July 2	011 through	n June 8, 2017	,						
			Inactive	Tx Cycles			Completed Practice								
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)			
Individual Cognitive Behavioral Therapy (Ind CBT)-Anxiety					OQ Total Score (n=182)	36.00%	70.54%	73.44% (n=141)							
		1,346	40.59% (n=304)	59.41% (n=445)	YOQ Total Score (n=14)	N<20	N/A	N/A	GAD-7 Total Score (n=182)	54.00%	64.41%	69.80% (n=141)			
					YOQ-SR Total Score (n=28)	55.00%	59.57%	61.90% (n=26)							
	63.59%							OQ Total Score (n=490)	34.00%	68.15%	68.91% (n=359)				
Individual Cognitive Behavioral Therapy (Ind CBT)-Depression		3,671	39.81% (n=834)	60.19% (n=1261)	YOQ Total Score (n=25)	Score 46.00% 6.49% 13.97% PHQ-9 Total Score 53.00%	53.00%	65.59%	63.85% (n=401)						
					YOQ-SR Total Score (n=63)	46.00%	54.74%	55.14% (n=59)							
				OQ Total Score (n=66)	41.00%	68.75%	72.73% (n=56)	PTSD-RI Adult Severity Score (n=17)	N<20	N/A	N/A				
				52.02% (n=129)	YOQ Total Score (n=9)	N<20	N/A	N/A	PCL-5 Total Score (n=15)	N<20	N/A	N/A			
Individual Cognitive Behavioral Therapy (Ind CBT)-Trauma		436	47.98%						PTSD-RI Child/ Adolescent Severity Score (n=16) PTSD-RI-5	N<20	N/A	N/A			
		436 (n=119)	(n=119)		YOQ-SR				PTSD-RI-5 Child/Adol. Severity Score (n=4)	N<20	N/A	N/A			
					Total Score (n=9)	N<20	N/A	N/A	PTSD-RI Parent Severity Score (n=5)	N<20	N/A	N/A			
									PTSD-RI-5 Parent Severity Score (n=2)	N<20	N/A	N/A			

					Outc	omes, Starting July 2	2011 through	<mark>n June 8, 201</mark> 7	1			
Evidence-Based			Inactive	Tx Cycles				Comple	eted Practice			
Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
					OQ Total Score (n=681)	31.00%	66.57%	66.35% (n=282)				
Interpersonal Psychotherapy for Depression (IPT)	68.41%	.% 4,507	53.35% (n=1,782)	46.65% (n=1,558)	YOQ Total Score (n=288)	48.00%	39.61%	46.30% (n=144)	PHQ-9 Total Score (n=1118)	54.00%	63.89%	65.81% (n=485)
					YOQ-SR Total Score (n=423)	47.00%	58.18%	64.74% (n=202)				
Loving Intervention	05 71%	262	64.63%	35.37%	YOQ Total Score (n=137)	32.00%	65.87%	77.91% (n=67)	ECBI Intensity Scale (n=113)	20.00%	79.470/	83.13%
Family Enrichment Program (LIFE)	95.71%	363	(n=212)	(n=116)	YOQ-SR Total Score (n=96)	18.00%	70.59%	81.63% (n=40)	ECBI Problem Scale (n=113)	43.00%	78.47%	(n=69)
									ECBI Intensity Scale (n=2,593)	25.00%	55.43%	62.90%
					YOQ Total Score	OQ Total Score n=6,889)42.00%60.27%66.67% (n=4,426)ECBI Problem Scale (n=2,593)PHQ-9 Total Score (n=1,683)PHQ-9 Total Score (n=1,683)RCADS- Total Anxiety (n=1,579)Anxiety (n=1,579)r(OQ-SR ttal Score n=3,089)42.00%64.81%72.47% (n=1,995)RCADS-P Total Anxiety (n=1,485)r(OQ-SR ttal Score n=3,089)42.00%64.81%72.47% (n=1,995)RCADS-P Total Anxiety (n=1,485)	60.27%	66.67% (n=2,59	ECBI Problem Scale (n=2,593)	47.00%	55.4370	(n=1,690)
					(n=6,889)		(n=1,683)	55.00%	67.37%	73.18% (n=1,083)		
							42.00%	52.32%	61.48% (n=1,095)			
					YOQ-SR Total Score (n=3,089)		64.81%		Anxiety (n=1.485)	40.00%	49.19%	57.25% (n=1,019)
Managing and Adapting Practice (MAP)	82.39%	34,028	54.82% (n=11,838)	45.18% (n=9,755)					Adolescent Severity Score	50.00%	42.54%	52.08% (n=75)
									Child/Adol.	44.00%	60.61%	60.61% (n=60)
									PTSD-RI Parent Severity Score (n=137)	43.00%	40.06%	46.84% (n=74)
					OQ Total Score (n=33)	33.00%	0.93%	68.83% (n=30)	PTSD-RI-5 Parent Severity Score (n=41)	65.00%	41.41%	41.41% (n=41)
									PCL-5 Total Score (n=2)	N<20	N/A	N/A
Mental Health Integration Program (MHIP) - Anxiety		1,648	39.51% (n=567)	60.49% (n=868)					GAD-7 Total Score (n=513)	50.00%	92.27%	100% (n=214)
Mental Health Integration Program (MHIP) - Depression	113.45%	4,964	34.49% (n=1,501)	65.51% (n=2,851)		Measure Required his Practice	N/A	N/A	PHQ-9 Total Score (n=1,390)	53.00%	93.04%	99.37% (360)
Mental Health Integration Program (MHIP) - Trauma		302	30.55% (n=84)	69.45% (n=191)				PCL-C Total Score (n=63)	24.00%	78.75%	N<20	
Mindful Parenting												

(MP)	windful Parenting	
	(MP)	

					Outc	omes, Starting July 2	2011 through	h June 8, 2017	1				
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Inactive Completed EBP Yes	Tx Cycles Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Comple Matched Pairs % (Last 3 yrs)	eted Practice Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	
							N/A	N/A	RBPC Anxiety- Withdrawal Raw Score (n=6)	N<20	N/A	N/A	
					YOQ Total Score (n=19)	OQ Total RBPC Attention Score N<20 N/A N/A Immaturity Raw	N<20	N/A	N/A				
Multidimensional Family Therapy (MDFT)	68.37%	72	88.24% (n=20)	11.76%			N/A	N/A	RBPC Conduct Disorder Raw Score (n=6)	N<20	N/A	N/A	
	08.37 %		(n=30)	(n=4)					RBPC Motor Tension Excess Raw Score (n=6)	N<20	N/A	N/A	
					YOQ-SR Total Score (n=21)	24.00%	72.41%	N<20	RBPC Psychotic Behavior Raw Score (n=6)	N<20	N/A	N/A	
									RBPC Socialized Aggression Raw Score (n=6)	N<20	N/A	N/A	
Multisystemic Therapy	40.20%	126	72.28%	27.72%	YOQ Total Score (n=48)	46.00%	65.75%	N<20	Specific outcome m	easure data for pra	ctice is not e	ntered in	
(MST)	40.2070	120	(n=73)	(n=28)	YOQ-SR Total Score (n=41)	38.00%	56.94%	N<20	ΡΕΙ ΟΜΑ				
Nurse-Family Partnership (NFP)						Outcome data is not	reported in	PEI OMA					
Parent-Child Interaction Therapy	56.08%	2,323	42.56%	57.44%	YOQ Total Score	57.00%	68.76%	66.67%	ECBI Intensity Scale (n=513)	38.00%	76.57%	74.71%	
(PCIT)		_,===	(n=678)	(n=915)	(n=317)			(n=114)	ECBI Problem Scale (n=513)	63.00%		(n=192)	
Problem-Solving Therapy (PST)	60.14%	363	61.76% (n=197)	38.24% (n=122)	OQ Total Score (n=115)	28.00%	58.38%	65.43% (n=53)	PHQ-9 Total Score (n=137)	45.00%	69.54%	76.54% (n=62)	
Program to Encourage Active and Rewarding Lives for Seniors (PEARLS)	74.52%	156	48.87% (n=65)	51.13% (n=68)	OQ Total Score (n=27)	25.00%	41.54%	N<20	PHQ-9 Total Score (n=43)	45.00%	66.15%	N<20	
Prolonged Exposure Therapy for Post- Traumatic Stress Disorder (PE-PTSD)	37.12%	49	56.52% (n=13)	43.48% (n=10)	OQ Total Score (n=9)	N<20	N/A	N/A	PDS Symptom Severity Score (n=11)	N<20	N/A	N/A	
Promoting Alternate	e 33.90%		YOQ Total Score (n=36)	37.00%	20.81%	N<20	ECBI Intensity Scale (n=36)	19.00%					
Thinking Strategies (PATHS)		(n=349)	YOQ-SR Total Score (n=1)	N<20	N/A	N/A	ECBI Problem Scale (n=36)	33.00%	20.11%	N<20			

					Outc	omes, Starting July 2	2011 through	n June 8, 2017	,				
			Inactive	Tx Cycles					eted Practice				
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	
Reflective Parenting	72.39% 195	195	73.56%	26.44% (n=46)	YOQ Total Score (n=66)	9.00%	72.53%	64.44% (n=29)		5.00%	69.92%	66.07%	
Program (RPP)			(n=128)		YOQ-SR Total Score (n=6)	N<20	N/A	N/A	ECBI Problem Scale (n=86)	15.00%		(n=37)	
	60.86% 16,9				OQ Total Score	32.00%	54.58%	58.99%	PTSD-RI Adult Severity Score (n=442) PCL-5 Total	30.00%	37.46%	38.90% (n=135)	
Seeking Safety (SS)					(n=805)	52.007		(n=315)	Severity Score (n=77)	61.00%	55.00%	55.00% (n=77)	
					YOQ Total Score	34.00%	26.09%	33.49%	PTSD-RI Parent Severity Score (n=677)	36.00%	19.05%	26.61% (n=186)	
		16,947	40.21% (n=5,214)	59.79% (n=7,753)	(n=918)	54.00%	20.0370	(n=277)	PTSD-RI-5 Parent Severity Score (n=49)	52.00%	26.49%	26.49% (n=49)	
					YOQ-SR Total Score	33.00%	50.12%	55.34%	PTSD-RI Child/ Adolescent Severity Score (n=1.415) PTSD-RI-5	31.00%	38.19%	43.16% (n=322)	
					(n=1,830)	33.00%	50.1276	(n=487)	PTSD-RI-5 Child/Adol. Severity Score (n=79)	39.00%	42.70%	42.70% (n=79)	
					YOQ Total Score (n=41)				RBPC Anxiety- Withdrawal Raw Score	N<20	N/A	N/A	
						32.00%	51.90%	Raw Score (n=15) RBPC Conduct Disorder Raw Score	N<20	N/A	N/A		
Strengthening Families	35.91%	237	89.01%	10.99%					RBPC Conduct Disorder Raw Score (n=15)	N<20	N/A	N/A	
Strengthening Families (SF)			(n=81)	(n=10)					RBPC Motor Tension Excess Raw Score (n=15)	N<20	N/A	N/A	
					YOQ-SR Total Score (n=30)	25.00%	46.15%	% N<20	RBPC Psychotic Behavior Raw Score (n=15)	N<20	N/A	N/A	
									RBPC Socialized Aggression Raw Score (n=15)	N<20	N/A	N/A	

MHSA Implementation and Outcomes Division

			_		Outc	omes, Starting July 2	2011 through	h June 8, 2017	1			
Diddawa Daard			Inactive	Tx Cycles				Comple	eted Practice			
Evidence-Based Practice	OMA Data Entry Rate	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs % (Last 3 yrs)
Trauma Focused Cognitive Behavioral Therapy (TF-CBT)	92.68% 16,13				YOQ Total	48.00%	60.93%	60.93% PTSD-RI Parent 60.93% PTSD-RI Parent Severity Score (n=2,459) (n=1,981)	50.59%	54.87% (n=1,189)		
		16 107	55.14%	44.68%	Score (n=3,429)	10.007	00.5370	(n=1,981)	PTSD-RI-5 Parent Severity Score (n=420)	50%	58.33%	58.33% (n=420)
		16,137	(n=5,794)	(n=4,714)	YOQ-SR Total Score	47.00%	64.91%	Severity Score 70.17% (n=2,551)		48.00%	57.43%	59.84% (n=1,195)
					(n=1,382)		0.00270	(n=748)	PTSD-RI-5 Child/Adol. Severity Score (n=468)		65.00%	65.00% (n=468)
Triple P- Positive			56.94%	43.06%	YOQ Total Score (n=1,135)	41.00%	77.47%	82.35% (n=756)	ECBI Intensity Scale (n=1,142)	27.00%		78.66%
Parenting Program (Triple P)	96.25%	4 701	(n=1,608)	(n=1,216)	YOQ-SR Total Score (n=101)	31.00%	38.85%	39.46% (n=58)	ECBI Problem Scale (n=1,142)	50.00%	72.65%	(n=774)
UCLA Ties Transition Model (UCLA TTM)	78.73%	178	49.29% (n=69)	50.71% (n=71)	YOQ Total Score	N<20	N/A	N/A	ECBI Intensity Scale (n=9)	N<20	N/A	N/A
		175			(n=7)	11-20	N/A	N/A	ECBI Problem Scale (n=9)	N<20	N/A	N/A

* CORS data collection was delayed until mid 2013 so compliance rate might be understated.

**MAP, TF-CBT, and Triple P compliance rates do not include data for inactive treatment cycles reported to CiMH at the time of the data transition to DMH. Data reported on here only includes information contained in our DMH PEI OMA system.

MHIP does not collect a "post" measure. Pre/Post changes reported are determined from first questionnaire with scores to last questionnaire with scores.