Summary of PEI Practice Outcomes (Data as of 02/1/17)

					Outcor	mes, Starting July 2011 through February 1, 2017							
Evidence-Based Practice	Compliance Rates	Treatment Cycles	Inactive Completed EBP Yes	Tx Cycles Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark	eted Practice Specific Outcome Measure	Percent Improvement Pre to Post	All Time Matched Pairs %	Matched Pairs Benchmark	
Aggression		2.070	41.70%	58.30%	YOQ Total Score (n=373)	25.00%	32.60%	(Last 3 yrs) 56.61% (n=137)	ECBI Intensity Scale (n=362)	Treatment 10.00%	37.67%	(Last 3 vrs) 58.08%	
Replacement Training (ART)	· 66.77%	3,279	(n=1,194)	(n=1,669)	YOQ-SR Total Score (n=477)	16.00%	56.99%	75% (n=84)	ECBI Problem Scale (n=362)	21.00%		(n=133)	
ART Skillstreaming	00.7778	296	53.07%	46.93%	YOQ Total Score (n=23)	27.00%	24.47%	N<20	ECBI Intensity Scale (n=19)	N<20	N/A	N/A	
			(n=95)	(n=84)	YOQ-SR Total Score (n=6)	N<20	N/A	N/A	ECBI Problem Scale (n=19)	N<20	N/A	N/A	
					YOQ Total Score	49.00%	69.48%	71.2%	PTSD-RI Child/ Adolescent Severity Score (n=209)	53.00%	58.38%	47.54% (n=58)	
Alternatives for Families Cognitive Behavioral Therapy (AF-CBT)	79.28%	1,041	48.75% (n=371)	51.25%	(n=255)			(n=89)	PTSD-RI-5 Child/Adol. Severity Score (n=13)	N<20	N/A	N/A	
				(n=390)	YOQ-SR Total Score	44.00%	71.22%	74%	PTSD-RI Parent Severity Score (n=212)	50.00%	57.14%	48.8% (n=61)	
					(n=99)	44.00%	71.2270	(n=37)	PTSD-RI-5 Parent Severity Score (n=13)	N<20	N/A	N/A	
					YOQ Total Score (n=57)	46.00%		% N<20	RBPC Anxiety- Withdrawal Raw Score (n=53)	50.00%	N/A	N/A	
							67.06%		RBPC Attention Problems- Immaturity Raw Score (n=53)	50.00%	N/A	N/A	
Brief Strategic Family	72 10%	179	63.70%	36.30%					RBPC Conduct Disorder Raw Score (n=53)	42.00%	N/A	N/A	
Therapy (BSFT)	72.10%	179	(n=86)	(n=49)					RBPC Motor Tension Excess Raw Score (n=53)	50.00%	N/A	N/A	
					YOQ-SR Total Score (n=30)	48.00%	66.67%	66.67% N<20	RBPC Psychotic Behavior Raw Score (n=53)	0.00%	N/A	N/A	
									RBPC Socialized Aggression Raw Score (n=53)	50.00%	N/A	N/A	

					Outcon	nes, Starting July 20	11 through F	ebruary 1, 20	17				
Evidence Deced			Inactive	Tx Cycles					eted Practice			Metal	
Evidence-Based Practice	Compliance Rates	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 vrs)	
Caring for Our Families	68.30%	728	68.77%	31.23%	YOQ Total Score	28.00%	36.67%	41.56%	ECBI Problem Scale (n=59)	30.00%	16.57%	37.84%	
(CFOF)	00.50%	720	(n=370)	(n=168)	(n=132)	20.0075	30.0770	41.30/0	ECBI Intensity Scale (n=59)	18.00%	10.5776	(n=28)	
					OQ Total Score (n=12)	N<20	N/A	N/A	SOPS Disorganized Symptoms (D) Total Score (n=38)	60%			
Center for the					YOQ Total	22.000/	75.000/	75%	SOPS General Symptoms (G)Total Score (n=38)	62.00%			
Assessment & Prevention of Prodromal States	54.85%	167	48.36% (n=59)	51.64% (n=63)	Score (n=24)	33.00%	75.00%	(n=24)	(n=38) SOPS Negative Symptoms (N) Total Score	61.00%	71.70%	73.08% (n=38)	
(CAPPS)					YOQ-SR Total Score	9 36.00%	75.61%	75.61% (n=31)	(n=38) SOPS Positive Symptoms (P) Total Score (n=38)	66.00%			
					(n=31)			(n=31)	SOPS Total of All Scores (n=38)	59.00%			
Child-Parent Psychotherapy (CPP)	62.76%	4,156	47.41% (n=1,557)	52.59% (n=1,727)	YOQ Total Score (n=358)	56.00%	52.03%	59.6% (n=118)	TYCYC PTS Total Score (n=541)	16.00%	49.86%	57.23 (n=182)	
Cognitive Behavioral Intervention for	94.78%	109	65.59%	34.41%	YOQ Total Score (n=32)	39.00%	52.46%	N<20	PTSD-RI Child/ Adolescent Severity Score (n=33)	17.00%	55.00%	N<20	
Trauma in Schools (CBITS)	34.7870	105	(n=61)	(n=32)	YOQ-SR Total Score (n=21)	12.00%	53.85%	N<20	PTSD-RI Parent Severity Score (n=21)	33.00%	34.43%	N<20	
					OQ Total Score (n=177)	21.00%	62.54%	58.67% (n=44)					
Crisis Oriented Recovery Services (CORS)	32.45%	3,371	60.82% (n=1,357)	39.18% (n=874)	YOQ Total Score (n=757)	27.00%	72.10%	86.97% (n=347)	No specific outcome measure re		uired for this	practice	
					YOQ-SR Total Score (n=335)	30.00%	69.50%	78.06% (n=153)					
Dialectical Behavior Therapy (DBT)	26.78%	64	36.84% (n=7)	63.16% (n=12)	OQ Total Score (n=6)	N<20	N/A	N/A	DERS Total Score (n=5)	N<20	N/A	N/A	

					Outcon	nes, Starting July 20	11 through F	ebruary 1, 20	17			
			Inactive	Tx Cycles					eted Practice			
Evidence-Based Practice	Compliance Rates	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 yrs)
					OQ Total Score (n=4)	N<20	N/A	N/A				
Depression Treatment Quality Improvement (DTQI)	94.85%	1,014	61.26% (n=593)	38.74% (n=375)	YOQ Total Score (n=319)	43.00%	43.00% 56.76% 59.28% PHQ-9 Total Score (n=99) (n=327)	62.00%	68.41%	61.36% (n=81)		
					YOQ-SR Total Score (n=308)	48.00%	65.53%	65.65% (n=86)				
									FAD Affective Involvement (n=21)	0.00%		
					YOQ Total Score (n=98)	38.00%	60.12%	67.82% (n=59)	FAD Affective Responsiveness (n=21)	50.00%		
	64.78%	252	75.34% (n=165)						FAD Behavioral Control (n=21)	0.00%	32.31%	
Families Overcoming Under Stress (FOCUS)				24.66% (n=54)	YOQ-SR Total Score (n=32)				FAD Communication (n=21)	50.00%		N<20
						30	50.00%	N<20	FAD General Functioning (n=21)	0.00%		
							50.007		FAD Problem Solving (n=21)	0.00%		
									FAD Roles (n=21)	0.00%		
Functional Family	64 769/	4 557	65.57%	34.43%	YOQ Total Score (n=695)	31.00%	82.44%	87.95% (n=146)	NI		ing d for a db in	
Therapy (FFT)	61.76%	1,557	(n=859)	(n=451)	YOQ-SR Total Score (n=620)	27.00%	82.89%	84.89% (n=118)	No specific out	come measure requ	lired for this	practice
Group Cognitive Behavioral Therapy for Major Depression (Group CBT)	88.51%	1,033	43.15% (n=312)	56.85% (n=411)	OQ Total Score (n=195)	22.00%	62.70%	78.57% (n=22)	PHQ-9 Total Score (n=218)	42.00%	69.87%	89.66% (n=26)
Incredible Years (IY)	71.51%	2,108	64.71%	35.29%	YOQ Total Score	25.00%	76.65%	80.12%	ECBI Intensity Scale (n=754)	17.00%	66.55%	78.36%
	1.3170	2,100	(n=1,157)	(n=631)	(n=847)	23.00%	70.03%	(n=270)	ECBI Problem Scale (n=754)	29.00%	00.33%	(n=268)

COUNTY OF LOS ANGELES - DEPARTMENT OF MENTAL HEALTH

Adult System of Care-MHSA Implementation and Outcomes Division

					Outcon	nes, Starting July 20	L1 through F	ebruary 1, 20	17			
			Inactive	Tx Cycles					eted Practice			
Evidence-Based Practice	Compliance Rates	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 yrs)
					OQ Total Score (n=155)	36.00%	69.20%	72.15% (n=114)				
Individual Cognitive Behavioral Therapy (Ind CBT)-Anxiety		1,081	43.28% (n=261)	56.72% (n=342)	YOQ Total Score (n=11)	N<20	N/A	N/A	GAD-7 Total Score (n=157)	54.00%	67.38%	69.88% (n=116)
					YOQ-SR Total Score (n=23)	56.00%	60.53%	64.71% (n=22)				
Individual Cognitive		3,059		60.05% (n=1052)	OQ Total Score (n=416)	35.00%	68.09%	68.67% (n=285)				
Individual Cognitive Behavioral Therapy (Ind CBT)-Depression			39.95% (n=700)		YOQ Total Score (n=22)	41.00%	6.11%	14.1% (n=22)	PHQ-9 Total Score (n=471)	53.00%	67.29%	65.52% (n=325)
					YOQ-SR Total Score (n=53)	45.00%	59.55%	60.49% (n=49)				
	61.44%	6			OQ Total Score (n=63)	38.00%	71.59%	76.81% (n=53)	PTSD-RI Adult Severity Score (n=16)	N<20	N/A	N/A
					YOQ Total Score (n=7)	N<20	N/A	N/A	PCL-5 Total Score (n=10)	N<20	N/A	N/A
Individual Cognitive Behavioral Therapy		400	48.64%	51.36%					PTSD-RI Child/ Adolescent Severity Score (n=15)	N<20	N/A	N/A
(Ind CBT)-Trauma			(n=107)	(n=113)	YOQ-SR				(n=15) PTSD-RI-5 Child/Adol. Severity Score (n=2)	N<20	N/A	N/A
					Total Score (n=8)	N<20	N/A	N/A	PTSD-RI Parent Severity Score (n=5)	N<20	N/A	N/A
									PTSD-RI-5 Parent Severity Score (n=1)	N<20	N/A	N/A

	Outcomes, Starting July 2011 through February 1, 2017												
Evidence-Based Practice	Compliance	Treatment	Completed	Tx Cycles Completed	General Outcome	Percent Improvement Pre	All Time Matched	Matched Pairs	-	Percent Improvement Pre	All Time Matched	Matched Pairs	
	Rates	Cycles	EBP Yes	EBP No	Measure	to Post Treatment	Pairs %	Benchmark (Last 3 yrs)	Measure	to Post Treatment	Pairs %	Benchmark (Last 3 yrs)	
					OQ Total Score (n=640)	28.00%	65.98%	64.61% (n=241)					
Interpersonal Psychotherapy for Depression (IPT)	70.92%	4,257	53.10% (n=1,689)	46.90% (n=1,492)	YOQ Total Score (n=277)	46.00%	40.14%	48.72% (n=133)	PHQ-9 Total Score (n=1051)	50.00%	63.39%	64.61% (n=241)	
					YOQ-SR Total Score (n=402)	45.00%	58.43%	66.06% (n=181)					
Loving Intervention	00.050/		63.46%	36.54%	YOQ Total Score (n=124)	34.00%	63.92%	73.97% (n=54)	ECBI Intensity Scale (n=105)	18.00%		85.92%	
Family Enrichment Program (LIFE)	92.96%	337	(n=198)	(n=114)	YOQ-SR Total Score (n=88)	15.00%	69.29%	80% (n=32)	ECBI Problem Scale (n=105)	43.00%	55.26%	(n=61)	
									ECBI Intensity Scale (n=2,326)	25.00%	54.92%	63.44%	
					YOQ Total Score	42.00%	59.53%	66.5%	ECBI Problem Scale (n=2,326)	43.00%	54.5270	(n=1,435	
			55.10% (n=10,638)	44.90% (n=8,670)	YOQ-SR Total Score (n=2,755)			(n=3,700)	PHQ-9 Total Score (n=1,522)	55.00%	67.17%	73.42% (n=931)	
		30,286							RCADS- Total Anxiety (n=1,372)	40.00%	51.04%	61.04% (n=896)	
							64.00%	72.75% (n=1,677)	RCADS-P Total Anxiety (n=1,299) PTSD-RI Child/	38.00%	48.29%	57.29% (n=841)	
Managing and Adapting Practice (MAP)	82.98%								Adolescent Severity Score	50.00%	36.01%	37.17% (n=71)	
									(n=130) PTSD-RI-5 Child/Adol. Severity Score (n=29)	56.00%	7.59%	14.72% (n=29)	
									PTSD-RI Parent Severity Score (n=133)	40.00%	34.37%	34.31% (n=70)	
					OQ Total Score (n=25)	32.00%	0.71%	65.71% (n=23)	PTSD-RI-5 Parent Severity Score (n=19)	N<20	N/A	N/A	
									PCL-5 Total Score		N/A	N/A	
									(n=1)	N<20	N/A	N/A	
Mental Health Integration Program (MHIP) - Anxiety		1,527	39.12% (n=518)	60.88% (n=806)					GAD-7 Total Score (n=475)	50.00%	91.70%	100% (n=176)	
Mental Health Integration Program (MHIP) - Depression	115.50%	4,779	34.63% (n=1,447)	65.37% (n=2,731)		Measure Required his Practice	N/A	N/A	PHQ-9 Total Score (n=1,343)	53.00%	92.81%	99.37% (313)	
Mental Health Integration Program (MHIP) - Trauma		297	29.26% (n=79)	70.74% (n=191)						PCL-C Total Score (n=62)	27.00%	78.48%	N<20
Mindful Parenting		PE	I OMA was up	dated to allow	, data entry fo	or the practice as of !	5/27/2015.	To date there	is not enough data e	ntered to analyze.		-	

Mindful Parenting	
(MP)	

COUNTY OF LOS ANGELES - DEPARTMENT OF MENTAL HEALTH

Adult System of Care-MHSA Implementation and Outcomes Division

	Outcomes, Starting July 2011 through February 1, 2017													
Evidence-Based Practice	Compliance Rates	Treatment Cycles	Inactive Completed EBP Yes	Tx Cycles Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment		Comple Matched Pairs Benchmark (Last 3 yrs)	eted Practice Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmar (Last 3 yrs		
							N/A	N/A	RBPC Anxiety- Withdrawal Raw Score (n=6)	N<20	N/A	N/A		
				11.76% (n=4)	YOQ Total Score (n=19)	N<20	N/A	N/A	RBPC Attention Problems- Immaturity Raw Score (n=6)	N<20	N/A	N/A		
Multidimensional Family Therapy	66.32%	68	88.24% (n=30)				N/A	N/A	RBPC Conduct Disorder Raw Score (n=6)	N<20	N/A	N/A		
(MDFT)				()					RBPC Motor Tension Excess Raw Score (n=6) RBPC Psychotic	N<20	N/A	N/A		
					YOQ-SR Total Score (n=21)		72.41%	N<20	RBPC Psychotic Behavior Raw Score (n=6)	N<20	N/A	N/A		
									RBPC Socialized Aggression Raw Score (n=6)	N<20	N/A	N/A		
Multisystemic Therapy	40.34%	126	72.28%	27.72%	YOQ Total Score (n=48)	44.00%	65.75%	N<20	Specific outcome m	easure data for pra	ctice is not e	entered in		
(MST)	40.34%	120	(n=73)	(n=28)	YOQ-SR Total Score (n=41)	32.00%	56.94%	N<20	PEI OMA					
Nurse-Family Partnership (NFP)						Outcome data is not	reported in	PEI OMA						
Parent-Child Interaction Therapy	56.30%	2,112	42.88%	57.12%	YOQ Total Score	57.00%	67.66%	63.01%	ECBI Intensity Scale (n=473)	37.00%	76.05%	72.73%		
(PCIT)		_)	(n=629)	(n=838)	(n=295)			(n=92)	ECBI Problem Scale (n=473)	63.00%	70.0370	(n=152)		
Problem-Solving Therapy (PST)	60.21%	358	61.04% (n=188)	38.96% (n=120)	OQ Total Score (n=106)	26.00%	56.38%	61.11% (n=44)	PHQ-9 Total Score (n=128)	45.00%	68.09%	73.61 (n=53)		
Program to Encourage Active and Rewarding Lives for Seniors (PEARLS)	74.15%	152	49.24% (n=65)	50.76% (n=67)	OQ Total Score (n=27)	21.00%	41.54%	N<20	PHQ-9 Total Score (n=43)	41.00%	66.15%	N<20		
Prolonged Exposure Therapy for Post- Traumatic Stress Disorder (PE-PTSD)	37.21%	48	56.52% (n=13)	43.48% (n=10)	OQ Total Score (n=9)	N<20	N/A	N/A	PDS Symptom Severity Score (n=11)	N<20	N/A	N/A		
Promoting Alternate			33.97%	66.03%	YOQ Total Score (n=36)	33.00%	21.05%	N<20	ECBI Intensity Scale (n=36)	24.00%				
Thinking Strategies (PATHS)	51 30% 734 33.97	(n=177)	(n=177) (n=344)	YOQ-SR Total Score (n=1)	N<20	N/A	N/A	ECBI Problem Scale (n=36)	40.00%	20.34%	N<20			

					Outcor	nes, Starting July 20	11 through F	ebruary 1, 20	017			
			Inactive	Tx Cycles				-	eted Practice	-		
Evidence-Based Practice	Compliance Rates	Treatment Cycles	Completed EBP Yes	Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 yrs)	Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 yrs)
Reflective Parenting	71.54%	187	75.45%	24.55%	YOQ Total Score (n=65)	4.00%	73.03%	65.12% (n=28)	ECBI Intensity Scale (n=85)	5.00%	70.25%	66.67%
Program (RPP)	71.5470	107	(n=126)	(n=41)	YOQ-SR Total Score (n=6)	N<20	N/A	N/A	ECBI Problem Scale (n=85)	15.00%		(n=36)
					OQ Total Score	30.00%	54.14%	58.21%	PTSD-RI Adult Severity Score (n=436) PCL-5 Total	28.00%	32.27%	25.29% (n=133)
					(n=752)			(n=266)	Severity Score (n=41) PTSD-RI Parent	60.00%	0.84%	3.59% (n=41)
			40.52% (n=5,010)	59.48%	YOQ Total Score	l 34.00%	2606%	34.72% (n=259)	Severity Score (n=671) PTSD-RI-5 Parent	27.00%	18.14%	21.14% (n=185)
Seeking Safety (SS)	61.76%	16,200		(n=7,355)	(n=889)			(11=259)	Severity Score (n=36) PTSD-RI Child/	50.00%	0.73%	3.05% (n=36)
					YOQ-SR	32.00%	50.22%	56.41%	Adolescent Severity Score	28.00%	36.56%	34.74% (n=320)
					Total Score (n=1,779)	32.00%	50.23%	(n=449)	(n=1.407) PTSD-RI-5 Child/Adol. Severity Score (n=52)	37.00%	1.05%	4.41% (n=52)
							51.90%		RBPC Anxiety- Withdrawal Raw Score	N<20	N/A	N/A
					YOQ Total Score (n=41)	29.00%		% N<20	(n=15) RBPC Attention Problems- Immaturity Raw Score (n=15)	N<20	N/A	N/A
Strengthening Families	35.91%	237	89.01%	10.99%					RBPC Conduct Disorder Raw Score (n=15)	N<20	N/A	N/A
(SF)			(n=81)	(n=10)					RBPC Motor Tension Excess Raw Score (n=15)	N<20	N/A	N/A
					YOQ-SR Total Score (n=30)	17.00%	46.15%	N<20	RBPC Psychotic Behavior Raw Score (n=15)	N<20	N/A	N/A
									RBPC Socialized Aggression Raw Score (n=15)	N<20	N/A	N/A

COUNTY OF LOS ANGELES - DEPARTMENT OF MENTAL HEALTH

Adult System of Care-MHSA Implementation and Outcomes Division

					Outcomes, Starting July 2011 through February 1, 2017									
Evidence-Based Practice	Compliance Rates	Treatment Cycles	Inactive Completed EBP Yes	Tx Cycles Completed EBP No	General Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Comple Matched Pairs Benchmark (Last 3 yrs)	eted Practice Specific Outcome Measure	Percent Improvement Pre to Post Treatment	All Time Matched Pairs %	Matched Pairs Benchmark (Last 3 yrs)		
					YOQ Total Score	46.00%	60.93%	66.67%	PTSD-RI Parent Severity Score (n=2,430)	45.00%	46.08%	45.02% (n=1,171)		
Trauma Focused			55.55%	44.45%	(n=3,138)	40.007	00.5370	(n=1,702)	PTSD-RI-5 Parent Severity Score (n=245)	52%	4.71%	9.77% (n=245)		
Cognitive Behavioral Therapy (TF-CBT)	94.38	14,969	(n=5,3002)	(n=4,243)	YOQ-SR Total Score (n=1,280)	47.00%	64.97%	70.96%	PTSD-RI Child/ Adolescent Severity Score (n=2,523)	51.00%	52.00%	48.48% (n=1,178)		
								(n=650)	PTSD-RI-5 Child/Adol. Severity Score (n=263)	51%	5.06%	10.49% (n=263)		
Triple P- Positive			57.52%	42.48%	YOQ Total Score (n=1,026)	41.00%	77.49%	83.01% (n=650)	ECBI Intensity Scale (n=1,023)	27.00%		78.68%		
Triple P- Positive Parenting Program (Triple P)	96.98	4,406	57.52% (n=1,446)	42.48% (n=1,068)	YOQ-SR Total Score (n=95)	34.00%	38.93%	39.69% (n=52)	ECBI Problem Scale (n=1,023)	50.00%	72.25%	(n=657)		
UCLA Ties Transition	81.90%	176	47.73%	52.27%	YOQ Total Score	N<20	N/A	N/A	ECBI Intensity Scale (n=8)	N<20	N/A	N/A		
UCLA Ties Transition Model (UCLA TTM)	01.90%	176	47.73% (n=63)	(n=69)	(n=6)	11720	N/A	N/A	ECBI Problem Scale (n=8)	N<20	N/A	N/A		

* CORS data collection was delayed until mid 2013 so compliance rate might be understated.

**MAP, TF-CBT, and Triple P compliance rates do not include data for inactive treatment cycles reported to CiMH at the time of the data transition to DMH. Data reported on here only includes information contained in our DMH PEI OMA system.

MHIP does not collect a "post" measure. Pre/Post changes reported are determined from first questionnaire with scores to last questionnaire with scores.