

OVERALL MONITOR COST COMPARISON

DESKTOP MONITORS

	CONFIGURATION 1 24" STANDARD	CONFIGURATION 2 24" WEBCAM	CONFIGURATION 3 24" TEAMS	CONFIGURATION 4 24" TOUCH	CONFIGURATION 5 27" STANDARD	CONFIGURATION 6 27" WEBCAM	CONFIGURATION 7 27" TEAMS	CONFIGURATION 8 27" TOUCH	CONFIGURATION 9 32" STANDARD	CONFIGURATION 10 32" WEBCAM	CONFIGURATION 11 32" TEAMS	CONFIGURATION 12 32" TOUCH	CONFIGURATION 13 40" STANDARD	CONFIGURATION 14 40" WEBCAM	CONFIGURATION 15 40" TEAMS	CONFIGURATION 16 40" TOUCH
																
DELL Sterling Computers MA-IS-2640003	P2425H \$203.06	No Offering No Offering	P2426HEB \$375.64	No Offering No Offering	P2726H \$225.23	P2724DEB \$442.05	No Offering No Offering	No Offering No Offering	P3225DE \$407.40	P3424WEB \$638.40	No Offering No Offering	No Offering No Offering	4323QE \$815.85	No Offering No Offering	No Offering No Offering	No Offering No Offering
HP Golden Star Technology MA-IS-2640004	324PH \$175.00	E24MV G4 \$273.00	No Offering No Offering	E24T G5 \$291.00	327PH \$221.00	527PM \$418.00	No Offering No Offering	No Offering No Offering	P34HC G4 \$444.00	534PM \$591.00	No Offering No Offering	No Offering No Offering	No Offering No Offering	740P \$1,480.00	No Offering No Offering	No Offering No Offering
LENOVO Technology Integration Group MA-IS-2640005	E24-40 \$224.99	T24-4V \$304.99	T24D-4V \$415.99	No Offering No Offering	T27-40 \$326.99	T27QD-4V \$502.99	T27QD-4V \$502.99	No Offering No Offering	T32H-30 \$561.99	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering
VIEWSONIC Zones LLC MA-IS-2640007	VG2452 \$240.00	VG2457V \$380.00	No Offering No Offering	TD2430 \$315.00	VG2752-2K \$305.00	VG2757V-2K \$450.00	No Offering No Offering	TD2760 \$530.00	VX3267U-2K \$260.00	VG3457CV \$600.00	No Offering No Offering	TD3207 \$940.00	CDE4331 \$760.00	No Offering No Offering	No Offering No Offering	No Offering No Offering

LARGE FORMAT MONITORS

	CONFIGURATION 17 50" STANDARD	CONFIGURATION 18 50" TOUCH	CONFIGURATION 19 50" INTERACTIVE	CONFIGURATION 20 55" STANDARD	CONFIGURATION 21 55" TOUCH	CONFIGURATION 22 55" INTERACTIVE	CONFIGURATION 23 65" STANDARD	CONFIGURATION 24 65" TOUCH	CONFIGURATION 25 65" INTERACTIVE	CONFIGURATION 26 75" STANDARD	CONFIGURATION 27 75" TOUCH	CONFIGURATION 28 75" INTERACTIVE	CONFIGURATION 29 85" STANDARD	CONFIGURATION 30 85" TOUCH	CONFIGURATION 31 85" INTERACTIVE
															
DELL Sterling Computers MA-IS-2640003	U4924DW \$1,242.78	No Offering No Offering	No Offering No Offering	P5525QC \$1,022.04	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	P6524QT \$5,655.86	No Offering No Offering	No Offering No Offering	No Offering No Offering	P7524QT \$6,138.28	No Offering No Offering	No Offering No Offering
HP Golden Star Technology MA-IS-2640004	549PM \$1,240.00	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering
LENOVO Technology Integration Group MA-IS-2640005	P49W-30 \$1,718.99	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering
MICROSOFT Zones LLC MA-IS-2640006	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering	No Offering No Offering
VIEWSONIC Zones LLC MA-IS-2640007	No Offering No Offering	No Offering No Offering	No Offering No Offering	CDE5531 \$885.00	IFP55G1 \$1,365.00	IFP5551 \$3,170.00	CDE6531 \$1,270.00	IFP65G1 \$1,480.00	IFP6551 \$3,325.00	CDE7531 \$1,585.00	IFP75G1 \$1,776.00	IFP7551 \$3,685.00	CDE8631 \$2,470.00	IFP86G1 \$2,520.00	IFP8651 \$4,520.00

Updated 05/05/2026

CONFIGURATION 1 24" STANDARD COMPARISON



**HP
324PH
\$175.00**

**Dell
P2425H
\$203.06**

**Lenovo
E24-40
\$224.99**

**ViewSonic
VG2452
\$240.00**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	LED	WLED	LED
Viewable Image	24 inch	24 inch	23.8 inch	23.8 inch	24 inch
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	0.672916667	16:9	16:09	16:9
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
DisplayPort Input		1	1	1	1
HDMI Input	Must include at least 2 Total Inputs	1	1	1	1
USB-C Input			5		3
VGA Input		1	1	1	
Speakers	Integrated or Accessory Option	Accessory	Accessory	Integrated	Integrated
Height Adjustable (inches up/down)	Yes	5.9	5.9	6.1	4.1
Tilt Up (degrees)	Yes	23	21	22	5
Tilt Down (degrees)	Yes	5	5	5	30
Viewing Angle - Horizontal (degrees)	150	178	178	178	178
Viewing Angle - Vertical (degrees)	150	178	178	178	178
EnergyStar Level	7	8	8	8	8
ePEAT Level	Bronze	Gold	Gold	Gold	Silver
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year Express Exchange
USB Hub (ports)			3,2 (5)		3,2 (2)
Dot Pitch (.mm)		0.27	0.2745	0.275	0.275
White Luminance (cd/m2)		250	250	250	350
Contrast		1000:1	1500:1	1300:1	1500:1
Pixel Response Rate (.ms)		5	5	14	5
Refresh Rate (Hz)		75	60	100	100
Swivel		N/A	Yes	Yes	Yes
Security Slot		Yes	Yes	Yes	Yes
VESA Wall Mount Compliant		Yes	Yes	Yes	Yes
Pivot Capable		Yes	Yes	Yes	Yes
Anti-Glare Coating		N/A		Yes	Yes
Anti-Static Coating		Yes			
Active/Operating Power (Watts)		N/A	11.7	14	110
Save/Sleep Power (Watts)		28	0.3	0.5	0.5
Dimensions w/Stand (inches W x D x H)		0.5	21.17 x 7.07 x 19.53	21.24 x 7.03 x 19.57	21.2 x 8.1 x 15.8
Dimensions w/o Stand (inches W x D x H)		21.22 x 7.73 x 18.47	21.17 x 2.45 x 14.75	21.24 x 1.81 x 12.68	21.2 x 1.8 x 12.5
Weight w/Stand (.lbs)		21.22 x 2.03 x 12.74	12.28	9.9	13.6
Weight w/o Stand (.lbs)		10.14	7.47	6.4	8.6
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable	S101 Speaker Bar	Slim SoundBar SB521A		
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI	
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort	
Display Adapter	USB-C to HDMI	USB-C to HDMI	USB-C to HDMI	USB-C to HDMI	
Mounting Bracket	Base Stand/Legs	B550 Mounting Bracket	MFF AIO Height Adjustable Stand MFS22	Flex Stand	
Mounting Bracket	Base Stand/Legs	Quick Release Monitor Arm	SFF AIO Height Adjustable Stand OSS21		
Mounting Bracket	Base Stand/Legs		Dual Monitor Stand - MDS19		
Mounting Bracket	VESA Plate/Bracket	Desktop Mini v4 / VESA Sleeve Bracket	Dual VESA Mount w/Bracket - MFF/TC		
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy			23.8 inch W9 TIO Privacy Filter	Privacy Filter
Filter	Anti-Glare/Privacy				

CONFIGURATION 2 24" WEBCAM COMPARISON



**HP
E24MV G4
\$273.00**

**Lenovo
T24-4V
\$304.99**

**ViewSonic
VG2457V
\$380.00**

**Dell
No Offering
No Offering**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	WLED	LED	
Viewable Image	24 inch	24 inch	23.8 inch	24 Inch	
Integrated Web Camera (w/Microphone)	2MP	5MP	5MP	5MP	
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	16:09	16:09	16:9	
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080	1920 x 1080	
DisplayPort Input		1	1	1	
HDMI Input	Must include at least 2 Total Inputs	1	1	1	
USB-C Input			1	2	
VGA Input		1			
Speakers	Integrated or Accessory Option	Integrated	Integrated	Integrated	
Height Adjustable (inches up/down)	Yes	5.9	6.1	4.4	
Tilt Up (degrees)	Yes	23	23.5	5	
Tilt Down (degrees)	Yes	5	-5	40	
Viewing Angle - Horizontal (degrees)	150	178	178	178	
Viewing Angle - Vertical (degrees)	150	178	178	178	
EnergyStar Level	7	8	8	8	
ePEAT Level	Bronze	Gold	Gold	Silver	
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year Express Exchange	
USB Hub (ports)		3.0 (4) / C (1)	3.2 (4)	3.2 (2)	
Dot Pitch (.mm)		0.2745	0.233	0.275	
White Luminance (cd/m2)		250	300	250	
Contrast		1000:1	1000:1	1300:1	
Pixel Response Rate (.ms)		5	6	5	
Refresh Rate (Hz)		60	60	100	
Swivel		Yes	Yes	Yes	
Security Slot		Yes	Yes	Yes	
VESA Wall Mount Compliant		Yes	Yes	Yes	
Pivot Capable		Yes	Yes	Yes	
Anti-Glare Coating		Yes	Yes	Yes	
Anti-Static Coating					
Active/Operating Power (Watts)		28	30	124.4	
Save/Sleep Power (Watts)		0.5	0.5	0.5	
Dimensions w/Stand (inches W x D x H)		21.23 x 8.5 x 20.9	21.25 x 7.48 x 15	21.2 x 8 x 15.8	
Dimensions w/o Stand (inches W x D x H)		21.23 x 1.85 x 17.78	21.25 x 1.98 x 14.28	21.2 x 2.2 x 13.7	
Weight w/Stand (.lbs)		14.3	11.7	15.1	
Weight w/o Stand (.lbs)		8.6	7.1	10	
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI		
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		
Display Adapter	USB-C to HDMI	USB-C to HDMI	USB-C to HDM		
Mounting Bracket	Base Stand/Legs	B300 PC Mounting Bracket	Flex Stand		
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket	Mini v4+ VESA Sleeve + B300 Bracket			
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy		23.8 inch W9 T10 Privacy Filter	Privacy Filter	
Filter	Anti-Glare/Privacy				

CONFIGURATION 3 24" TEAMS COMPARISON



**Dell
P2426HEB
\$375.64**

**Lenovo
T24D-4V
\$415.99**

**HP
No Offering
No Offering
Product Details**

**ViewSonic
No Offering
No Offering
Product Details**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	WLED		
Viewable Image	24 inch	23.8 inch	23.8 inch		
Integrated Web Camera (w/Microphone)	2MP	4MP	5MP		
Microsoft Teams Integration (Certified)	Yes		Yes		
Touchscreen					
Aspect Ratio	16:09 or greater	16:9	16:09		
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080		
DisplayPort Input		1	1		
HDMI Input	Must include at least 2 Total Inputs	1	1		
USB-C Input		1	1		
VGA Input					
Speakers	Integrated or Accessory Option	Integrated	Integrated		
Height Adjustable (inches up/down)	Yes	5.9	6.1		
Tilt Up (degrees)	Yes	21	23.5		
Tilt Down (degrees)	Yes	5	-5		
Viewing Angle - Horizontal (degrees)	150	178	178		
Viewing Angle - Vertical (degrees)	150	178	178		
EnergyStar Level	7	8	8		
ePEAT Level	Bronze	Gold	Gold		
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange		
USB Hub (ports)		3.2 (5) / C (1)	3.2(4)		
Dot Pitch (.mm)		0.2745	0.233		
White Luminance (cd/m2)		250	300		
Contrast		1000:1	1000:1		
Pixel Response Rate (.ms)		5	6		
Refresh Rate (Hz)		60	60		
Swivel		Yes	Yes		
Security Slot		Yes	Yes		
VESA Wall Mount Compliant		Yes	Yes		
Pivot Capable		Yes	Yes		
Anti-Glare Coating		Yes	Yes		
Anti-Static Coating					
Active/Operating Power (Watts)		14.5	30		
Save/Sleep Power (Watts)		0.3	0.5		
Dimensions w/Stand (inches W x D x H)		21.21 x 7.33 x 15.81	21.25 x 7.48 x 15		
Dimensions w/o Stand (inches W x D x H)		21.21 x 2.52 x 13.83	21.25 x 1.98 x 14.28		
Weight w/Stand (.lbs)		12.44	11.7		
Weight w/o Stand (.lbs)		9.03	7.1		
UPGRADE OPTIONS (to be					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI		
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		
Display Adapter	USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		
Mounting Bracket	Base Stand/Legs	MFF AIO Height Adjustable Stand MFS22	Flex Stand		
Mounting Bracket	Base Stand/Legs	Pro Slim All-in-One Stand - OSS25			
Mounting Bracket	Base Stand/Legs	Dual Monitor Stand - MDS19			
Mounting Bracket	VESA Plate/Bracket	Dual VESA Mount w/Bracket - MFF/TC			
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy		23.8 inch W9 TIO Privacy Filter		
Filter	Anti-Glare/Privacy				

CONFIGURATION 4 24" TOUCHSCREEN COMPARISON



**HP
E24T G5
\$291.00**


**ViewSonic
TD2430
\$315.00**

**Dell
No Offering
No Offering
Product Details**

**Lenovo
No Offering
No Offering
Product Details**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	LED		
Viewable Image	24 inch	24 inch	24 inch		
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen	Yes	Yes	Yes		
Aspect Ratio	16:09 or greater	16:09	16:9		
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080		
DisplayPort Input		1	1		
HDMI Input	Must include at least 2 Total Inputs	1	1		
USB-C Input					
VGA Input			1		
Speakers	Integrated or Accessory Option	Accessory Option	Integrated		
Height Adjustable (inches up/down)	Yes	5.9			
Tilt Up (degrees)	Yes	23	20		
Tilt Down (degrees)	Yes	5	53		
Viewing Angle - Horizontal (degrees)	150	178	178		
Viewing Angle - Vertical (degrees)	150	178	178		
EnergyStar Level	7	8	8		
ePEAT Level	Bronze	Gold			
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year Express Exchange		
USB Hub (ports)		3.0 (4) / C (1)	3.2 (2)		
Dot Pitch (.mm)		0.27	0.272		
White Luminance (cd/m2)		300	200		
Contrast		1000:1	3000:1		
Pixel Response Rate (.ms)		5	10		
Refresh Rate (Hz)		75	60		
Swivel		Yes			
Security Slot		Yes	Yes		
VESA Wall Mount Compliant		Yes	Yes		
Pivot Capable		Yes			
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		25	40		
Save/Sleep Power (Watts)		0.5	0.5		
Dimensions w/Stand (inches W x D x H)		21.24 x 8.31 x 19.96	22.6 x 1.9 x 13.9		
Dimensions w/o Stand (inches W x D x H)		21.24 x 2.95 x 12.7	22.6 x 1.9 x 13.9		
Weight w/Stand (.lbs)		12.72	12.1		
Weight w/o Stand (.lbs)		9.08	12.1		
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable	S101 Speaker Bar			
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI			
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort			
Display Adapter	USB-C to HDMI	USB-C to HDMI			
Mounting Bracket	Base Stand/Legs	B560 PC Mounting Bracket			
Mounting Bracket	Base Stand/Legs	Quick Release Monitor Arm			
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket	Mini v4+ VESA Sleeve +B560 Bracket			
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 5 27" STANDARD COMPARISON



**HP
327PH
\$221.00**

**Dell
P2726H
\$225.23**

**ViewSonic
VG2752-2K
\$305.00**

**Lenovo
T27-40
\$326.99**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	LED	LED	WLED
Viewable Image	27 inch	27 inch	27 inch	27 inch	27 inch
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	16:09	16:9	16:9	16:09
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080	2560 x 1440	1920 x 1080
DisplayPort Input		1	1	1	1
HDMI Input	Must include at least 2 Total Inputs	1	1	1	1
USB-C Input			5	3	
VGA Input		1	1		1
Speakers	Integrated or Accessory Option	Accessory	Accessory	Integrated	Accessory Option
Height Adjustable (inches up/down)	Yes	5.9	4.9	5	6.1
Tilt Up (degrees)	Yes	20	21	5	23.5
Tilt Down (degrees)	Yes	5	5	30	-5
Viewing Angle - Horizontal (degrees)	150	178	178	178	178
Viewing Angle - Vertical (degrees)	150	178	178	178	178
EnergyStar Level	7	8	8	8	8
ePEAT Level	Bronze	Gold	Gold	Silver	Gold
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year Express Advanced Exchange	4 Year NBD Advanced Exchange
USB Hub (ports)			3.2 (5)	3.2 (2)	3.2 (3) / C (2)
Dot Pitch (.mm)		0.31	0.2745	0.275	0.233
White Luminance (cd/m2)		250	250	350	300
Contrast		1000:1	1000:1	1500:1	1000:1
Pixel Response Rate (.ms)		5	5	5	6
Refresh Rate (Hz)		75	60	100	60
Swivel		N/A	Yes	Yes	Yes
Security Slot		Yes	Yes	Yes	Yes
VESA Wall Mount Compliant		Yes	Yes	Yes	Yes
Pivot Capable		Yes	Yes	Yes	Yes
Anti-Glare Coating		No	Yes	Yes	Yes
Anti-Static Coating					
Active/Operating Power (Watts)		N/A	15	120	30
Save/Sleep Power (Watts)		28	0.2	0.5	0.5
Dimensions w/Stand (inches W x D x H)		0.5	24.01 x 7.48 x 21.03	24.1 x 8.6 x 15.8	24.17 x 8.06 x 16.91
Dimensions w/o Stand (inches W x D x H)		24.06 x 7.96 x 20.07	24.01 x 2.62 x 15.87	24.1 x 1.8 x 14.6	24.17 x 2.12 x 15.94
Weight w/Stand (.lbs)		24.06 x 2.25 x 14.39	14.93	16.4	15.9
Weight w/o Stand (.lbs)		12.68	9.66	11	11
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable	S101 Speaker Bar	Conferencing Soundbar - SB725		MS30 Speaker Soundbar
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI		DisplayPort to HDMI
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort
Display Adapter	USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI
Mounting Bracket	Base Stand/Legs	B550 Mounting Bracket	MFF AIO Height Adjustable Stand MFS22		Flex Stand
Mounting Bracket	Base Stand/Legs	Quick Release Monitor Arm	Pro Slim All-in-One Stand - OSS25		
Mounting Bracket	Base Stand/Legs		Dual Monitor Stand - MDS19		
Mounting Bracket	VESA Plate/Bracket	Desktop Mini v4 / VESA Sleeve Bracket	Dual VESA Mount wBracket - MFF/TC		
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy			Privacy Filter	27 inch W9 Privacy Filter
Filter	Anti-Glare/Privacy				

CONFIGURATION 6 27" WEBCAM COMPARISON



**HP
527PM
\$418.00**

**Dell
P2724DEB
\$442.05**

**ViewSonic
VG2757V-2K
\$450.00**

**Lenovo
T27QD-4V
\$502.99**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	LED	LED	WLED
Viewable Image	27 inch	27 inch	27 inch	27 inch	27 inch
Integrated Web Camera (w/Microphone)	2MP	5MP	4MP	5MP	5MP
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	16:09	16:9	16:9	16:09
Resolution Supported	1920 x 1080 or greater	2560 x 1440	2560 x 1440	2560 x 1440	2560 x 1440
DisplayPort Input		1	1	1	1
HDMI Input	Must include at least 2 Total Inputs	1	1	1	1
USB-C Input			1	2	1
VGA Input					
Speakers	Integrated or Accessory Option	Integrated	Integrated	Integrated	Integrated
Height Adjustable (inches up/down)	Yes	5.9	5.9	3.3	6.1
Tilt Up (degrees)	Yes	20	21	5	23.5
Tilt Down (degrees)	Yes	5	5	40	-5
Viewing Angle - Horizontal (degrees)	150	178	178	178	178
Viewing Angle - Vertical (degrees)	150	178	178	178	178
EnergyStar Level	7	8	8	8	8
ePEAT Level	Bronze	Gold	Gold	Silver	Gold
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange
USB Hub (ports)		3.0 (3) / C (2)	3.2 (5) / C (1)	3.2 (2)	3.2 (3) / C (2)
Dot Pitch (.mm)		0.2331	0.2331	0.233	0.233
White Luminance (cd/m2)		350	350	350	300
Contrast		1500:1	1000:1	1300:1	1000:1
Pixel Response Rate (.ms)		5	5	5	6
Refresh Rate (Hz)		100	60	100	75
Swivel		Yes	Yes	Yes	Yes
Security Slot		Yes	Yes	Yes	Yes
VESA Wall Mount Compliant		Yes	Yes	Yes	Yes
Pivot Capable		Yes	Yes	Yes	Yes
Anti-Glare Coating		Yes	Yes	Yes	Yes
Anti-Static Coating					
Active/Operating Power (Watts)		20.54	26	134.4	30
Save/Sleep Power (Watts)		0.5	0.3	0.5	0.5
Dimensions w/Stand (inches W x D x H)		24.15 x 8.15 x 21.41	24.09 x 9.1 x 17.35	24.1 x 8.6 x 16.7	24.17 x 8.06 x 16.91
Dimensions w/o Stand (inches W x D x H)		24.15 x 1.86 x 14.04	24.09 x 3.35 x 16.37	24.1 x 2.2 x 15.3	24.17 x 2.12 x 15.94
Weight w/Stand (.lbs)		17.37	18.2	17.7	15.9
Weight w/o Stand (.lbs)		13.62	12.46	12	11
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI		DisplayPort to HDMI
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort
Display Adapter	USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI
Mounting Bracket	Base Stand/Legs	B550 PC Mounting Bracket	MFF AIO Height Adjustable Stand MFS22		Flex Stand
Mounting Bracket	Base Stand/Legs	Quick Release Monitor Arm	SFF AIO Height Adjustable Stand OSS21		
Mounting Bracket	Base Stand/Legs		Dual Monitor Stand - MDS19		
Mounting Bracket	VESA Plate/Bracket	Mini v4+ VESA Sleeve +B550 Bracket	Dual VESA Mount w/Bracket - MFF/TC		
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				27 inch W9 Privacy Filter
Filter	Anti-Glare/Privacy				

CONFIGURATION 7 27" TEAMS COMPARISON



**Lenovo
T27QD-4V
\$502.99**

**Dell
No Offering
No Offering
Product Details**

**HP
No Offering
No Offering
Product Details**

**ViewSonic
No Offering
No Offering
Product Details**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	WLED			
Viewable Image	27 inch	27 inch			
Integrated Web Camera (w/Microphone)	2MP	5MP			
Microsoft Teams Integration (Certified)	Yes	Yes			
Touchscreen					
Aspect Ratio	16:09 or greater	16:09			
Resolution Supported	1920 x 1080 or greater	2560 x 1440			
DisplayPort Input		1			
HDMI Input	Must include at least 2 Total Inputs	1			
USB-C Input		1			
VGA Input					
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)	Yes	6.1			
Tilt Up (degrees)	Yes	23.5			
Tilt Down (degrees)	Yes	-5			
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	8			
ePEAT Level	Bronze	Gold			
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange			
USB Hub (ports)		3.2 (3) / C (2)			
Dot Pitch (.mm)		0.233			
White Luminance (cd/m2)		300			
Contrast		1000:1			
Pixel Response Rate (.ms)		6			
Refresh Rate (Hz)		75			
Swivel		Yes			
Security Slot		Yes			
VESA Wall Mount Compliant		Yes			
Pivot Capable		Yes			
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		30			
Save/Sleep Power (Watts)		0.5			
Dimensions w/Stand (inches W x D x H)		24.17 x 8.06 x 16.91			
Dimensions w/o Stand (inches W x D x H)		24.17 x 2.12 x 15.94			
Weight w/Stand (.lbs)		15.9			
Weight w/o Stand (.lbs)		11			
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange			
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI			
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort			
Display Adapter	USB-C to HDMI	USB-C to HDMI			
Mounting Bracket	Base Stand/Legs	Flex Stand			
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy	27 inch W9 Privacy Filter			
Filter	Anti-Glare/Privacy				

CONFIGURATION 8 27" TOUCHSCREEN COMPARISON



**ViewSonic
TD2760
\$530.00**


**Dell
No Offering
No Offering**

**HP
No Offering
No Offering**

**Lenovo
No Offering
No Offering**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED			
Viewable Image	24 inch	27 inch			
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen	Yes	Yes			
Aspect Ratio	16:09 or greater	16:9			
Resolution Supported	1920 x 1080 or greater	1920 x 1080			
DisplayPort Input		1			
HDMI Input	Must include at least 2 Total Inputs	1			
USB-C Input					
VGA Input		1			
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)	Yes				
Tilt Up (degrees)	Yes	4			
Tilt Down (degrees)	Yes	90			
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	8			
ePEAT Level	Bronze	Bronze			
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange			
USB Hub (ports)		3.2 (2)			
Dot Pitch (.mm)		0.311			
White Luminance (cd/m2)		250			
Contrast		3000:1			
Pixel Response Rate (.ms)		6			
Refresh Rate (Hz)		60			
Swivel					
Security Slot		Yes			
VESA Wall Mount Compliant		Yes			
Pivot Capable					
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		32			
Save/Sleep Power (Watts)		0.3			
Dimensions w/Stand (inches W x D x H)		26 x 9.4 x 17.5			
Dimensions w/o Stand (inches W x D x H)		26 x 2.3 x 16.2			
Weight w/Stand (.lbs)		17.4			
Weight w/o Stand (.lbs)		12.2			
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange			
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI				
Display Adapter	USB-C to DisplayPort				
Display Adapter	USB-C to HDMI				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 9 32" STANDARD COMPARISON



**ViewSonic
VX3267U-2K
\$260.00**


**Dell
P3225DE
\$407.40**

**HP
P34HC G4
\$444.00**

**Lenovo
T32H-30
\$561.99**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	LED	LED	WLED
Viewable Image	32 inch	32 inch	31.5 inch	34 inch Curved	31.5 inch
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16.09 or greater	16.9	16.9	21.9	16.09
Resolution Supported	2560 x 1440 or greater	2560 X 1440	2560 x 1440	3440 x 1440	2560 x 1440
DisplayPort Input		1	1	1	1
HDMI Input	Must include at least 2 Total Inputs	1	1	1	1
USB-C Input		1	1	1	1
VGA Input					
Speakers	Integrated or Accessory Option	Integrated	Accessory	Integrated	Accessory Option
Height Adjustable (inches up/down)		5.9	5.9	5.9	6.1
Tilt Up (degrees)		5	21	21	23.5
Tilt Down (degrees)		20	5	5	-5
Viewing Angle - Horizontal (degrees)	150	178	178	178	178
Viewing Angle - Vertical (degrees)	150	178	178	178	178
EnergyStar Level	7	8	8	8	8
ePEAT Level	Bronze		Gold	Gold	Gold
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange
USB Hub (ports)		3.2 (2)	3.2 (4) / C (1)	2.0 (1) / 3.0 (4) / C (1)	3.1 (4) / C (1)
Dot Pitch (.mm)		0.273	0.2727	0.23	0.273
White Luminance (cd/m2)		250	350	250	350
Contrast		1200:1	1000:1	3500:1	1000:1
Pixel Response Rate (.ms)		4	5	5	6
Refresh Rate (Hz)		75	60	100	60
Swivel			Yes		Yes
Security Slot		Yes	Yes	Yes	Yes
VESA Wall Mount Compliant		Yes	Yes	Yes	Yes
Pivot Capable			Yes		Yes
Anti-Glare Coating		Yes	Yes	Yes	Yes
Anti-Static Coating					
Active/Operating Power (Watts)		38	29.9	48	32
Save/Sleep Power (Watts)		0.5	0.3	0.5	0.5
Dimensions w/Stand (inches W x D x H)		28.1 x 9.2 x 20.3	28.05 x 9.06 x 24.30	31.89 x 9.25 x 20.40	28.12 x 9.25 x 17.50
Dimensions w/o Stand (inches W x D x H)		28.1 x 2.3 x 16.8	28.05 x 3.56 x 16.04	31.89 x 4.41 x 14.44	28.12 x 2.34 x 16.57
Weight w/Stand (.lbs)		13.7	25.79	23.17	21.83
Weight w/o Stand (.lbs)		12.6	15.56	17.31	15.9
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable		Conferencing Soundbar - SB725		MS30 Speaker Soundbar
Display Adapter	DisplayPort to HDMI		DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI
Display Adapter	USB-C to DisplayPort		USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort
Display Adapter	USB-C to HDMI		USB-C to HDMI	USB-C to HDMI	USB-C to HDMI
Mounting Bracket	Base Stand/Legs		MFF AIO Height Adjustable Stand MFS22		Flex Stand
Mounting Bracket	Base Stand/Legs		SFF AIO Height Adjustable Stand OSS21		
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket		Dual VESA Mount w/Bracket - MFF/TC		
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				32 inch W9 Infinity Monitor Screen
Filter	Anti-Glare/Privacy				

CONFIGURATION 10 32" WEBCAM COMPARISON



**HP
534PM
\$591.00**

**ViewSonic
VG3457CV
\$600.00**

**Dell
P3424WEB
\$638.40**

**Lenovo
No Offering
No Offering**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	LED	LED	
Viewable Image	32 inch	34 inch	34 inch Curved	34 inch	
Integrated Web Camera (w/Microphone)	4MP	5MP	5MP	5MP	
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	21:9	21:9	21:9	
Resolution Supported	2560 x 1440 or greater	3440 x 1440	3440 x 1440	3440 x 1440	
DisplayPort Input		1	1	1	
HDMI Input	Must include at least 2 Total Inputs	1	2	1	
USB-C Input		1	2	1	
VGA Input					
Speakers	Integrated or Accessory Option	Integrated	Integrated	Integrated	
Height Adjustable (inches up/down)		5.9	4.3	4.7	
Tilt Up (degrees)		20	5	21	
Tilt Down (degrees)		5	40	5	
Viewing Angle - Horizontal (degrees)	150	178	178	178	
Viewing Angle - Vertical (degrees)	150	178	178	178	
EnergyStar Level	7	8	8	8	
ePEAT Level	Bronze	Gold	Silver	Gold	
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange	
USB Hub (ports)		3.0 (3) / C (2)	3.2 (2)	3.2 (3) / C (2)	
Dot Pitch (.mm)		0.23	0.232	0.2325	
White Luminance (cd/m2)		400	350	300	
Contrast		166,667:1	3,000:1	1000:1	
Pixel Response Rate (.ms)		5	5	5	
Refresh Rate (Hz)		100	100	60	
Swivel		Yes	Yes	Yes	
Security Slot		Yes	Yes	Yes	
VESA Wall Mount Compliant		Yes	Yes	Yes	
Pivot Capable				No	
Anti-Glare Coating		Yes	Yes	Yes	
Anti-Static Coating					
Active/Operating Power (Watts)		34	45	31.5	
Save/Sleep Power (Watts)		0.5	0.5	0.3	
Dimensions w/Stand (inches W x D x H)		31.81 x 10.61 x 21.54	31.81 x 9.3 x 16.68	32.11 x 9.55 x 17.55	
Dimensions w/o Stand (inches W x D x H)		31.81 x 4.59 x 14.52	31.81 x 4.53 x 15.4	32.11 x 3.34 x 16.54	
Weight w/Stand (.lbs)		25.27	20.9	23.9	
Weight w/o Stand (.lbs)		19.14	15.4	16.38	
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI		DisplayPort to HDMI	
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort	
Display Adapter	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI	
Mounting Bracket	Base Stand/Legs	B560 PC Bracket for stand		MFF AIO Height Adjustable Stand MFS22	
Mounting Bracket	Base Stand/Legs			SFF AIO Height Adjustable Stand OSS21	
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket	Desktop Mini v4+ VESA Sleeve +Bracket		Dual VESA Mount w/Bracket - MFF/TC	
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 11 32" TEAMS COMPARISON


		Dell	HP	Lenovo	ViewSonic
		No Offering	No Offering	No Offering	No Offering
		No Offering	No Offering	No Offering	No Offering
		Product Details	Product Details	Product Details	Product Details
Features	Base Specifications				
Display Type	LED				
Viewable Image	32 inch				
Integrated Web Camera (w/Microphone)	4MP				
Microsoft Teams Integration (Certified)	Yes				
Touchscreen					
Aspect Ratio	16:09 or greater				
Resolution Supported	2560 x 1440 or greater				
DisplayPort Input					
HDMI Input	Must include at least 2 Total Inputs				
USB-C Input					
VGA Input					
Speakers		Integrated or Accessory Option			
Height Adjustable (inches up/down)					
Tilt Up (degrees)					
Tilt Down (degrees)					
Viewing Angle - Horizontal (degrees)	150				
Viewing Angle - Vertical (degrees)	150				
EnergyStar Level	7				
ePEAT Level	Bronze				
Warranty	4 Year NBD Advanced Exchange				
USB Hub (ports)					
Dot Pitch (.mm)					
White Luminance (cd/m2)					
Contrast					
Pixel Response Rate (.ms)					
Refresh Rate (Hz)					
Swivel					
Security Slot					
VESA Wall Mount Compliant					
Pivot Capable					
Anti-Glare Coating					
Anti-Static Coating					
Active/Operating Power (Watts)					
Save/Sleep Power (Watts)					
Dimensions w/Stand (inches W x D x H)					
Dimensions w/o Stand (inches W x D x H)					
Weight w/Stand (.lbs)					
Weight w/o Stand (.lbs)					
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI				
Display Adapter	USB-C to DisplayPort				
Display Adapter	USB-C to HDMI				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 12 32" TOUCHSCREEN COMPARISON



	ViewSonic TD3207 \$940.00	Dell No Offering No Offering	HP No Offering No Offering	Lenovo No Offering No Offering
Features	Base Specifications	Product Details	Product Details	Product Details
Display Type	LED	LED		
Viewable Image	32 inch	16.9		
Integrated Web Camera (w/Microphone)				
Microsoft Teams Integration (Certified)				
Touchscreen	Yes	Yes		
Aspect Ratio	16:09 or greater	1		
Resolution Supported	2560 x 1440 or greater	1920 x 1080		
DisplayPort Input		1		
HDMI Input	Must include at least 2 Total Inputs	1		
USB-C Input				
VGA Input				
Speakers	Integrated or Accessory Option	Integrated		
Height Adjustable (inches up/down)				
Tilt Up (degrees)				
Tilt Down (degrees)				
Viewing Angle - Horizontal (degrees)	150	178		
Viewing Angle - Vertical (degrees)	150	178		
EnergyStar Level	7	8		
ePEAT Level	Bronze			
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange		
USB Hub (ports)		2.0 (2)		
Dot Pitch (.mm)		0.364		
White Luminance (cd/m2)		450		
Contrast		3000:1		
Pixel Response Rate (.ms)		5		
Refresh Rate (Hz)		60		
Swivel				
Security Slot				
VESA Wall Mount Compliant		Yes		
Pivot Capable				
Anti-Glare Coating				
Anti-Static Coating				
Active/Operating Power (Watts)		46		
Save/Sleep Power (Watts)		0.5		
Dimensions w/Stand (inches W x D x H)		29.4 x 2.5 x 17.8		
Dimensions w/o Stand (inches W x D x H)		29.4 x 2.5 x 17.8		
Weight w/Stand (.lbs)		28.2		
Weight w/o Stand (.lbs)		28.2		
UPGRADE OPTIONS (to be ordered at initial purchase)				
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange		
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)				
Speakers	Attachable			
Display Adapter	DisplayPort to HDMI			
Display Adapter	USB-C to DisplayPort			
Display Adapter	USB-C to HDMI			
Mounting Bracket	Base Stand/Legs			
Mounting Bracket	Base Stand/Legs			
Mounting Bracket	Base Stand/Legs			
Mounting Bracket	VESA Plate/Bracket			
Mounting Bracket	VESA Plate/Bracket			
Mounting Bracket	VESA Plate/Bracket			
Filter	Anti-Glare/Privacy			
Filter	Anti-Glare/Privacy			

CONFIGURATION 13 40" STANDARD COMPARISON



**ViewSonic
CDE4331**

\$760.00

**Dell
4323QE**

\$815.85

**HP
No Offering
No Offering
Product Details**

**Lenovo
No Offering
No Offering
Product Details**

Features	Base Specifications	Product Details	Product Details	HP No Offering No Offering Product Details	Lenovo No Offering No Offering Product Details
Display Type	LED	LED	LED		
Viewable Image	40 inch	43 inch	42.5 inch		
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	16:9	16:9		
Resolution Supported	3840 x 2160 or greater	3840x2160	3840 x 2160		
DisplayPort Input			2		
HDMI Input	Must include at least 2 Total Inputs	4	2		
USB-C Input		1	1		
VGA Input					
Speakers	Integrated or Accessory Option	Integrated	Integrated		
Height Adjustable (inches up/down)			2.4		
Tilt Up (degrees)			10		
Tilt Down (degrees)			5		
Viewing Angle - Horizontal (degrees)	150	178	178		
Viewing Angle - Vertical (degrees)	150	178	178		
EnergyStar Level	7	8	8		
ePEAT Level	Bronze	Bronze	Gold		
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange		
USB Hub (ports)		2.0 (1) / 3.0 (1) / C (1)	3.2 (4) C (5)		
Dot Pitch (.mm)			0.2451		
White Luminance (cd/m2)		500	350		
Contrast		1200:1	1000:1		
Pixel Response Rate (.ms)		6.5	5		
Refresh Rate (Hz)		60	60		
Swivel			Yes		
Security Slot			Yes		
VESA Wall Mount Compliant		Yes	Yes		
Pivot Capable		Yes			
Anti-Glare Coating		Yes	Yes		
Anti-Static Coating					
Active/Operating Power (Watts)		53	52.1		
Save/Sleep Power (Watts)		0.5	0.3		
Dimensions w/Stand (inches W x D x H)		N/A	38.08 x 10.09 x 23.43		
Dimensions w/o Stand (inches W x D x H)		37.98 x 2.81 x 21.75	38.08 x 2.52 x 22.07		
Weight w/Stand (.lbs)		N/A	40.9		
Weight w/o Stand (.lbs)		20.06	29.01		
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI		DisplayPort to HDMI		
Display Adapter	USB-C to DisplayPort		USB-C to DisplayPort		
Display Adapter	USB-C to HDMI		USB-C to HDMI		
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 14 40" WEBCAM COMPARISON



**HP
740P
\$1,480.00**

**Dell
No Offering
No Offering
Product Details**

**Lenovo
No Offering
No Offering
Product Details**

**ViewSonic
No Offering
No Offering
Product Details**

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED			
Viewable Image	40 inch	39.7 inch			
Integrated Web Camera (w/Microphone)	8MP	13MP			
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	21:9			
Resolution Supported	3840 x 2160 or greater	5120 x 2160			
DisplayPort Input		1			
HDMI Input	Must include at least 2 Total Inputs	1			
USB-C Input		2			
VGA Input					
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)		5.9			
Tilt Up (degrees)		20			
Tilt Down (degrees)		5			
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	8			
ePEAT Level	Bronze	Gold			
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange			
USB Hub (ports)		3.0 (4) / C (2)			
Dot Pitch (.mm)		0.18			
White Luminance (cd/m2)		400			
Contrast		1000:1			
Pixel Response Rate (.ms)		5			
Refresh Rate (Hz)		60			
Swivel		Yes			
Security Slot		Yes			
VESA Wall Mount Compliant		Yes			
Pivot Capable					
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		72			
Save/Sleep Power (Watts)		0.5			
Dimensions w/Stand (inches W x D x H)		37.3 x 11.5 x 25.37			
Dimensions w/o Stand (inches W x D x H)		37.3 x 5.59 x 17.6			
Weight w/Stand (.lbs)		31.3			
Weight w/o Stand (.lbs)		28.7			
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange			
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI			
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort			
Display Adapter	USB-C to HDMI	USB-C to HDMI			
Mounting Bracket	Base Stand/Legs	B600 PC Bracket for stand			
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket	Desktop Mini v4+ VESA Sleeve +Bracket			
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 15 40" TEAMS COMPARISON

		Dell	HP	Lenovo	ViewSonic
		No Offering	No Offering	No Offering	No Offering
		No Offering	No Offering	No Offering	No Offering
		Product Details	Product Details	Product Details	Product Details
Features	Base Specifications				
Display Type	LED				
Viewable Image	40 inch				
Integrated Web Camera (w/Microphone)	8MP				
Microsoft Teams Integration (Certified)	Yes				
Touchscreen					
Aspect Ratio	16:09 or greater				
Resolution Supported	3840 x 2160 or greater				
DisplayPort Input					
HDMI Input	Must include at least 2 Total Inputs				
USB-C Input					
VGA Input					
Speakers		Integrated or Accessory Option			
Height Adjustable (inches up/down)					
Tilt Up (degrees)					
Tilt Down (degrees)					
Viewing Angle - Horizontal (degrees)	150				
Viewing Angle - Vertical (degrees)	150				
EnergyStar Level	7				
ePEAT Level	Bronze				
Warranty	4 Year NBD Advanced Exchange				
USB Hub (ports)					
Dot Pitch (.mm)					
White Luminance (cd/m2)					
Contrast					
Pixel Response Rate (.ms)					
Refresh Rate (Hz)					
Swivel					
Security Slot					
VESA Wall Mount Compliant					
Pivot Capable					
Anti-Glare Coating					
Anti-Static Coating					
Active/Operating Power (Watts)					
Save/Sleep Power (Watts)					
Dimensions w/Stand (inches W x D x H)					
Dimensions w/o Stand (inches W x D x H)					
Weight w/Stand (.lbs)					
Weight w/o Stand (.lbs)					
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI				
Display Adapter	USB-C to DisplayPort				
Display Adapter	USB-C to HDMI				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 16 40" TOUCHSCREEN COMPARISON

		Dell	HP	Lenovo	ViewSonic
		No Offering	No Offering	No Offering	No Offering
		No Offering	No Offering	No Offering	No Offering
		Product Details	Product Details	Product Details	Product Details
Features	Base Specifications				
Display Type	LED				
Viewable Image	40 inch				
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen	Yes				
Aspect Ratio	16:09 or greater				
Resolution Supported	3840 x 2160 or greater				
DisplayPort Input					
HDMI Input	Must include at least 2 Total Inputs				
USB-C Input					
VGA Input					
Speakers		Integrated or Accessory Option			
Height Adjustable (inches up/down)					
Tilt Up (degrees)					
Tilt Down (degrees)					
Viewing Angle - Horizontal (degrees)	150				
Viewing Angle - Vertical (degrees)	150				
EnergyStar Level	7				
ePEAT Level	Bronze				
Warranty	4 Year NBD Advanced Exchange				
USB Hub (ports)					
Dot Pitch (.mm)					
White Luminance (cd/m2)					
Contrast					
Pixel Response Rate (.ms)					
Refresh Rate (Hz)					
Swivel					
Security Slot					
VESA Wall Mount Compliant					
Pivot Capable					
Anti-Glare Coating					
Anti-Static Coating					
Active/Operating Power (Watts)					
Save/Sleep Power (Watts)					
Dimensions w/Stand (inches W x D x H)					
Dimensions w/o Stand (inches W x D x H)					
Weight w/Stand (.lbs)					
Weight w/o Stand (.lbs)					
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI				
Display Adapter	USB-C to DisplayPort				
Display Adapter	USB-C to HDMI				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 17 50" STANDARD COMPARISON



		HP 549PM \$1,240.00	Dell U4924DW \$1,242.78	Lenovo P49W-30 \$1,718.99	Microsoft No Offering No Offering	ViewSonic No Offering No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	LED	WLED		
Viewable Image	50 inch	49 inch Curved	49 inch	49 inch Curved		
Integrated Web Camera (w/Microphone)		5MP				
Microsoft Teams Integration (Certified)		Yes				
Touchscreen						
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	32:09	32:9	32:09		
Resolution Supported	3840 x 2160 or greater	5120x1440	5120 x 1440	5120 x 1440		
DisplayPort Input		1	1	1		
HDMI Input	Must include at least 3 Total Inputs	1	2	2		
USB-C Input		1	1	1		
VGA Input			N/A			
Speakers	Integrated or Accessory Option	Integrated	Integrated	Integrated		
Height Adjustable (inches up/down)		5.91	4.7	6.1		
Tilt Up (degrees)		20	21	23.5		
Tilt Down (degrees)		5	5	-5		
Viewing Angle - Horizontal (degrees)	150	178	178	178		
Viewing Angle - Vertical (degrees)	150	178	178	178		
EnergyStar Level	7	9	8	9		
ePEAT Level	Bronze	Gold	Gold	Gold		
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange		
USB Hub (ports)		3.0 (3) / C (3)	3.2 (5) C (4)	3.2 (4) / C (1) / TB4 (1)		
Dot Pitch (.mm)		0.23	0.234	0.234		
White Luminance (cd/m2)		400	350	350		
Contrast		4000:1	2000:1	2000:1		
Pixel Response Rate (.ms)		5	5	6		
Refresh Rate (Hz)		165	60	60		
Swivel		Yes	Yes	Yes		
Security Slot		Yes	Yes	Yes		
VESA Wall Mount Compliant		Yes	Yes	Yes		
Pivot Capable				Yes		
Anti-Glare Coating		Yes	Yes	Yes		
Anti-Static Coating						
Active/Operating Power (Watts)		65	45 W	58		
Save/Sleep Power (Watts)		0.5	0.3 W	0.5		
Dimensions w/Stand (inches W x D x H)		47.0 x 12.2 x 23.1	47.83 x 10.6 x 15.77-20.49	47.84 x 9.99 x 16.59		
Dimensions w/o Stand (inches W x D x H)		47.0 x 12.2 x 14.6	47.83 x 4.41 x 14.41	47.84 x 4.35 x 14.57		
Weight w/Stand (.lbs)		37.88	40.9	34.8		
Weight w/o Stand (.lbs)		30.29	35.93	24.5		
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort (M) to HDMI (F)	DisplayPort to HDMI		
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort	USB-C (M) to DisplayPort (F)	USB-C to DisplayPort		
Display Adapter	USB-C to HDMI	USB-C to HDMI	USB-C (M) to HDMI (F)	USB-C to HDMI		
Mounting Bracket	Base Stand/Legs			Flex Stand		
Mounting Bracket	Base Stand/Legs					
Mounting Bracket	Base Stand/Legs					
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 18 50" TOUCHSCREEN COMPARISON

CONFIGURATION 18 50" TOUCHSCREEN COMPARISON							
			Dell No Offering No Offering	HP No Offering No Offering	Lenovo No Offering No Offering	Microsoft No Offering No Offering	ViewSonic No Offering No Offering
		Product Details	Product Details	Product Details	Product Details	Product Details	
Features	Base Specifications						
Display Type	LED						
Viewable Image	50 inch						
Integrated Web Camera (w/Microphone)							
Microsoft Teams Integration (Certified)							
Touchscreen	Yes						
Integrated PC							
Processor							
Operating System							
RAM							
Hard Disk							
Video Graphics							
Sounds							
Network Interface							
Wireless Interface							
Bluetooth Interface							
Aspect Ratio	16:09 or greater						
Resolution Supported	3840 x 2160 or greater						
DisplayPort Input							
HDMI Input	Must include at least 3 Total Inputs						
USB-C Input							
VGA Input							
Speakers	Integrated or Accessory Option						
Height Adjustable (inches up/down)							
Tilt Up (degrees)							
Tilt Down (degrees)							
Viewing Angle - Horizontal (degrees)	150						
Viewing Angle - Vertical (degrees)	150						
EnergyStar Level	7						
ePEAT Level	Bronze						
Warranty	4 Year NBD Advanced Exchange						
USB Hub (ports)							
Dot Pitch (.mm)							
White Luminance (cd/m2)							
Contrast							
Pixel Response Rate (.ms)							
Refresh Rate (Hz)							
Swivel							
Security Slot							
VESA Wall Mount Compliant							
Pivot Capable							
Anti-Glare Coating							
Anti-Static Coating							
Active/Operating Power (Watts)							
Save/Sleep Power (Watts)							
Dimensions w/Stand (inches W x D x H)							
Dimensions w/o Stand (Inches W x D x H)							
Weight w/Stand (.lbs)							
Weight w/o Stand (.lbs)							
UPGRADE OPTIONS (to be ordered at initial purchase)							
Warranty	1 Additional Year						
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)							
Speakers	Attachable						
Display Adapter	DisplayPort to HDMI						
Display Adapter	USB-C to DisplayPort						
Display Adapter	USB-C to HDMI						
Mounting Bracket	Base Stand/Legs						
Mounting Bracket	Base Stand/Legs						
Mounting Bracket	Base Stand/Legs						
Mounting Bracket	VESA Plate/Bracket						
Mounting Bracket	VESA Plate/Bracket						
Mounting Bracket	VESA Plate/Bracket						
Filter	Anti-Glare/Privacy						
Filter	Anti-Glare/Privacy						

CONFIGURATION 19 50" INTERACTIVE COMPARISON

		Dell No Offering	HP No Offering	Lenovo No Offering	Microsoft No Offering	ViewSonic No Offering
		No Offering	No Offering	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED					
Viewable Image	50 inch					
Integrated Web Camera (w/Microphone)	4K					
Microsoft Teams Integration (Certified)						
Touchscreen	Yes					
Integrated PC	Yes					
Processor	Intel Core i5 8350U					
Operating System	Windows 11 Pro 64Bit					
RAM	8GB non-ECC					
Hard Disk	128GB PCIe non-OPAL					
Video Graphics	HD Graphics					
Sounds	High Definition Audio					
Network Interface	Gigabit 10/100/1000					
Wireless Interface	802.11 AX					
Bluetooth Interface	5					
Aspect Ratio	16:09 or greater					
Resolution Supported	3840 x 2160 or greater					
DisplayPort Input						
HDMI Input						
USB-C Input	Must include at least 3 Total Inputs					
VGA Input						
Speakers	Integrated or Accessory Option					
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150					
Viewing Angle - Vertical (degrees)	150					
EnergyStar Level	7					
ePEAT Level	Bronze					
Warranty	4 Year NBD Advanced Exchange					
USB Hub (ports)						
Dot Pitch (.mm)						
White Luminance (cd/m2)						
Contrast						
Pixel Response Rate (.ms)						
Refresh Rate (Hz)						
Swivel						
Security Slot						
VESA Wall Mount Compliant						
Pivot Capable						
Anti-Glare Coating						
Anti-Static Coating						
Active/Operating Power (Watts)						
Save/Sleep Power (Watts)						
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)						
Weight w/Stand (. lbs)						
Weight w/o Stand (. lbs)						
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year					
Integrated PC - Processor	Intel Core i7 8550U					
Integrated PC - RAM	16GB non-ECC					
Integrated PC - RAM	32GB non-ECC					
Integrated PC - Solid State	256GB PCIe non-OPAL					
Integrated PC - Solid State	512GB PCIe non-OPAL					
Integrated PC - Solid State	1TB PCIe non-OPAL					
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs					
Mounting Bracket	Base Stand/Legs					
Mounting Bracket	Base Stand/Legs					
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 20 55" STANDARD COMPARISON



		ViewSonic CDE5531	Dell P5525QC	HP No Offering	Lenovo No Offering	Microsoft No Offering
		\$885.00	\$1,022.04	No Offering	No Offering	No Offering
		Product Details	Product Details	Product Details	Product Details	Product Details
Features	Base Specifications					
Display Type	LED	LED	LED			
Viewable Image	55 inch	55 inch	54.6 inch			
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen						
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	16:9	16:9			
Resolution Supported	3840 x 2160 or greater	3840x2160	3840 x 2160			
DisplayPort Input			1			
HDMI Input		3	2			
USB-C Input	Must include at least 3 Total Inputs	1	1			
VGA Input						
Speakers	Integrated or Accessory Option	Integrated	Integrated			
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178	178			
Viewing Angle - Vertical (degrees)	150	178	178			
EnergyStar Level	7	8	8			
ePEAT Level	Bronze	Bronze	Gold			
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange			
USB Hub (ports)		2.0 (1)/ 3.0 (1)/ C (1)	3.2 (2) C (2)			
Dot Pitch (.mm)			0.315			
White Luminance (cd/m2)		500	400			
Contrast		1200:1	1200:1			
Pixel Response Rate (.ms)		6.5	8			
Refresh Rate (Hz)		60	60			
Swivel						
Security Slot			Yes			
VESA Wall Mount Compliant		Yes	Yes			
Pivot Capable		Yes				
Anti-Glare Coating		Yes	Yes			
Anti-Static Coating						
Active/Operating Power (Watts)		70	77.1W			
Save/Sleep Power (Watts)		0.5	0.3 W			
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		48.54 x 2.81 x 27.7	49.11 x 3.14 x 28.65			
Weight w/Stand (.lbs)			N/A			
Weight w/o Stand (.lbs)		28.55	49.38			
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange	1 Additional Year NBD Advanced Exchange			
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI		DisplayPort (M) to HDMI (F)			
Display Adapter	USB-C to DisplayPort		USB-C (M) to DisplayPort (F)			
Display Adapter	USB-C to HDMI		USB-C (M) to HDMI (F)			
Mounting Bracket	Base Stand/Legs	Flat Wall Mount	Large Manual Height Adjust Cart for LCD			
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket		Large Fixed Wall Display Mount			
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 21 55" TOUCHSCREEN COMPARISON



		ViewSonic IFP55G1 \$1,365.00	Dell No Offering No Offering Product Details	HP No Offering No Offering Product Details	Lenovo No Offering No Offering Product Details	Microsoft No Offering No Offering Product Details
Features		Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED				
Viewable Image	55 inch	55 inch				
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen	Yes	Yes				
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	16:9				
Resolution Supported	3840 x 2160 or greater	3840 x 2160				
DisplayPort Input						
HDMI Input	Must include at least 3 Total Inputs	3				
USB-C Input		1				
VGA Input						
Speakers	Integrated or Accessory Option	Integrated				
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178				
Viewing Angle - Vertical (degrees)	150	178				
EnergyStar Level	7	8				
ePEAT Level	Bronze	Silver				
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange				
USB Hub (ports)		3.0 (6) / 3.2 (2) / C (1)				
Dot Pitch (.mm)		0.43				
White Luminance (cd/m2)		350				
Contrast		1200:1				
Pixel Response Rate (.ms)		5				
Refresh Rate (Hz)		60				
Swivel						
Security Slot						
VESA Wall Mount Compliant						
Pivot Capable						
Anti-Glare Coating		Yes				
Anti-Static Coating						
Active/Operating Power (Watts)		90				
Save/Sleep Power (Watts)		0.5				
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		49.7 x 3.37 x 30.31				
Weight w/Stand (.lbs)						
Weight w/o Stand (.lbs)		59.3				
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs	Flat Wall Mount				
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 22 55" INTERACTIVE COMPARISON



		ViewSonic IFP5551	Dell No Offering	HP No Offering	Lenovo No Offering	Microsoft No Offering
		\$3,170.00	No Offering	No Offering	No Offering	No Offering
		Product Details	Product Details	Product Details	Product Details	Product Details
Features	Base Specifications					
Display Type	LED	LED				
Viewable Image	55 inch	55 inch				
Integrated Web Camera (w/Microphone)	4K	4K				
Microsoft Teams Integration (Certified)						
Touchscreen	Yes	Yes				
Integrated PC	Yes	Yes				
Processor	Intel Core i5 8350U	Intel i5-1240P				
Operating System	Windows 11 Pro 64Bit	Windows 11 Pro				
RAM	8GB non-ECC	16GB				
Hard Disk	128GB PCIe non-OPAL	512GB				
Video Graphics	HD Graphics	Intel Iris Xe Graphics				
Sounds	High Definition Audio	High Definition Audio				
Network Interface	Gigabit 10/100/1000	Gigabit 10/100/1000				
Wireless Interface	802.11 AX	WiFi 6 802.11 ax				
Bluetooth Interface	5	5.2				
Aspect Ratio	16:09 or greater	16:09				
Resolution Supported	3840 x 2160 or greater	3840 x 2160				
DisplayPort Input						
HDMI Input		4				
USB-C Input	Must include at least 3 Total Inputs	1				
VGA Input		1				
Speakers	Integrated or Accessory Option	Integrated				
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178				
Viewing Angle - Vertical (degrees)	150	178				
EnergyStar Level	7	8				
ePEAT Level	Bronze	Bronze				
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange				
USB Hub (ports)		3.0 (6) / 3.2 (2) / C (1)				
Dot Pitch (mm)		0.43				
White Luminance (cd/m2)		350				
Contrast		1200:1				
Pixel Response Rate (.ms)		6.5				
Refresh Rate (Hz)		60				
Swivel						
Security Slot						
VESA Wall Mount Compliant						
Pivot Capable						
Anti-Glare Coating		Yes				
Anti-Static Coating						
Active/Operating Power (Watts)		89				
Save/Sleep Power (Watts)		0.5				
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		49.99 x 3.3 x 31.08				
Weight w/Stand (lbs)						
Weight w/o Stand (lbs)		69.69				
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange				
Integrated PC - Processor	Intel Core i7 8550U	Intel Core i7-1260P / 16GB / 512GB				
Integrated PC - RAM	16GB non-ECC					
Integrated PC - RAM	32GB non-ECC					
Integrated PC - Solid State	256GB PCIe non-OPAL					
Integrated PC - Solid State	512GB PCIe non-OPAL					
Integrated PC - Solid State	1TB PCIe non-OPAL					
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs	Flat Wall Mount				
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					

CONFIGURATION 23 65" STANDARD COMPARISON




		ViewSonic CDE6531	Dell No Offering	HP No Offering	Lenovo No Offering	Microsoft No Offering
		\$1,270.00	No Offering	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED				
Viewable Image	65 inch	65 inch				
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen						
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	16:9				
Resolution Supported	3840 x 2160 or greater	3840 x 2160				
DisplayPort Input						
HDMI Input	Must include at least 3 Total Inputs	3				
USB-C Input		1				
VGA Input						
Speakers	Integrated or Accessory Option	Integrated				
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178				
Viewing Angle - Vertical (degrees)	150	178				
EnergyStar Level	7	8				
ePEAT Level	Bronze	Bronze				
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange				
USB Hub (ports)		2.0 (1) / 3.0 (1) / C (1)				
Dot Pitch (.mm)						
White Luminance (cd/m2)		500				
Contrast		1,200:1				
Pixel Response Rate (.ms)		6.5				
Refresh Rate (Hz)		60				
Swivel						
Security Slot						
VESA Wall Mount Compliant		Yes				
Pivot Capable		Yes				
Anti-Glare Coating		Yes				
Anti-Static Coating		Yes				
Active/Operating Power (Watts)		74				
Save/Sleep Power (Watts)		0.5				
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		64.09 x 7.28 x 37.09				
Weight w/Stand (.lbs)						
Weight w/o Stand (.lbs)		52				
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs	Flat Wall Mount				
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 24 65" TOUCHSCREEN COMPARISON



		ViewSonic IFP65G1	Dell No Offering	HP No Offering	Lenovo No Offering	Microsoft No Offering
		\$1,480.00	No Offering	No Offering	No Offering	No Offering
		Product Details	Product Details	Product Details	Product Details	Product Details
Features	Base Specifications					
Display Type	LED	LED				
Viewable Image	65 inch	65 inch				
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen	Yes	Yes				
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	16:9				
Resolution Supported	3840 x 2160 or greater	3840 x 2160				
DisplayPort Input						
HDMI Input	Must include at least 3 Total Inputs	3				
USB-C Input		1				
VGA Input						
Speakers	Integrated or Accessory Option	Integrated				
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178				
Viewing Angle - Vertical (degrees)	150	178				
EnergyStar Level	7	8				
ePEAT Level	Bronze	Silver				
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange				
USB Hub (ports)		3.0 (6) / 3.2 (2) / C (1)				
Dot Pitch (.mm)		0.43				
White Luminance (cd/m2)		400				
Contrast		500:1				
Pixel Response Rate (.ms)		5				
Refresh Rate (Hz)		60				
Swivel						
Security Slot						
VESA Wall Mount Compliant						
Pivot Capable						
Anti-Glare Coating		Yes				
Anti-Static Coating						
Active/Operating Power (Watts)		103.8				
Save/Sleep Power (Watts)		0.5				
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		58.56 x 3.37 x 35.3				
Weight w/Stand (.lbs)						
Weight w/o Stand (.lbs)		81.46				
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs	Flat Wall Mount				
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 25 65" INTERACTIVE COMPARISON



**ViewSonic
IFP6551**
\$3,325.00

**Dell
P6524QT**
\$5,655.86

**HP
No Offering**
No Offering

**Lenovo
No Offering**
No Offering

**Microsoft
No Offering**
No Offering

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	LED	LED	LED
Viewable Image	65 inch	65 inch	65 inch	64.5 inch	64.5 inch
Integrated Web Camera (w/Microphone)	4K	4K	4K	4K Logitech Rally Bar Huddle	4K Logitech Rally Bar Huddle
Microsoft Teams Integration (Certified)					
Touchscreen	Yes	Yes	Yes	Yes	Yes
Integrated PC	Yes	Yes	Yes	Yes	Yes
Processor	Intel Core i5 8350U	Intel i5-12450H	Intel Core i5 14500T	Intel Core i5 14500T	Intel Core i5 14500T
Operating System	Windows 11 Pro 64Bit	Windows 11 Pro	Windows 11 Pro 64Bit	Windows 11 Pro 64Bit	Windows 11 Pro 64Bit
RAM	8GB non-ECC	16GB non-ECC	8GB non-ECC	8GB non-ECC	8GB non-ECC
Hard Disk	128GB PCIe non-OPAL	512GB PCIe non-OPAL	256GB PCIe non-OPAL	256GB PCIe non-OPAL	256GB PCIe non-OPAL
Video Graphics	HD Graphics	Intel Iris Xe Graphics	HD Graphics	HD Graphics	HD Graphics
Sounds	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio
Network Interface	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000
Wireless Interface	802.11 AX	WiFi 6 802.11 AX	802.11 AX	802.11 AX	802.11 AX
Bluetooth Interface	5	5.2	5.2	5.2	5.2
Aspect Ratio	16:09 or greater	16:09	16:9	16:9	16:9
Resolution Supported	3840 x 2160 or greater	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160
DisplayPort Input		1	1	1	1
HDMI Input		4	3	3	3
USB-C Input	Must include at least 3 Total Inputs		1	1	1
VGA Input		1	1	1	1
Speakers	Integrated or Accessory Option	Integrated	Integrated	Integrated	Integrated
Height Adjustable (inches up/down)					
Tilt Up (degrees)					
Tilt Down (degrees)					
Viewing Angle - Horizontal (degrees)	150	178	178	178	178
Viewing Angle - Vertical (degrees)	150	178	178	178	178
EnergyStar Level	7	8	8	8	8
ePEAT Level	Bronze	Bronze	Gold	Gold	Gold
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange
USB Hub (ports)		3.0 (6) / 3.2 (2) / C (1)	3.2 (4) C (1)	3.2 (4) C (1)	3.2 (4) C (1)
Dot Pitch (.mm)		0.43	0.372	0.372	0.372
White Luminance (cd/m2)		400	350	350	350
Contrast		1200:1	1300:1	1300:1	1300:1
Pixel Response Rate (.ms)		6.5	9	9	9
Refresh Rate (Hz)		60	60	60	60
Swivel					
Security Slot			Yes	Yes	Yes
VESA Wall Mount Compliant			Yes	Yes	Yes
Pivot Capable					
Anti-Glare Coating		Yes	Yes	Yes	Yes
Anti-Static Coating					
Active/Operating Power (Watts)		95	101 W	101 W	101 W
Save/Sleep Power (Watts)		0.5	0.3 W	0.3 W	0.3 W
Dimensions w/Stand (inches W x D x H)			59.76 x 6.41 x 37.21	59.76 x 6.41 x 37.21	59.76 x 6.41 x 37.21
Dimensions w/o Stand (inches W x D x H)		58.6 x 3.36 x 35.99	59.76 x 3.10 x 35.15	59.76 x 3.10 x 35.15	59.76 x 3.10 x 35.15
Weight w/Stand (lbs)			102.29	102.29	102.29
Weight w/o Stand (lbs)		76.15	99.65	99.65	99.65
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year Express Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange
Integrated PC - Processor	Intel Core i7 8550U	Intel Core i7-1260P / 16GB / 512GB	Intel Core i7 14700	Intel Core i7 14700	Intel Core i7 14700
Integrated PC - RAM	16GB non-ECC		16GB non-ECC	16GB non-ECC	16GB non-ECC
Integrated PC - RAM	32GB non-ECC				
Integrated PC - Solid State	256GB PCIe non-OPAL		256GB PCIe non-OPAL	256GB PCIe non-OPAL	256GB PCIe non-OPAL
Integrated PC - Solid State	512GB PCIe non-OPAL				
Integrated PC - Solid State	1TB PCIe non-OPAL				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI		DisplayPort (M) to HDMI (F)	DisplayPort (M) to HDMI (F)	DisplayPort (M) to HDMI (F)
Display Adapter	USB-C to DisplayPort		USB-C (M) to DisplayPort (F)	USB-C (M) to DisplayPort (F)	USB-C (M) to DisplayPort (F)
Display Adapter	USB-C to HDMI		USB-C (M) to HDMI (F)	USB-C (M) to HDMI (F)	USB-C (M) to HDMI (F)
Mounting Bracket	Base Stand/Legs	Flat Wall Mount	Large Manual Height Adjust Cart for LCD	Large Manual Height Adjust Cart for LCD	Large Manual Height Adjust Cart for LCD
Mounting Bracket	Base Stand/Legs	Stationary Cart			
Mounting Bracket	Base Stand/Legs	Electronic Cart			
Mounting Bracket	VESA Plate/Bracket		Large Fixed Wall Display Mount	Large Fixed Wall Display Mount	Large Fixed Wall Display Mount
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				

CONFIGURATION 26 75" STANDARD COMPARISON




		ViewSonic CDE7531	Dell No Offering	HP No Offering	Lenovo No Offering	Microsoft No Offering
		\$1,585.00	No Offering	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED				
Viewable Image	75 inch	75 inch				
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen						
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	16:9				
Resolution Supported	3840 x 2160 or greater	3840x2160				
DisplayPort Input						
HDMI Input	Must include at least 3 Total Inputs	3				
USB-C Input		1				
VGA Input						
Speakers	Integrated or Accessory Option	Integrated				
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178				
Viewing Angle - Vertical (degrees)	150	178				
EnergyStar Level	7	8				
ePEAT Level	Bronze	Bronze				
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange				
USB Hub (ports)		2.0 (1) / 3.0 (1) / C (1)				
Dot Pitch (.mm)						
White Luminance (cd/m2)		500				
Contrast		1,200:1				
Pixel Response Rate (.ms)		6.5				
Refresh Rate (Hz)		60				
Swivel						
Security Slot						
VESA Wall Mount Compliant		Yes				
Pivot Capable		Yes				
Anti-Glare Coating		Yes				
Anti-Static Coating						
Active/Operating Power (Watts)		90				
Save/Sleep Power (Watts)		0.5				
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		66.36 x 2.94 x 37.94				
Weight w/Stand (.lbs)						
Weight w/o Stand (.lbs)		75.29				
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs	Flat Wall Mount				
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 27 75" TOUCHSCREEN COMPARISON



		ViewSonic IFP75G1	Dell No Offering	HP No Offering	Lenovo No Offering	Microsoft No Offering
		\$1,776.00	No Offering	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED				
Viewable Image	75 inch	75 inch				
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen	Yes					
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	16:9				
Resolution Supported	3840 x 2160 or greater	3840 x 2160				
DisplayPort Input						
HDMI Input	Must include at least 3 Total Inputs	3				
USB-C Input		1				
VGA Input						
Speakers	Integrated or Accessory Option	Integrated				
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178				
Viewing Angle - Vertical (degrees)	150	178				
EnergyStar Level	7	8				
ePEAT Level	Bronze	Silver				
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange				
USB Hub (ports)		3.0 (6) / 3.2 (2) / C (1)				
Dot Pitch (.mm)		0.43				
White Luminance (cd/m2)		400				
Contrast		1200:1				
Pixel Response Rate (.ms)		5				
Refresh Rate (Hz)		60				
Swivel						
Security Slot						
VESA Wall Mount Compliant						
Pivot Capable						
Anti-Glare Coating		Yes				
Anti-Static Coating						
Active/Operating Power (Watts)		110.82				
Save/Sleep Power (Watts)		0.5				
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		67.24 x 3.37 x 40.16				
Weight w/Stand (.lbs)						
Weight w/o Stand (.lbs)		109.35				
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs	Flat Wall Mount				
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 28 75" INTERACTIVE COMPARISON



**ViewSonic
IFP7551**

**Dell
P7524QT**

**HP
No Offering
No Offering
Product Details**

**Lenovo
No Offering
No Offering
Product Details**

**Microsoft
No Offering
No Offering
Product Details**

Features	Base Specifications	Product Details	Product Details	HP No Offering No Offering Product Details	Lenovo No Offering No Offering Product Details	Microsoft No Offering No Offering Product Details
Display Type	LED	LED	LED			
Viewable Image	75 inch	75 inch	74.5 inch			
Integrated Web Camera (w/Microphone)	4K	4K	4K Logitech Rally Bar Huddle			
Microsoft Teams Integration (Certified)						
Touchscreen	Yes	Yes	Yes			
Integrated PC	Yes	Yes	Yes			
Processor	Intel Core i5 8350U	Intel i5-1240P	Intel Core i5 14500T			
Operating System	Windows 11 Pro 64Bit	Windows 11 Pro	Windows 11 Pro 64Bit			
RAM	8GB non-ECC	16GB non-ECC	8GB non-ECC			
Hard Disk	128GB PCIe non-OPAL	512GB PCIe non-OPAL	256GB PCIe non-OPAL			
Video Graphics	HD Graphics	Intel Iris Xe Graphics	HD Graphics			
Sounds	High Definition Audio	High Definition Audio	High Definition Audio			
Network Interface	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000			
Wireless Interface	802.11 AX	WiFi 6 802.11 ax	802.11 AX			
Bluetooth Interface	5	5.2	5.2			
Aspect Ratio	16:09 or greater	16:09	16:9			
Resolution Supported	3840 x 2160 or greater	3840 x 2160	3840 x 2160			
DisplayPort Input		1	1			
HDMI Input	Must include at least 3 Total Inputs	4	3			
USB-C Input		3				
VGA Input		1	1			
Speakers	Integrated or Accessory Option	Integrated	Integrated			
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178	178			
Viewing Angle - Vertical (degrees)	150	178	178			
EnergyStar Level	7	8	8			
ePEAT Level	Bronze	Bronze	Gold			
Warranty	4 Year NBD Advanced Exchange	3 Year Standard; 4 years	4 Year NBD Advanced Exchange			
USB Hub (ports)		3.0 (6) / 3.2 (2) / C (1)	3.2 (4)			
Dot Pitch (.mm)		0.43	0.429			
White Luminance (cd/m2)		350	350			
Contrast		1200:1	1300:1			
Pixel Response Rate (.ms)		6.5	8			
Refresh Rate (Hz)		60	60			
Swivel						
Security Slot			Yes			
VESA Wall Mount Compliant			Yes			
Pivot Capable						
Anti-Glare Coating		Yes	Yes			
Anti-Static Coating						
Active/Operating Power (Watts)		99	140 W			
Save/Sleep Power (Watts)		0.5	0.3 W			
Dimensions w/Stand (inches W x D x H)			59.76 x 6.41 x 37.21			
Dimensions w/o Stand (inches W x D x H)		67.29 x 3.36 x 40.85	59.76 x 3.10 x 35.15			
Weight w/Stand (lbs)			102.29			
Weight w/o Stand (lbs)		101.54	99.65			
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange	1 Additional Year NBD Advanced Exchange			
Integrated PC - Processor	Intel Core i7 8550U	Intel Core i7-1260P / 16GB / 512GB	Intel Core i7 14700			
Integrated PC - RAM	16GB non-ECC		16GB non-ECC			
Integrated PC - RAM	32GB non-ECC					
Integrated PC - Solid State	256GB PCIe non-OPAL		256GB PCIe non-OPAL			
Integrated PC - Solid State	512GB PCIe non-OPAL					
Integrated PC - Solid State	1TB PCIe non-OPAL					
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI		DisplayPort (M) to HDMI (F)			
Display Adapter	USB-C to DisplayPort		USB-C (M) to DisplayPort (F)			
Display Adapter	USB-C to HDMI		USB-C (M) to HDMI (F)			
Mounting Bracket	Base Stand/Legs	Flat Wall Mount	X-Large Manual Height Adjust Cart			
Mounting Bracket	Base Stand/Legs	Stationary Cart	X-Large Electric Height Adjust Cart			
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket		X-Large Micro-Adjustable Tilt Wall Mount			
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					

CONFIGURATION 29 85" STANDARD COMPARISON



		ViewSonic CDE8631	Dell No Offering	HP No Offering	Lenovo No Offering	Microsoft No Offering
		\$2,470.00	No Offering	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED				
Viewable Image	85 inch	86 inch				
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen						
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	16:09				
Resolution Supported	3840 x 2160 or greater	3840 x 2160				
DisplayPort Input						
HDMI Input	Must include at least 3 Total Inputs	3				
USB-C Input		1				
VGA Input						
Speakers	Integrated or Accessory Option	Integrated				
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178				
Viewing Angle - Vertical (degrees)	150	178				
EnergyStar Level	7	8				
ePEAT Level	Bronze	Bronze				
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange				
USB Hub (ports)		2.0 (1) / 3.0 (1) / C (1)				
Dot Pitch (.mm)						
White Luminance (cd/m2)		500				
Contrast		1200:1				
Pixel Response Rate (.ms)		6.5				
Refresh Rate (Hz)		60				
Swivel						
Security Slot						
VESA Wall Mount Compliant		Yes				
Pivot Capable		Yes				
Anti-Glare Coating		Yes				
Anti-Static Coating		Yes				
Active/Operating Power (Watts)		89.19				
Save/Sleep Power (Watts)		0.5				
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		76.02 x 3.0 x 43.37				
Weight w/Stand (.lbs)						
Weight w/o Stand (.lbs)		92.59				
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs	Flat Wall Mount				
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 30 85" TOUCHSCREEN COMPARISON



		ViewSonic IFP86G1	Dell No Offering	HP No Offering	Lenovo No Offering	Microsoft No Offering
		\$2,520.00	No Offering	No Offering	No Offering	No Offering
		Product Details	Product Details	Product Details	Product Details	Product Details
Features	Base Specifications					
Display Type	LED	LED				
Viewable Image	85 inch	86 inch				
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen	Yes	Yes				
Integrated PC						
Processor						
Operating System						
RAM						
Hard Disk						
Video Graphics						
Sounds						
Network Interface						
Wireless Interface						
Bluetooth Interface						
Aspect Ratio	16:09 or greater	16:9				
Resolution Supported	3840 x 2160 or greater	3840 x 2160				
DisplayPort Input						
HDMI Input	Must include at least 3 Total Inputs	3				
USB-C Input		1				
VGA Input						
Speakers	Integrated or Accessory Option	Integrated				
Height Adjustable (inches up/down)						
Tilt Up (degrees)						
Tilt Down (degrees)						
Viewing Angle - Horizontal (degrees)	150	178				
Viewing Angle - Vertical (degrees)	150	178				
EnergyStar Level	7	8				
ePEAT Level	Bronze	Silver				
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange				
USB Hub (ports)		3.0 (6) / 3.2 (2) / C (1)				
Dot Pitch (.mm)		0.43				
White Luminance (cd/m2)		400				
Contrast		500:1				
Pixel Response Rate (.ms)		5				
Refresh Rate (Hz)		60				
Swivel						
Security Slot						
VESA Wall Mount Compliant						
Pivot Capable						
Anti-Glare Coating		Yes				
Anti-Static Coating						
Active/Operating Power (Watts)		154.89				
Save/Sleep Power (Watts)		0.5				
Dimensions w/Stand (inches W x D x H)						
Dimensions w/o Stand (inches W x D x H)		77.05 x 3.37 x 45.67				
Weight w/Stand (.lbs)						
Weight w/o Stand (.lbs)		137.46				
UPGRADE OPTIONS (to be ordered at initial purchase)						
Warranty	1 Additional Year	1 Additional Year Express Exchange				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)						
Speakers	Attachable					
Display Adapter	DisplayPort to HDMI					
Display Adapter	USB-C to DisplayPort					
Display Adapter	USB-C to HDMI					
Mounting Bracket	Base Stand/Legs	Flat Wall Mount				
Mounting Bracket	Base Stand/Legs	Stationary Cart				
Mounting Bracket	Base Stand/Legs	Electronic Cart				
Mounting Bracket	VESA Plate/Bracket					
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy					
Filter	Anti-Glare/Privacy					

CONFIGURATION 31 85" INTERACTIVE COMPARISON



ViewSonic

IFP8651

\$4,520.00

Dell

No Offering

No Offering

HP

No Offering

No Offering

Lenovo

No Offering

No Offering

Microsoft

No Offering





No Offering

Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED			
Viewable Image	85 inch	86 inch			
Integrated Web Camera (w/Microphone)	4K	4K			
Microsoft Teams Integration (Certified)					
Touchscreen	Yes	Yes			
Integrated PC	Yes	Yes			
Processor	Intel Core i5 8350U	Intel i5-12450H			
Operating System	Windows 11 Pro 64Bit	Windows 11 Pro			
RAM	8GB non-ECC	16GB non-ECC			
Hard Disk	128GB PCIe non-OPAL	512GB PCIe non-OPAL			
Video Graphics	HD Graphics	Intel Iris Xe Graphics			
Sounds	High Definition Audio	High Definition Audio			
Network Interface	Gigabit 10/100/1000	Gigabit 10/100/1000			
Wireless Interface	802.11 AX	WiFi 6 802.11 ax			
Bluetooth Interface	5	5.2			
Aspect Ratio	16:09 or greater	16:09			
Resolution Supported	3840 x 2160 or greater	3840 x 2160			
DisplayPort Input		1			
HDMI Input		4			
USB-C Input	Must include at least 3 Total Inputs	3			
VGA Input		1			
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)					
Tilt Up (degrees)					
Tilt Down (degrees)					
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	8			
ePEAT Level	Bronze	Bronze			
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange			
USB Hub (ports)		3.0 (6) / 3.2 (2) / C (1)			
Dot Pitch (mm)		0.43			
White Luminance (cd/m2)		350			
Contrast		1200:1			
Pixel Response Rate (.ms)		6.5			
Refresh Rate (Hz)		60			
Swivel					
Security Slot					
VESA Wall Mount Compliant					
Pivot Capable					
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		112			
Save/Sleep Power (Watts)		0.5			
Dimensions w/Stand (inches W x D x H)					
Dimensions w/o Stand (inches W x D x H)		77.05 x 3.36 x 46.36			
Weight w/Stand (lbs)					
Weight w/o Stand (lbs)		128.88			
UPGRADE OPTIONS (to be ordered at initial purchase)					
Warranty	1 Additional Year	1 Additional Year Express Exchange			
Integrated PC - Processor	Intel Core i7 8550U	Intel Core i7-1260P / 16GB / 512GB			
Integrated PC - RAM	16GB non-ECC				
Integrated PC - RAM	32GB non-ECC				
Integrated PC - Solid State	256GB PCIe non-OPAL				
Integrated PC - Solid State	512GB PCIe non-OPAL				
Integrated PC - Solid State	1TB PCIe non-OPAL				
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)					
Speakers	Attachable				
Display Adapter	DisplayPort to HDMI				
Display Adapter	USB-C to DisplayPort				
Display Adapter	USB-C to HDMI				
Mounting Bracket	Base Stand/Legs	Flat Wall Mount			
Mounting Bracket	Base Stand/Legs	Stationary Cart			
Mounting Bracket	Base Stand/Legs	Electronic Cart			
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				

DELL DESKTOP MONITORS

	CONFIGURATION 1 24" STANDARD	CONFIGURATION 2 24" WEBCAM	CONFIGURATION 3 24" TEAMS	CONFIGURATION 4 24" TOUCHSCREEN	CONFIGURATION 5 27" STANDARD	CONFIGURATION 6 27" WEBCAM	CONFIGURATION 7 27" TEAMS	CONFIGURATION 8 27" TOUCHSCREEN	CONFIGURATION 9 32" STANDARD	CONFIGURATION 10 32" WEBCAM	CONFIGURATION 11 32" TEAMS	CONFIGURATION 12 32" TOUCHSCREEN	CONFIGURATION 13 40" STANDARD	CONFIGURATION 14 40" WEBCAM	CONFIGURATION 15 40" TEAMS	CONFIGURATION 16 40" TOUCHSCREEN
Sterling Computers MA-IS-2640003																
Model	P2425H	No Offering	P2425HEB	No Offering	P2725H	P2724DEB	No Offering	No Offering	P3225DE	P3424WEB	No Offering	No Offering	4323QE	No Offering	No Offering	No Offering
Cost	\$203.06	No Offering	\$375.64	No Offering	\$225.23	\$442.05	No Offering	No Offering	\$407.40	\$638.40	No Offering	No Offering	\$815.85	No Offering	No Offering	No Offering
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED		LED		LED				LED				LED			
Viewable Image	23.5 inch		23.5 inch		27 inch				31.5 inch				34.5 inch			
Integrated Web Camera (w/Microphone)			4MP			4MP				6MP						
Microsoft Teams Integration (Certified)																
Touchscreen																
Aspect Ratio	16:9		16:9		16:9				16:9				16:9			
Resolution Supported	1920 x 1080		1920 x 1080		1920 x 1080	2560 x 1440			2560 x 1440	3440 x 1440			3840 x 2160			
DisplayPort Input	1		1		1	1			1	1			2			
HDMI Input	1		1		1	1			1	1			2			
USB-C Input	5		5		5	1			1	1			1			
VGA Input	1		1		1	1			1	1			1			
Speakers	Accessory		Integrated		Accessory	Integrated			Accessory	Integrated			Integrated			
Height Adjustable (Inches up/down)	5.9		5.9		5.9	5.9			5.9	5.9			5.9			
Tilt Up (degrees)	21		21		21	21			21	21			10			
Tilt Down (degrees)	5		5		5	5			5	5			5			
Viewing Angle - Horizontal (degrees)	178		178		178	178			178	178			178			
Viewing Angle - Vertical (degrees)	178		178		178	178			178	178			178			
EnergyStar Level	6		6		6	6			6	6			6			
ePEAT Level	Gold		Gold		Gold	Gold			Gold	Gold			Gold			
Warranty	3 Year NBD Advanced Exchange		3 Year NBD Advanced Exchange		3 Year NBD Advanced Exchange	3 Year NBD Advanced Exchange			3 Year NBD Advanced Exchange	3 Year NBD Advanced Exchange			3 Year NBD Advanced Exchange			
USB Type-C (ports)	5		5		5	5			5	5			5			
Dot Pitch (mm)	0.2745		0.2745		0.2745	0.2331			0.2727	0.2325			0.2451			
White Luminance (cd/m2)	300		300		300	300			300	300			300			
Contrast	1000:1		1000:1		1000:1	1000:1			1000:1	1000:1			1000:1			
Peak Response Rate (ms)	5		5		5	5			5	5			5			
Refresh Rate (Hz)	60		60		60	60			60	60			60			
Swivel	Yes		Yes		Yes	Yes			Yes	Yes			Yes			
Security Slot	Yes		Yes		Yes	Yes			Yes	Yes			Yes			
VESA Wall Mount Compliant	Yes		Yes		Yes	Yes			Yes	Yes			Yes			
Pivot Capable	Yes		Yes		Yes	Yes			Yes	No			Yes			
Anti-Static Coating			Yes		Yes	Yes			Yes	Yes			Yes			
Anti-Static Coating			Yes		Yes	Yes			Yes	Yes			Yes			
Active/Standby Power (Watts)	11.7		11.5		10	20			20.9	31.5			32.1			
Save/Sleep Power (Watts)	0.3		0.3		0.2	0.3			0.3	0.3			0.3			
Dimensions w/Stand (inches W x D x H)	21.17 x 7.87 x 19.53		21.21 x 7.83 x 19.51		24.01 x 7.48 x 21.03	24.09 x 9.1 x 17.35			28.05 x 9.00 x 24.30	32.11 x 9.55 x 17.55			38.08 x 10.89 x 23.43			
Dimensions w/Stand (inches W x D x H)	21.17 x 7.87 x 19.53		21.21 x 7.83 x 19.55		24.01 x 7.62 x 15.87	24.09 x 7.38 x 16.37			28.05 x 9.58 x 16.34	32.11 x 7.34 x 16.34			38.08 x 2.92 x 20.07			
Weight w/Stand (lbs.)	12.38		15.44		14.53	18.2			25.79	23.9			40.9			
Weight (lbs.)	9		9.03		9.66	12.46			15.56	16.38			29.01			
Upgrade Options (to be ordered at initial purchase)	Warranty - 1 Additional Year	Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange			1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange			1 Additional Year NBD Advanced Exchange			
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)	Speaker - 2x2x1A	Speaker - 2x2x1A	Speaker - 2x2x1A		Conferenceing Soundbar - SB725	Conferenceing Soundbar - SB725			Conferenceing Soundbar - SB725	Conferenceing Soundbar - SB725			Conferenceing Soundbar - SB725			
Display Adapter - DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI		DisplayPort to HDMI	DisplayPort to HDMI			DisplayPort to HDMI	DisplayPort to HDMI			DisplayPort to HDMI			
Display Adapter - USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort	USB-C to DisplayPort			USB-C to DisplayPort	USB-C to DisplayPort			USB-C to DisplayPort			
Display Adapter - USB-C to HDMI	USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI	USB-C to HDMI			USB-C to HDMI	USB-C to HDMI			USB-C to HDMI			
Mounting Bracket - Base Stand/Legs	MFF AIO Height Adjustable Stand MF522	MFF AIO Height Adjustable Stand MF522	MFF AIO Height Adjustable Stand MF522		MFF AIO Height Adjustable Stand MF522	MFF AIO Height Adjustable Stand MF522			MFF AIO Height Adjustable Stand MF522	MFF AIO Height Adjustable Stand MF522			MFF AIO Height Adjustable Stand MF522			
Mounting Bracket - Base Stand/Legs	MFF AIO Height Adjustable Stand MF522	MFF AIO Height Adjustable Stand MF522	MFF AIO Height Adjustable Stand MF522		MFF AIO Height Adjustable Stand MF522	MFF AIO Height Adjustable Stand MF522			MFF AIO Height Adjustable Stand MF522	MFF AIO Height Adjustable Stand MF522			MFF AIO Height Adjustable Stand MF522			
Mounting Bracket - Base Stand/Legs	Dual Monitor Stand - MDS19	Dual Monitor Stand - MDS19	Dual Monitor Stand - MDS19		Dual Monitor Stand - MDS19	Dual Monitor Stand - MDS19			Dual Monitor Stand - MDS19	Dual Monitor Stand - MDS19			Dual Monitor Stand - MDS19			
Mounting Bracket - VESA Plate/Bracket	Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C		Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C			Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C			Dual VESA Mount w/Bracket - MF577C			
Mounting Bracket - VESA Plate/Bracket	Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C		Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C			Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C			Dual VESA Mount w/Bracket - MF577C			
Mounting Bracket - VESA Plate/Bracket	Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C		Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C			Dual VESA Mount w/Bracket - MF577C	Dual VESA Mount w/Bracket - MF577C			Dual VESA Mount w/Bracket - MF577C			
Filter - Anti-Glare/Privacy																


DELL LARGE FORMAT MONITORS

	CONFIGURATION 17 50" STANDARD	CONFIGURATION 18 50" TOUCHSCREEN	CONFIGURATION 19 50" INTERACTIVE	CONFIGURATION 20 55" STANDARD	CONFIGURATION 21 55" TOUCHSCREEN	CONFIGURATION 22 55" INTERACTIVE	CONFIGURATION 23 65" STANDARD	CONFIGURATION 24 65" TOUCHSCREEN	CONFIGURATION 25 65" INTERACTIVE	CONFIGURATION 26 75" STANDARD	CONFIGURATION 27 75" TOUCHSCREEN	CONFIGURATION 28 75" INTERACTIVE	CONFIGURATION 29 85" STANDARD	CONFIGURATION 30 85" TOUCHSCREEN	CONFIGURATION 31 85" INTERACTIVE
Sterling Computers MA-IS-2640003															
Model	U4924DW	No Offering	No Offering	P5525QC	No Offering	No Offering	No Offering	No Offering	P6524QT	No Offering	No Offering	P7524QT	No Offering	No Offering	No Offering
Cost	\$1,242.78	No Offering	No Offering	\$1,022.04	No Offering	No Offering	No Offering	No Offering	\$5,655.86	No Offering	No Offering	\$6,138.28	No Offering	No Offering	No Offering
Features	Product Details	No Offering	No Offering	Product Details	No Offering	No Offering	No Offering	No Offering	Product Details	No Offering	No Offering	Product Details	No Offering	No Offering	No Offering
Display Type	LED			LED					LED			LED			
Viewable Image	49 inch			54.6 inch					64.5 inch			74.5 inch			
Integrated Web Camera (w/Microphone)									4K Logitech Rally Bar Hubble			4K Logitech Rally Bar Hubble			
Microsoft Teams Integration (Certified)															
Touchscreen									Yes			Yes			
Interactive - Integrated PC									Yes			Yes			
Interactive - Integrated PC - Processor									Intel Core 5 14500T			Intel Core 5 14500T			
Interactive - Integrated PC - Operating System									Windows 11 Pro 64Bit			Windows 11 Pro 64Bit			
Interactive - Integrated PC - RAM									16GB non-ECC			16GB non-ECC			
Interactive - Integrated PC - Hard Disk									256GB PCIe non-OPAL			256GB PCIe non-OPAL			
Interactive - Integrated PC - Video Graphics									HD Graphics			HD Graphics			
Interactive - Integrated PC - Sound									High Definition Audio			High Definition Audio			
Interactive - Integrated PC - Network Interface									Gigabit 10/100/1000			Gigabit 10/100/1000			
Interactive - Integrated PC - Wireless Interface									802.11 AX			802.11 AX			
Interactive - Integrated PC - Bluetooth Interface									5.2			5.2			
Aspect Ratio	32:9			16:9					16:9			16:9			
Resolution Supported	5120 x 1440			3840 x 2160					3840 x 2160			3840 x 2160			
Display Input	1			1					1			1			
HDMI Input	2			2					3			3			
USB-C Input	1			1					1			1			
VGA Input	N/A														
Speakers	Integrated			Integrated					Integrated			Integrated			
Height Adjustable (Inches up/down)	16.48														
Tilt Up (degrees)	21														
Tilt Down (degrees)	6														
Viewing Angle - Horizontal (degrees)	178			178					178			178			
Viewing Angle - Vertical (degrees)	178			178					178			178			
EnergyStar Level	8			8					8			8			
ePEAT Level	Gold			Gold					Gold			Gold			
Warranty	3 Year NBD Advanced Exchange			3 Year NBD Advanced Exchange					3 Year NBD Advanced Exchange			3 Year NBD Advanced Exchange			
Dot Pitch (mm)	0.234			0.315					0.372			0.429			
White Luminance (cd/m2)	350			400					300			350			
Contrast	2000:1			1200:1					1300:1			1300:1			
Pixel Response Rate (ms)	5			8					8			8			
Refresh Rate (Hz)	60			60					60			60			
Salvel	Yes			Yes					Yes			Yes			
Security Slot	Yes			Yes					Yes			Yes			
VESA Wall Mount Compliant	Yes			Yes					Yes			Yes			
Pivot Capable	Yes			Yes					Yes			Yes			
Anti-Glare Coating	Yes			Yes					Yes			Yes			
Anti-Static Coating															
Active/Operating Power (Watts)	45 W			77.1 W					101 W			140 W			
Standby Power (Watts)	0.3 W			0.3 W					0.3 W			0.3 W			
Dimensions w/Stand (Inches W x D x H)	47.83 x 10.6 x 15.77-20.49			49.11 x 13.14 x 28.05					69.78 x 6.41 x 37.21			69.78 x 6.41 x 37.21			
Dimensions w/o Stand (Inches W x D x H)	47.83 x 4.43 x 14.41			N/A					69.78 x 3.16 x 16.16			69.78 x 3.16 x 16.16			
Weight w/Stand (lbs.)	49.9			49.39					102.29			102.29			
Weight w/o Stand (lbs.)	35.03			40.39					99.65			99.65			
UPGRADE OPTIONS (to be ordered at initial purchase)															
Warranty - 1 Additional Year	1 Additional Year NBD Advanced Exchange			1 Additional Year NBD Advanced Exchange					1 Additional Year NBD Advanced Exchange			1 Additional Year NBD Advanced Exchange			
Interactive - Integrated PC - Processor									Intel Core 5 14500			Intel Core 5 14500			
Interactive - Integrated PC - RAM									16GB non-ECC			16GB non-ECC			
Interactive - Integrated PC - Hard Disk									256GB PCIe non-OPAL			256GB PCIe non-OPAL			
Interactive - Integrated PC - Solid State															
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)															
Speakers - Attachable															
Display Adapter - DisplayPort to HDMI	DisplayPort (M) to HDMI (F)			DisplayPort (M) to HDMI (F)					DisplayPort (M) to HDMI (F)			DisplayPort (M) to HDMI (F)			
Display Adapter - USB-C to DisplayPort	USB-C (M) to DisplayPort (F)			USB-C (M) to DisplayPort (F)					USB-C (M) to DisplayPort (F)			USB-C (M) to DisplayPort (F)			
Display Adapter - USB-C to HDMI	USB-C (M) to HDMI (F)			USB-C (M) to HDMI (F)					USB-C (M) to HDMI (F)			USB-C (M) to HDMI (F)			
Mounting Bracket - Base Stand/Legs				Large Manual Height Adjust Cart for LCD					Large Manual Height Adjust Cart for LCD			X-Large Manual Height Adjust Cart			
Mounting Bracket - Base Stand/Legs												X-Large Electric Height Adjust Cart			
Mounting Bracket - VESA Plate/Bracket				Large Fixed Wall Display Mount					Large Fixed Wall Display Mount			X-Large Micro-Adjustable Tilt Wall Mount			
Mounting Bracket - VESA Plate/Bracket															
Filter - Anti-Glare/Privacy															
Filter - Anti-Glare/Privacy															








HP DESKTOP MONITORS

Golden Star Technology MA-IS-2640004	CONFIGURATION 1	CONFIGURATION 2	CONFIGURATION 3	CONFIGURATION 4	CONFIGURATION 5	CONFIGURATION 6	CONFIGURATION 7	CONFIGURATION 8	CONFIGURATION 9	CONFIGURATION 10	CONFIGURATION 11	CONFIGURATION 12	CONFIGURATION 13	CONFIGURATION 14	CONFIGURATION 15	CONFIGURATION 16
	24" STANDARD	24" WEBCAM	24" TEAMS	24" TOUCHSCREEN	27" STANDARD	27" WEBCAM	27" TEAMS	27" TOUCHSCREEN	32" STANDARD	32" WEBCAM	32" TEAMS	32" TOUCHSCREEN	40" STANDARD	40" WEBCAM	40" TEAMS	40" TOUCHSCREEN
Model	324PH	E24MV G4	No Offering	E24T G5	327PH	527PM	No Offering	No Offering	P34HC G4	534PM	No Offering	No Offering	No Offering	740P	No Offering	No Offering
Cost	\$175.00	\$273.00	No Offering	\$291.00	\$221.00	\$418.00	No Offering	No Offering	\$444.00	\$591.00	No Offering	No Offering	No Offering	\$1,480.00	No Offering	No Offering
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED		LED	LED	LED			LED	LED				LED		
Viewable Image	24 inch	24 inch		24 inch	27 inch	27 inch			35 inch Curved	34 inch				39.7 inch		
Integrated Web Camera (w/Microphone)		uWIP				uWIP				uWIP						
Microsoft Teams Integration (Certified)																
Touchscreen				Yes												
Aspect Ratio	16:9	16:9		16:9	16:9	16:9			21:9	21:9				21:9		
Resolution Supported	1920 x 1080	1920 x 1080		1920 x 1080	1920 x 1080	2560 x 1440			3440 x 1440	3440 x 1440				5120 x 2160		
DisplayPort Input	1	1		1	1	1			1	1				1		
HDMI Input	1	1		1	1	1			1	1				1		
USB-C Input	1	1		1	1	1			1	1				1		
USB Type-C																
Speakers	Accessory	Integrated		Accessory Option	Accessory	Integrated			Integrated	Integrated				Integrated		
Height Adjustable (Inches up/down)	5.9	5.9		5.9	5.9	5.9			5.9	5.9				5.9		
Tilt Up (degrees)	23	23		23	20	20			21	20				20		
Tilt Down (degrees)	5	5		5	5	5			5	5				5		
Viewing Angle - Horizontal (degrees)	178	178		178	178	178			178	178				178		
Viewing Angle - Vertical (degrees)	178	178		178	178	178			178	178				178		
EnergyStar Level	8	8		8	8	8			8	8				8		
ePEAT Level	Gold	Gold		Gold	Gold	Gold			Gold	Gold				Gold		
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange		4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange			4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange				4 Year NBD Advanced Exchange		
DO Panel (mm)	0.27	0.2745		0.27	0.31	0.2331			0.23	0.23				0.18		
Panel Response Time (ms)	250	250		250	250	250			250	600				400		
Contrast	1000:1	1000:1		1000:1	1000:1	1000:1			3500:1	1000:1				1000:1		
Peak Response Rate (ms)	8	8		8	8	8			8	8				8		
Refresh Rate (Hz)	75	60		75	75	100			100	100				60		
Shorel	N/A	Yes		Yes	N/A	Yes			Yes	Yes				Yes		
Security Slot	Yes	Yes		Yes	Yes	Yes			Yes	Yes				Yes		
VESA Wall Mount Compliant	Yes	Yes		Yes	Yes	Yes			Yes	Yes				Yes		
Panel Cable	Yes	Yes		Yes	Yes	Yes			Yes	Yes				Yes		
Anti-Glare Coating	N/A	N/A		Yes	No	Yes			Yes	Yes				Yes		
Anti-Static Coating	Yes	Yes		Yes	Yes	Yes			Yes	Yes				Yes		
Active/Standby Power (Watts)	N/A	N/A		N/A	N/A	21.54			48	34				72		
Standby Power (Watts)	28	0.5		28	0.5	28			0.5	0.5				0.5		
Dimensions w/Stand (Inches W x D x H)	0.5	21.23 x 8.5 x 20.9		21.24 x 8.31 x 19.96	0.5	24.15 x 8.15 x 21.41			31.89 x 9.20 x 20.40	31.91 x 10.61 x 21.54				37.3 x 11.5 x 25.37		
Dimensions w/Stand (Inches W x D x H)	21.23 x 17.85 x 18.41	21.23 x 18.41 x 17.78		21.24 x 18.41 x 12.7	24.06 x 18.41 x 20.07	24.15 x 18.41 x 14.84			31.89 x 14.41 x 14.44	31.91 x 15.91 x 14.89				37.3 x 11.5 x 25.37		
Weight w/Stand (lbs.)	12.7	14.3		12.7	17.3	17.3			25.17	25.27				31.1		
Mounting Options	8.8	8.8		8.8	12.68	13.82			17.31	18.14				28.7		
UPGRADE OPTIONS (to be ordered at initial purchase)	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange			1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange				1 Additional Year NBD Advanced Exchange		
Warranty - 1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange			1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange				1 Additional Year NBD Advanced Exchange		
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)																
Speaker - S101	S101 Speaker Bar			S101 Speaker Bar	S101 Speaker Bar											
Display Adapter - DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI		DisplayPort to HDMI	DisplayPort to HDMI				DisplayPort to HDMI	DisplayPort to HDMI				DisplayPort to HDMI		
Display Adapter - USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort	USB-C to DisplayPort				USB-C to DisplayPort	USB-C to DisplayPort				USB-C to DisplayPort		
Display Adapter - USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI	USB-C to HDMI				USB-C to HDMI	USB-C to HDMI				USB-C to HDMI		
Mounting Bracket - Base Stand, eye	B500 Mounting Bracket	B300 Mounting Bracket		B500 PC Mounting Bracket	B500 Mounting Bracket				B500 PC Mounting Bracket	B500 Mounting Bracket				B500 PC Bracket for stand		
Mounting Bracket - Base Stand, eye	Quick Release Monitor Arm	Quick Release Monitor Arm		Quick Release Monitor Arm	Quick Release Monitor Arm				Quick Release Monitor Arm	Quick Release Monitor Arm				B500 PC Bracket for stand		
Mounting Bracket - Base Stand, eye																
Mounting Bracket - VESA Plate/Bracket	Desktop Mini v4 / VESA Sleeve Bracket	Mini v4+ VESA Sleeve + B300 Bracket		Mini v4+ VESA Sleeve +B500 Bracket	Desktop Mini v4 / VESA Sleeve Bracket	Mini v4+ VESA Sleeve +B500 Bracket								Desktop Mini v4+ VESA Sleeve +Bracket		
Mounting Bracket - VESA Plate/Bracket																
Mounting Bracket - VESA Plate/Bracket																
Filter - Anti-Glare/Privacy																
Filter - Anti-Glare/Privacy																


HP LARGE FORMAT MONITORS

	CONFIGURATION 17 50" STANDARD	CONFIGURATION 18 50" TOUCHSCREEN	CONFIGURATION 19 50" INTERACTIVE	CONFIGURATION 20 55" STANDARD	CONFIGURATION 21 55" TOUCHSCREEN	CONFIGURATION 22 55" INTERACTIVE	CONFIGURATION 23 65" STANDARD	CONFIGURATION 24 65" TOUCHSCREEN	CONFIGURATION 25 65" INTERACTIVE	CONFIGURATION 26 75" STANDARD	CONFIGURATION 27 75" TOUCHSCREEN	CONFIGURATION 28 75" INTERACTIVE	CONFIGURATION 29 85" STANDARD	CONFIGURATION 30 85" TOUCHSCREEN	CONFIGURATION 31 85" INTERACTIVE
Golden Star Technology MA-IS-2640004															
Model	549PM	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Cost	\$1,240.00	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED														
Viewable Image	49 inch Curved														
Integrated Web Camera (w/Microphone)	5MP														
Microsoft Teams Integration (Certified)	Yes														
Touchscreen															
Interactive - Integrated PC															
Interactive - Integrated PC - Processor															
Interactive - Integrated PC - Operating System															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - Hard Disk															
Interactive - Integrated PC - Video Graphics															
Interactive - Integrated PC - Sound															
Interactive - Integrated PC - Network Interface															
Interactive - Integrated PC - Wireless Interface															
Interactive - Integrated PC - Bluetooth Interface															
Aspect Ratio	32:9														
Resolution Supported	5120x1440														
DisplayPort Input	1														
HDMI Input	1														
USB-C Input	1														
VGA Input	Integrated														
Speakers	Integrated														
Height Adjustable (inches up/down)	5.91														
Tilt Up (degrees)	20														
Tilt Down (degrees)	4														
Viewing Angle - Horizontal (degrees)	178														
Viewing Angle - Vertical (degrees)	178														
EnergyStar Level	3														
ePEAT Level	Gold														
Warranty - 3 Year Next Business Day Onsite															
Dot Pitch (mm)	0.23														
White Luminance (cd/m2)	400														
Contrast	4000:1														
Pixel Response Rate (ms)	5														
Refresh Rate (Hz)	165														
Save!	Yes														
Security Slot	Yes														
VESA Wall Mount Compliant	Yes														
Pivot Capable	Yes														
Anti-Glare Coating	Yes														
Anti-Static Coating															
Active/Operating Power (Watts)	65														
Stand/Sleep Power (Watts)	0.5														
Dimensions w/Stand (inches W x D x H)	47.0 x 12.2 x 23.1														
Dimensions w/o Stand (inches W x D x H)	47.0 x 12.2 x 14.6														
Weight w/Stand (lbs.)	37.08														
Weight w/o Stand (lbs.)	30.70														
UPGRADE OPTIONS (to be ordered at initial purchase)															
Warranty - 1 Additional Year	Additional Year (3rd Advanced Exchange)														
Interactive - Integrated PC - Processor															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - Solid State															
Interactive - Integrated PC - Solid State															
Interactive - Integrated PC - Solid State															
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)															
Stands - Attachable															
Display Adapter - DisplayPort to HDMI	DisplayPort to HDMI														
Display Adapter - USB-C to DisplayPort	USB-C to DisplayPort														
Display Adapter - USB-C to HDMI	USB-C to HDMI														
Mounting Bracket - Base Stand/Legs															
Mounting Bracket - Base Stand/Legs															
Mounting Bracket - Base Stand/Legs															
Mounting Bracket - VESA Plate/Bracket															
Mounting Bracket - VESA Plate/Bracket															
Mounting Bracket - VESA Plate/Bracket															
Filter - Anti-Glare/Privacy															

LENOVO DESKTOP MONITORS

	CONFIGURATION 1 24" STANDARD	CONFIGURATION 2 24" WEBCAM	CONFIGURATION 3 24" TEAMS	CONFIGURATION 4 24" TOUCHSCREEN	CONFIGURATION 5 27" STANDARD	CONFIGURATION 6 27" WEBCAM	CONFIGURATION 7 27" TEAMS	CONFIGURATION 8 27" TOUCHSCREEN	CONFIGURATION 9 32" STANDARD	CONFIGURATION 10 32" WEBCAM	CONFIGURATION 11 32" TEAMS	CONFIGURATION 12 32" TOUCHSCREEN	CONFIGURATION 13 40" STANDARD	CONFIGURATION 14 40" WEBCAM	CONFIGURATION 15 40" TEAMS	CONFIGURATION 16 40" TOUCHSCREEN
Technology Integration Group MA-IS-2640005																
Model	E24-40	T24-4V	T24D-4V	No Offering	T27-40	T27QD-4V	T27QD-4V	No Offering	T32H-30	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Cost	\$224.99	\$304.99	\$414.99	No Offering	\$326.99	\$502.99	\$502.99	No Offering	\$561.99	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Features	Product Details															
Display Type	WLED	WLED	WLED		WLED	WLED	WLED		WLED							
Viewable Image	23.8 inch	23.8 inch	23.8 inch		27 inch	27 inch	27 inch		31.5 inch							
Integrated Web Camera (w/Microphone)	0MP	5MP	5MP		0MP	5MP	5MP		0MP							
Microsoft Teams Integration (Certified)		Yes	Yes			Yes	Yes									
Aspect Ratio	16:9	16:9	16:9		16:9	16:9	16:9		16:9							
Resolution Supported	1920 x 1080	1920 x 1080	1920 x 1080		1920 x 1080	2560 x 1440	2560 x 1440		2560 x 1440							
DisplayPort Input	1	1	1		1	1	1		1							
HDMI Input	1	1	1		1	1	1		1							
USB-C Input	1	1	1		1	1	1		1							
USB Input	1	1	1		1	1	1		1							
Height Adjustable (Inches up/down)	6.1	6.1	6.1		6.1	6.1	6.1		6.1							
Speakers	Integrated	Integrated	Integrated		Accessory Option	Integrated	Integrated		Accessory Option							
Tilt Up (degrees)	22	23.5	23.5		23.5	23.5	23.5		23.5							
Tilt Down (degrees)	5	5	5		5	5	5		5							
Viewing Angle - Horizontal (degrees)	178	178	178		178	178	178		178							
Viewing Angle - Vertical (degrees)	178	178	178		178	178	178		178							
EnergyStar Level	8	8	8		8	8	8		8							
Warranty Level	3 Year NBD Advanced Exchange	3 Year NBD Advanced Exchange	3 Year NBD Advanced Exchange		3 Year NBD Advanced Exchange	3 Year NBD Advanced Exchange	3 Year NBD Advanced Exchange		3 Year NBD Advanced Exchange							
DC In (pins)	3 (2/1)	3 (2/1)	3 (2/1)		3 (2/1) (C/D)	3 (2/1) (C/D)	3 (2/1) (C/D)		3 (1) (C/D)							
DC In (mm)	0.275	0.275	0.275		0.275	0.275	0.275		0.275							
White Luminescence (cd/m2)	300	300	300		300	300	300		300							
Contrast	1000:1	1000:1	1000:1		1000:1	1000:1	1000:1		1000:1							
Panel Response Rate (ms)	6	6	6		6	6	6		6							
Refresh Rate (Hz)	60	60	60		60	75	75		60							
Swivel	Yes	Yes	Yes		Yes	Yes	Yes		Yes							
Security Slot	Yes	Yes	Yes		Yes	Yes	Yes		Yes							
VEVA Wall Mount Compliant	Yes	Yes	Yes		Yes	Yes	Yes		Yes							
Panel Capable	Yes	Yes	Yes		Yes	Yes	Yes		Yes							
Anti-Glare Coating	Yes	Yes	Yes		Yes	Yes	Yes		Yes							
Anti-Static Coating																
Action/Clicking Power (Watts)	14	14	14		14	14	14		14							
Static Power (Watts)	0.5	0.5	0.5		0.5	0.5	0.5		0.5							
Dimensions w/Stand (Inches W x D x H)	21.24 x 7.03 x 19.57	21.25 x 7.48 x 15	21.25 x 7.48 x 15		24.17 x 8.06 x 16.91	24.17 x 8.06 x 16.91	24.17 x 8.06 x 16.91		28.12 x 25 x 17.50							
Dimensions w/Stand (Inches W x D x H)	21.24 x 1.81 x 12.68	21.25 x 1.88 x 14.28	21.25 x 1.88 x 14.28		24.17 x 2.12 x 15.94	24.17 x 2.12 x 15.94	24.17 x 2.12 x 15.94		28.12 x 2.34 x 16.57							
Height w/Stand (In)	2.3	1.7	1.7		16.9	16.3	16.3		16.9							
Weight w/Stand (lbs)	6.4	7.1	7.1		11	11	11		15.9							
UPGRADE OPTIONS (to be ordered at initial purchase)																
Upgrade to Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		1 Additional Year NBD Advanced Exchange							
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)																
Speakers - Absorbent					MS30 Speaker Soundbar				MS30 Speaker Soundbar							
Display Adapter - DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI		DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI		DisplayPort to HDMI							
Display Adapter - USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort							
Display Adapter - USB-C to HDMI	USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI							
Mounting Bracket - Base Stand/Loop	Flex Stand	Flex Stand	Flex Stand		Flex Stand	Flex Stand	Flex Stand		Flex Stand							
Mounting Bracket - Base Stand/Loop																
Mounting Bracket - VESA Plate/Bracket																
Mounting Bracket - VESA Plate/Bracket																
Mounting Bracket - VESA Plate/Bracket																
Filter - Anti-Glare/Private	23.8 inch W9 T10 Privacy Filter	23.8 inch W9 T10 Privacy Filter	23.8 inch W9 T10 Privacy Filter		27 inch W9 Privacy Filter	27 inch W9 Privacy Filter	27 inch W9 Privacy Filter		32 inch W9 (HDMI) Monitor Screen							

LENOVO LARGE FORMAT MONITORS

Technology Integration Group MA-IS-2640005	CONFIGURATION 17	CONFIGURATION 18	CONFIGURATION 19	CONFIGURATION 20	CONFIGURATION 21	CONFIGURATION 22	CONFIGURATION 23	CONFIGURATION 24	CONFIGURATION 25	CONFIGURATION 26	CONFIGURATION 27	CONFIGURATION 28	CONFIGURATION 29	CONFIGURATION 30	CONFIGURATION 31
	50" STANDARD	50" TOUCHSCREEN	50" INTERACTIVE	55" STANDARD	55" TOUCHSCREEN	55" INTERACTIVE	65" STANDARD	65" TOUCHSCREEN	65" INTERACTIVE	75" STANDARD	75" TOUCHSCREEN	75" INTERACTIVE	85" STANDARD	85" TOUCHSCREEN	85" INTERACTIVE
															
Model	P49W-30	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Cost	\$1,718.99	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	WLED														
Viewable Image	49 inch Curved														
Integrated Web Camera (w/Microphone)															
Microsoft Teams Integration (Certified)															
Touchscreen															
Interactive - Integrated PC															
Interactive - Integrated PC - Processor															
Interactive - Integrated PC - Operating System															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - Hard Disk															
Interactive - Integrated PC - Video Graphics															
Interactive - Integrated PC - Sound															
Interactive - Integrated PC - Network Interface															
Interactive - Integrated PC - Wireless Interface															
Interactive - Integrated PC - Bluetooth Interface															
Aspect Ratio	32:9														
Resolution Supported	5120 x 1440														
DisplayPort Input	1														
HDMI Input	2														
USB-C Input	1														
VGA Input															
Speakers	Integrated														
Height Adjustable (Inches up/down)	4.1														
Tilt Up (degrees)	23.5														
Tilt Down (degrees)	4														
Viewing Angle - Horizontal (degrees)	178														
Viewing Angle - Vertical (degrees)	178														
EnergyStar Level	3														
ePEAT Level	Gold														
Warranty	3 Year Next Business Day Onsite														
USB Hub (ports)	3 (2 USB-C, 1 USB-A)														
Dot Pitch (mm)	0.234														
White Luminance (cd/m2)	350														
Contrast	2000:1														
Pixel Response Rate (ms)	6														
Refresh Rate (Hz)	60														
Salvage	Yes														
Security Slot	Yes														
VESA Wall Mount Compliant	Yes														
Pivot Capable	Yes														
Anti-glare Coating	Yes														
Anti-Static Coating	Yes														
Active Operating Power (Watts)	58														
Standby Power (Watts)	0.5														
Dimensions w/Stand (Inches W x D x H)	47.84 x 9.09 x 16.59														
Dimensions w/o Stand (Inches W x D x H)	47.84 x 4.35 x 14.97														
Weight w/Stand (lbs.)	34.8														
Weight w/o Stand (lbs.)	24.5														
UPGRADE OPTIONS (to be ordered at initial purchase)															
Warranty - 1 Additional Year	Additional Year NBD Advanced Exchange														
Interactive - Integrated PC - Processor															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - Solid State															
Interactive - Integrated PC - Solid State															
Interactive - Integrated PC - Solid State															
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)															
Screen - Attachable															
Display Adapter - DisplayPort to HDMI	DisplayPort to HDMI														
Display Adapter - USB-C to DisplayPort	USB-C to DisplayPort														
Display Adapter - USB-C to HDMI	USB-C to HDMI														
Mounting Bracket - Base Stand/Legs	Flex Stand														
Mounting Bracket - Base Stand/Legs															
Mounting Bracket - VESA Plate/Bracket															
Mounting Bracket - VESA Plate/Bracket															
Mounting Bracket - VESA Plate/Bracket															
Filter - Anti-Glare/Privacy															
Filter - Anti-Glare/Privacy															

MICROSOFT DESKTOP MONITORS

Zones LLC MA-IS-2540006	CONFIGURATION 1	CONFIGURATION 2	CONFIGURATION 3	CONFIGURATION 4	CONFIGURATION 5	CONFIGURATION 6	CONFIGURATION 7	CONFIGURATION 8	CONFIGURATION 9	CONFIGURATION 10	CONFIGURATION 11	CONFIGURATION 12	CONFIGURATION 13	CONFIGURATION 14	CONFIGURATION 15	CONFIGURATION 16
	24" STANDARD	24" WEBCAM	24" TEAMS	24" TOUCHSCREEN	27" STANDARD	27" WEBCAM	27" TEAMS	27" TOUCHSCREEN	32" STANDARD	32" WEBCAM	32" TEAMS	32" TOUCHSCREEN	40" STANDARD	40" WEBCAM	40" TEAMS	40" TOUCHSCREEN
Model	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Cost	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type																
Viewable Image																
Integrated Web Camera (w/Microphone)																
Microsoft Teams Integration (Certified)																
Touchscreen																
Aspect Ratio																
Resolution Supported																
DisplayPort Input																
HDMI Input																
USB-C Input																
VGA Input																
Speakers																
Height Adjustable (Inches up/down)																
Tilt Up (degrees)																
Tilt Down (degrees)																
Viewing Angle - Horizontal (degrees)																
Viewing Angle - Vertical (degrees)																
Emergency Level																
ePEAT Level																
W x H (mm)																
USB Type-C																
Dot Pitch (mm)																
White Luminance (cd/m2)																
Contrast																
Panel Response Rate (ms)																
Refresh Rate (Hz)																
Swivel																
Security Slot																
VESA Wall Mount Compliant																
Pivot Capable																
Anti-Glare Coating																
Anti-Static Coating																
ActiveClearing Power (Watts)																
Save Sleep Power (Watts)																
Dimensions w/Stand (Inches W x D x H)																
Dimensions w/Stand (mmes W x D x H)																
Weight w/Stand (lbs.)																
Weight w/Stand (kg)																
UPGRADE OPTIONS (to be ordered at initial purchase)																
Warranty - 1 Additional Year																
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)																
Speakers - 2x3W																
Display Adapter - DisplayPort to HDMI																
Display Adapter - USB-C to DisplayPort																
Display Adapter - USB-C to HDMI																
Mounting Bracket - Base Stand/Leads																
Mounting Bracket - Base Stand/Leads																
Mounting Bracket - VESA Plate/Bracket																
Mounting Bracket - VESA Plate/Bracket																
Filter - Anti-Glare/Privacy																













MICROSOFT LARGE FORMAT MONITORS

Zones LLC MA-IS-2640006	CONFIGURATION 17	CONFIGURATION 18	CONFIGURATION 19	CONFIGURATION 20	CONFIGURATION 21	CONFIGURATION 22	CONFIGURATION 23	CONFIGURATION 24	CONFIGURATION 25	CONFIGURATION 26	CONFIGURATION 27	CONFIGURATION 28	CONFIGURATION 29	CONFIGURATION 30	CONFIGURATION 31
	50" STANDARD	50" TOUCHSCREEN	50" INTERACTIVE	55" STANDARD	55" TOUCHSCREEN	55" INTERACTIVE	65" STANDARD	65" TOUCHSCREEN	65" INTERACTIVE	75" STANDARD	75" TOUCHSCREEN	75" INTERACTIVE	85" STANDARD	85" TOUCHSCREEN	85" INTERACTIVE
Model	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Cost	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type															
Viewable Image															
Integrated Web Camera (w/Microphone)															
Microsoft Teams Integration (Certified)															
Touchscreen															
Interactive - Integrated PC															
Interactive - Integrated PC - Processor															
Interactive - Integrated PC - Operating System															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - Hard Disk															
Interactive - Integrated PC - Video Graphics															
Interactive - Integrated PC - Sound															
Interactive - Integrated PC - Network Interface															
Interactive - Integrated PC - Wireless Interface															
Interactive - Integrated PC - Bluetooth Interface															
Aspect Ratio															
Resolution Supported															
DisplayPort Input															
HDMI Input															
USB-C Input															
VGA Input															
Speakers															
Height Adjustable (inches up/down)															
Tilt Up (degrees)															
Tilt Down (degrees)															
Viewing Angle - Horizontal (degrees)															
Viewing Angle - Vertical (degrees)															
EnergyStar Level															
ePEAT Level															
Warranty															
Dot Pitch (mm)															
White Luminance (cd/m2)															
Contrast															
Pixel Response Rate (ms)															
Refresh Rate (Hz)															
Salvage															
Security Slot															
VESA Wall Mount Compliant															
Pivot Capable															
Anti-Glare Coating															
Anti-Static Coating															
Active/Operating Power (Watts)															
Stand/Sleep Power (Watts)															
Dimensions w/Stand (inches W x D x H)															
Dimensions w/Stand (inches W x D x H)															
Weight w/Stand (lbs)															
Weight w/Stand (kg)															
UPGRADE OPTIONS (to be ordered at initial purchase)															
Warranty - 1 Additional Year															
Interactive - Integrated PC - Processor															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - Solid State															
Interactive - Integrated PC - Solid State															
Interactive - Integrated PC - Solid State															
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)															
Screen - Attachable															
Display Adapter - DisplayPort to HDMI															
Display Adapter - USB-C to DisplayPort															
Display Adapter - USB-C to HDMI															
Mounting Bracket - Base Stand/Legs															
Mounting Bracket - Base Stand/Legs															
Mounting Bracket - Base Stand/Legs															
Mounting Bracket - VESA Plate/Bracket															
Mounting Bracket - VESA Plate/Bracket															
Mounting Bracket - VESA Plate/Bracket															
Filter - Anti-Glare/Privacy															
Filter - Anti-Glare/Privacy															

VIEWSONIC DESKTOP MONITORS

Zones LLC MA-IS-2640007	CONFIGURATION 1	CONFIGURATION 2	CONFIGURATION 3	CONFIGURATION 4	CONFIGURATION 5	CONFIGURATION 6	CONFIGURATION 7	CONFIGURATION 8	CONFIGURATION 9	CONFIGURATION 10	CONFIGURATION 11	CONFIGURATION 12	CONFIGURATION 13	CONFIGURATION 14	CONFIGURATION 15	CONFIGURATION 16
	24" STANDARD	24" WEBCAM	24" TEAMS	24" TOUCHSCREEN	27" STANDARD	27" WEBCAM	27" TEAMS	27" TOUCHSCREEN	32" STANDARD	32" WEBCAM	32" TEAMS	32" TOUCHSCREEN	40" STANDARD	40" WEBCAM	40" TEAMS	40" TOUCHSCREEN
Model	VG2452	VG2457V	No Offering	TD2430	VG2752-2K	VG2757V-2K	No Offering	TD2760	VX3267U-2K	VG3457CV	No Offering	TD3207	CDE4331	No Offering	No Offering	No Offering
Cost	\$240.00	\$380.00	No Offering	\$315.00	\$305.00	\$450.00	No Offering	\$530.00	\$260.00	\$600.00	No Offering	\$940.00	\$760.00	No Offering	No Offering	No Offering
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED		LED	LED	LED		LED	LED	LED		LED	LED			
Viewable Image	24 inch	24 inch		24 inch	27 inch	27 inch		27 inch	32 inch	34 inch Curved		32 inch	43 inch			
Integrated Web Camera (w/Microphone)		WMP				WMP				WMP						
MicroSoft Teams Integration (Certified)																
Touchscreen				Yes				Yes				Yes				
Aspect Ratio	16:9	16:9		16:9	16:9	16:9		16:9	16:9	21:9		16:9	16:9			
Resolution Supported	1920 x 1080	1920 x 1080		1920 x 1080	2560 x 1440	2560 x 1440		1920 x 1080	2560 x 1440	3440 x 1440		1920 x 1080	3840x2160			
DisplayPort Input	1	1		1	1	1		1	1	1		1	1			
HDMI Input	1	1		1	1	1		1	1	2		1	1			
USB-C Input	3	2		1	2	2		1	2	2		1	4			
USB Input	1	1		1	1	1		1	1	1		1	1			
Speakers	Integrated	Integrated		Integrated	Integrated	Integrated		Integrated	Integrated	Integrated		Integrated	Integrated			
Height Adjustable (Inches up/down)	4.1	4.2		4	4.8	3.3		4	4.2	4.2		4.2	4			
Tilt Up (degrees)	5	5		5	5	5		5	5	5		5	5			
Tilt Down (degrees)	30	40		30	40	40		30	20	40		30	40			
Viewing Angle - Horizontal (degrees)	178	178		178	178	178		178	178	178		178	178			
Viewing Angle - Vertical (degrees)	178	178		178	178	178		178	178	178		178	178			
EnergyStar Level	6	6		6	6	6		6	6	6		6	6			
ePEAT Level	Silver	Silver		Silver	Silver	Silver		Bronze	Silver	Silver		Silver	Bronze			
Warranty	3 Year Next Business Day	3 Year Next Business Day		3 Year Next Business Day	3 Year Next Business Day	3 Year Next Business Day		3 Year Next Business Day	3 Year Next Business Day	3 Year Next Business Day		3 Year Next Business Day	3 Year Next Business Day			
LED Backlight	3.2 (0.1)	3.2 (0.1)		3.2 (0.1)	3.2 (0.1)	3.2 (0.1)		3.2 (0.1)	3.2 (0.1)	3.2 (0.1)		3.2 (0.1)	3.2 (0.1)			
Dot Pitch (mm)	0.275	0.275		0.272	0.275	0.233		0.311	0.273	0.332		0.354	0.301			
White Luminance (cd/m2)	300	250		300	300	300		250	250	300		400	400			
Contrast	1500:1	1300:1		3000:1	1600:1	1300:1		3000:1	1200:1	3,000:1		3000:1	1200:1			
Peak Response Rate (ms)	4	4		4	4	4		4	4	4		4	4			
Refresh Rate (Hz)	100	100		100	100	100		60	75	100		60	60			
Swivel	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes			
Security Slot	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes			
VEESA Wall Mount Compliant	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes			
Panel Adjustable	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes			
Anti-Glare Coating	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes			
Anti-Static Coating	Yes	Yes		Yes	Yes	Yes		Yes	Yes	Yes		Yes	Yes			
Active/Standby Power (Watts)	110	124.4		40	120	134.4		32	38	45		45	53			
Save/Sleep Power (Watts)	0.5	0.5		0.5	0.5	0.5		0.5	0.5	0.5		0.5	0.5			
Dimensions w/Stand (Inches W x D x H)	21.2 x 8.1 x 15.8	21.2 x 8.1 x 15.8		22.6 x 1.9 x 13.8	24.1 x 8.6 x 15.8	24.1 x 8.6 x 16.7		26 x 9.4 x 17.5	28.1 x 9.2 x 20.3	31.81 x 9.3 x 18.88		29.4 x 2.5 x 17.8	N/A			
Dimensions w/o Stand (Inches W x D x H)	21.2 x 8.1 x 15.5	21.2 x 8.1 x 13.7		22.6 x 1.9 x 13.5	24.1 x 8.6 x 14.6	24.1 x 2.2 x 15.3		26.1 x 2.2 x 16.2	28.1 x 2.3 x 16.8	31.81 x 2.5 x 15.4		29.4 x 2.5 x 17.8	37.88 x 2.81 x 21.75			
Weight w/Stand (lbs.)	13.8	16.1		16.1	16.4	17.7		17.4	18.9	26.2		26.2	N/A			
Weight w/o Stand (lbs.)	8.3	10		12.1	11	12		12.2	12.6	15.4		28.2	20.88			
UPGRADE OPTIONS (to be ordered at initial purchase)																
Warranty - 1 Additional Year	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange		1 Additional Year NBD Advanced Exchange	1 Additional Year NBD Advanced Exchange			
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)																
Speakers - Add-on																
Display Adapter - DisplayPort to HDMI																
Display Adapter - USB-C to DisplayPort																
Display Adapter - USB-C to HDMI																
Mounting Bracket - Base Stand/Legs																
Mounting Bracket - Base Stand/Loop																
Mounting Bracket - Base Stand/Loop																
Mounting Bracket - VESA Plate/Bracket																
Mounting Bracket - VESA Plate/Bracket																
Mounting Bracket - VESA Plate/Bracket																
Filter - Anti-Glare/Privacy	Privacy Filter	Privacy Filter			Privacy Filter											

VIEWSONIC LARGE FORMAT MONITORS

Zones LLC MA-IS-2640007	CONFIGURATION 17	CONFIGURATION 18	CONFIGURATION 19	CONFIGURATION 20	CONFIGURATION 21	CONFIGURATION 22	CONFIGURATION 23	CONFIGURATION 24	CONFIGURATION 25	CONFIGURATION 26	CONFIGURATION 27	CONFIGURATION 28	CONFIGURATION 29	CONFIGURATION 30	CONFIGURATION 31
	50" STANDARD	50" TOUCHSCREEN	50" INTERACTIVE	55" STANDARD	55" TOUCHSCREEN	55" INTERACTIVE	65" STANDARD	65" TOUCHSCREEN	65" INTERACTIVE	75" STANDARD	75" TOUCHSCREEN	75" INTERACTIVE	85" STANDARD	85" TOUCHSCREEN	85" INTERACTIVE
															
Model	No Offering	No Offering	No Offering	CDE5531	IFP55G1	IFP55I1	CDE6531	IFP65G1	IFP65I1	CDE7531	IFP75G1	IFP75I1	CDE8531	IFP85G1	IFP85I1
Cost	No Offering	No Offering	No Offering	\$885.00	\$1,365.00	\$3,170.00	\$1,270.00	\$1,480.00	\$3,325.00	\$1,585.00	\$1,776.00	\$3,685.00	\$2,470.00	\$2,520.00	\$4,620.00
Features	No Offering	No Offering	No Offering	Product Details			Product Details			Product Details			Product Details		
Display Type				LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
Viewable Image				52 inch	55 inch	55 inch	65 inch	65 inch	65 inch	75 inch	75 inch	75 inch	85 inch	85 inch	85 inch
Integrated Web Camera (w/Microphone)					4K			4K						4K	
Microsoft Teams Integration (Certified)															
Touchscreen					Yes	Yes		Yes	Yes			Yes		Yes	Yes
Interactive - Integrated PC - Processor					Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Interactive - Integrated PC - Operating System					Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
Interactive - Integrated PC - RAM					16GB	16GB	16GB	16GB	16GB	16GB	16GB	16GB	16GB	16GB	16GB
Interactive - Integrated PC - Hard Disk					512GB	512GB	512GB	512GB	512GB	512GB	512GB	512GB	512GB	512GB	512GB
Interactive - Integrated PC - Video Graphics					Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics
Interactive - Integrated PC - Sound					High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio	High Definition Audio
Interactive - Integrated PC - Network Interface					Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000	Gigabit 10/100/1000
Interactive - Integrated PC - Wireless Interface					WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax	WiFi 6 802.11 ax
Interactive - Integrated PC - Bluetooth Interface															
Aspect Ratio				16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9
Resolution Supported				3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160
DisplayPort Input															
HDMI Input				3	3	3	3	3	3	3	3	3	3	3	3
USB-C Input				1	1	1	1	1	1	1	1	1	1	1	1
VGA Input						1			1			1			1
Speakers				Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Height Adjustable (inches up/down)															
Tilt Up (degrees)															
Tilt Down (degrees)															
Viewing Angle - Horizontal (degrees)				178	178	178	178	178	178	178	178	178	178	178	178
Viewing Angle - Vertical (degrees)				178	178	178	178	178	178	178	178	178	178	178	178
EnergyStar Level				8	8	8	8	8	8	8	8	8	8	8	8
ePEAT Level				Bronze	Silver	Bronze	Bronze	Silver	Bronze	Bronze	Silver	Bronze	Bronze	Silver	Bronze
Warranty				3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange	3 Year Express Exchange
Out Pitch (mm)				2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121	2,911/3,017/3,121
White Luminance (cd/m2)				500	500	500	500	500	500	500	500	500	500	500	500
Contrast				1200:1	1200:1	1200:1	1200:1	1200:1	1200:1	1200:1	1200:1	1200:1	1200:1	1200:1	1200:1
Pixel Response Rate (ms)				6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
Refresh Rate (Hz)				60	60	60	60	60	60	60	60	60	60	60	60
Salvage															
Security Slot															
VESA Wall Mount Compliant				Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Pivot Capable				Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Anti-Glare Coating				Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Anti-Static Coating				Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Active Operating Power (Watts)				70	90	89	74	103.8	95	90	110.82	89	89	154.89	112
Standby Power (Watts)				0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Dimensions w/Stand (inches W x D x H)				48.54 x 21.81 x 27.7	49.7 x 3.37 x 30.31	49.98 x 3.37 x 31.08	64.09 x 7.28 x 37.09	68.58 x 3.37 x 35.3	68.8 x 3.36 x 38.88	88.38 x 2.94 x 37.88	87.24 x 3.37 x 40.18	87.29 x 3.36 x 40.88	70.02 x 3.37 x 43.37	77.85 x 3.37 x 45.67	77.85 x 3.36 x 45.38
Dimensions w/o Stand (inches W x D x H)															
Weight w/Stand (lbs)				28.55	69.3	69.69	62	81.46	76.15	75.29	108.35	101.54	92.59	137.46	128.88
UPGRADE OPTIONS (to be ordered at initial purchase)															
Warranty - 1 Additional Year				-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange	-1 Additional Year Express Exchange
Interactive - Integrated PC - Processor							Intel Core i7-1260P / 16GB / 512GB								
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - RAM															
Interactive - Integrated PC - Solid State															
Interactive - Integrated PC - Solid State															
Interactive - Integrated PC - Solid State															
ACCESSORY OPTIONS (ordered at initial purchase or at a later time)															
Screen - Adjustable															
Display Adapter - DisplayPort to HDMI															
Display Adapter - USB-C to DisplayPort															
Display Adapter - USB-C to HDMI															
Mounting Bracket - Base Stand/Legs				Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount	Flat Wall Mount
Mounting Bracket - Base Stand/Legs				Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart	Stationary Cart
Mounting Bracket - Base Stand/Legs				Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart	Electronic Cart
Mounting Bracket - VESA Plate/Bracket															
Mounting Bracket - VESA Plate/Bracket															
Mounting Bracket - VESA Plate/Bracket															
Filter - Anti-Glare/Privacy															
Filter - Anti-Glare/Privacy															

OPTIONAL SERVICES - MONITORS

Optional Service	Specification
DESKTOP-LAPTOP-MONITOR Asset Tagging	Tasks to be provided by 3rd party vendor prior to delivery of equipment include the following: 1) Affix asset tag to device as directed and/or provided by the department. 2) Enter asset tag into system BIOS as directed and provided by the department. 3) Provide a full inventory report of equipment asset tags, serial numbers, and other identifying information as requested by the department. 4) Coordinate and oversee all purchase deliveries to a central department location.
DESKTOP-LAPTOP-MONITOR Delivery w/Unpacking - WEEKDAY	General County weekday peak hours are 9am to 3:30pm. All delivery/drop times shall be dictated by ordering department. Tasks to include the following: 1) Deliver and unpack devices (removing all packing materials) to regional locations as directed by the department. 2) Coordinate and oversee all purchase deliveries to a central department location.
DESKTOP-LAPTOP-MONITOR Delivery w/Unpacking - WEEKEND	General County weekend peak hours are 9am to 3:30pm. All delivery/drop times shall be dictated by ordering department. Tasks to include the following: 1) Deliver and unpack devices (removing all packing materials) to regional locations as directed by the department. 2) Coordinate and oversee all purchase deliveries to a central department location.
DESKTOP-LAPTOP-MONITOR Staggered Delivery - WEEKDAY	General County weekday peak hours are 9am to 3:30pm. All delivery/drop times shall be dictated by ordering department. Tasks to include the following: 1) Warehousing of devices up to three (3) months as needed; starts from date goods are warehoused (not from the date of PO) Vendor shall transfer all warranty and title/ownership for devices to the department prior to delivery (F.O.B. Destination). Department takes title/ownership at F.O.B. Destination. 2) Coordinate and oversee all purchase deliveries to regional locations as directed by the department.
DESKTOP-LAPTOP-MONITOR Staggered Delivery - WEEKEND	General County weekend peak hours are 9am to 3:30pm. All delivery/drop times shall be dictated by ordering department. Tasks to include the following: 1) Warehousing of devices up to three (3) months as needed; starts from date goods are warehoused (not from the date of PO) Vendor shall transfer all warranty and title/ownership for devices to the department prior to delivery (F.O.B. Destination). Department takes title/ownership at F.O.B. Destination. 2) Coordinate and oversee all purchase deliveries to regional locations as directed by the department.
DESKTOP-LAPTOP-MONITOR Staggered Delivery w/Unpacking - WEEKDAY	General County weekday peak hours are 9am to 3:30pm. All delivery/drop times shall be dictated by ordering department. Tasks to include the following: 1) Warehousing of devices up to three (3) months as needed; starts from date goods are warehoused (not from the date of PO) Vendor shall transfer all warranty and title/ownership for devices to the department prior to delivery (F.O.B. Destination). Department takes title/ownership at F.O.B. Destination. 2) Coordinate and oversee the purchase deliveries and unpacking of devices (removing all packing materials) to regional locations as directed by the department.
DESKTOP-LAPTOP-MONITOR Staggered Delivery w/Unpacking - WEEKEND	General County weekend peak hours are 9am to 3:30pm. All delivery/drop times shall be dictated by ordering department. Tasks to include the following: 1) Warehousing of devices up to three (3) months as needed; starts from date goods are warehoused (not from the date of PO) Vendor shall transfer all warranty and title/ownership for devices to the department prior to delivery (F.O.B. Destination). Department takes title/ownership at F.O.B. Destination. 2) Coordinate and oversee the purchase deliveries and unpacking of devices (removing all packing materials) to regional locations as directed by the department.

OPTIONAL SERVICES - MONITORS

Optional Service	Specification
DESKTOP-LAPTOP-MONITOR Install & Relocate - WEEKDAY	<p>General County weekday peak hours are 9am to 3:30pm. All service times shall be dictated by ordering department.</p> <p>Service for all Desktop and Laptop Configurations; Only for Monitor Configurations 1 through 16</p> <p>Tasks to include the following:</p> <ol style="list-style-type: none"> 1) Deliver device to final destination within one (1) facility, as directed by the ordering department and unpack, removing all packing material. 2) Disconnect and remove existing equipment to a temporary on-site location as directed by department. 3) Install device including connection of CPU and peripherals, including but not limited to, system cables, security cables/locking mechanism, mouse, and keyboard or as directed by department. 4) Boot up system and report any Operating System issues to department. 5) Coordinate and oversee all purchases deliveries to a central department location.
DESKTOP-LAPTOP-MONITOR Install & Relocate - WEEKEND	<p>General County weekend peak hours are 9am to 3:30pm. All service times shall be dictated by ordering department.</p> <p>Service for all Desktop and Laptop Configurations; Only for Monitor Configurations 1 through 16</p> <p>Tasks to include the following:</p> <ol style="list-style-type: none"> 1) Deliver device to final destination within one (1) facility, as directed by the ordering department and unpack, removing all packing material. 2) Disconnect and remove existing equipment to a temporary on-site location as directed by department. 3) Install device including connection of CPU and peripherals, including but not limited to, system cables, security cables/locking mechanism, mouse, and keyboard or as directed by department. 4) Boot up system and report any Operating System issues to department. 5) Coordinate and oversee all purchase deliveries to a central department location.