OVERALL MONITOR COST COMPARISON

						• • =			••••••							
	CONFIGURATION 1			CONFIGURATION 4	CONFIGURATION 5	CONFIGURATION 6	CONFIGURATION 7	CONFIGURATION 8	CONFIGURATION 9				CONFIGURATION 13	CONFIGURATION 14		
	24" STANDARD	24" WEBCAM	24" TEAMS	24" TOUCH	27" STANDARD	27" WEBCAM	27" TEAMS	27" TOUCH	32" STANDARD	32" WEBCAM	32" TEAMS	32" TOUCH	40" STANDARD	40" WEBCAM	40" TEAMS	40" TOUCH
		ViewSonic A						27 ViewSonic 💒 خط	ViewSonic [®] 😹				43" ViewSonic 🗱 er 1976			Verbard on
DELL	P2422H	C2423H	C2422HE	No Offering	P2722H	C2723H	C2722DE	No Offering	P3221D	No Offering	C3422WE	No Offering	U4320Q	No Offering	No Offering	No Offering
Sterling Computers MA-IS-2240252	\$230.41	\$276.61	\$351.69	No Offering	\$273.42	\$320.06	\$449.86	No Offering	\$409.44	No Offering	\$640.44	No Offering	\$757.48	No Offering	No Offering	No Offering
HP	P24H G4	E24MV G4	No Offering	E24T G4	P27H G4	E27M G4	No Offering	No Offering	P34HC G4	E34M G4	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Golden Star Technology MA-IS-2240253	\$157.00	\$341.00	No Offering	\$250.00	\$185.00	\$410.00	No Offering	No Offering	\$430.00	\$548.00	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
LENOVO	E24-28	T24V-20	No Offering	T24T-20	S27E-20	T27HV-20	No Offering	No Offering	T32P-20	No Offering	No Offering	No Offering	P40W	No Offering	No Offering	No Offering
Technology Integration Group MA-IS-2240254	\$270.99	\$306.99	No Offering	\$390.39	\$266.99	\$498.99	No Offering	No Offering	\$596.99	No Offering	No Offering	No Offering	\$1,390.99	No Offering	No Offering	No Offering
VIEWSONIC	VG2440	VG2440V	No Offering	TD2430	VG2748	VG2740V	No offering	TD2760	VX3276-2K-MHD	No Offering	No Offering	No Offering	VX4381-4K	No Offering	No Offering	IFP4320
Zones LLC MA-IS-2240256	\$168.65	\$205.75	No Offering	\$330.10	\$226.65	\$249.40	No offering	\$520.75	\$197.20	No Offering	No Offering	No Offering	\$625.75	No Offering	No Offering	\$920.00
																Updated 7/19/2022

CONFIGURATION 1 24" STANDARD COMPARISON		HP	ViewSonic	Dell	Lenovo
		P24H G4	VG2440	P2422H	E24-28
		\$157.00	\$168.65	\$230.41	\$270.99
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	IPS	LED	IPS	IPS
Viewable Image	24 inch	23.8 inch	23.8 inch	23.8 inch	23.8 Inch
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	16:09	16:09	16:09	16:09
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
VGA Input		1	1	1	1
DisplayPort Input HDMI Input	Must inlcude at least 2 Total Inputs	1	1	1	1
USB-C Input	ł	1	1	1	1
Speakers	Integrated or Accessory Option	Integrated	Integrated	Accessory Option	Accessory Option
Height Adjustable (inches up/down)	Yes	5.9	5.1	0	6.1
Tilt Up (degrees)	Yes	23	40	21	22
Tilt Down (degrees)	Yes	5	5	5	5
Viewing Angle - Horizontal (degrees)	150	178	178	178	178
Viewing Angle - Vertical (degrees)	150	178	178	178	178
EnergyStar Level	7	8	8	7	8
ePEAT Level	Bronze	Silver	Silver	Gold	Silver
Warranty USB Hub (ports)	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	3 (3.0)	4 Year NBD Advanced Exchange 4 (3.2)	4 Year NBD Advanced Exchange
Dot Pitch (.mm)		0.275 250	0.272	0.275 250	0.275 250
White Luminance (cd/m2) Contrast		1000:1	250 1000:1	1000:1	1000:1
Pixel Response Rate (.ms)		5	5	5	14
Refresh Rate (Hz)		60	60	60	60
Swivel		Yes	Yes	Yes	00
Security Slot		Yes	Yes	Yes	Yes
VESA Wall Mount Compliant		Yes	Yes	Yes	Yes
Pivot Capable		Yes	Yes	Yes	Yes
Anti-Glare Coating		Yes	Yes	Yes	Yes
Anti-Static Coating					
Active/Operating Power (Watts)		22	11.8	12	18
Save/Sleep Power (Watts)		0.5	0.5	0.3	0.5
Dimensions w/Stand (inches W x D x H)		21.2 x 8.3 x 18.3	21.6 x 8.1 x 15.1	21.2 x 7.1 x 19.5	21.3 x 7.0 x 16.1
Dimensions w/o Stand (inches W x D x H)		21.2 x 1.8 x 12.8	21.6 x 2.0 x 12.9	21.2 x 2.2 x 15.4	21.3 x 1.6 x 12.9
Weight w/Stand (.lbs)		9.94 5.56	12.9	12.3	10.6
Weight w/o Stand (.lbs) UPGRADE OPTIONS (to be ord			8.5	7.5	6.8
Warranty	1 Additional Year		Additional 1 Year Express Exchange	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange
ACCESSORY OPTIONS (ordered		later time)			
Speakers	Attachable		Disale Data VOA	Slim Soundbar SB521A	USB Soundbar
Display Adapter	DisplayPort to VGA DisplayPort to HDMI		DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA
Display Adapter	HDMI to VGA			HDMLto.VCA	DisplayPort to HDMI HDMI to VGA
Display Adapter Display Adapter	USB-C to VGA			HDMI to VGA USB-C to VGA	USB-C to VGA
Display Adapter	USB-C to HDMI			USB-C to VGA	USB-C to HDMI
Display Adapter	USB-C to DisplayPort			USB-C to DisplayPort	USB-C to DisplayPort
Mounting Bracket	Base Stand/Legs	Int. Work Center Desktop Mini/Thin Client	Dual Monitor Mounting Arm	Single Monitor Arm - MSA20	
Mounting Bracket	Base Stand/Legs		,	Dual Monitor Arm - MDA20	
Mounting Bracket	VESA Plate/Bracket	PC Mounting Bracket B250	Universal Mounting Kit	Height Adjustable Wall Mount	
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy		Privacy Screen		23.8 Inch Privacy Filter
Filter	Anti-Glare/Privacy				

24"

CONFIGUF 24" WE COMPA	BCAM	ViewSonic	Dell	Lenovo T24V-20	HP E24MV G4
			C2423H \$276.61	\$306.99	\$341.00
Features	Base Specifications	\$205.75 Product Details	Product Details	Product Details	Product Details
Display Type	LED	IPS	IPS	IPS	IPS
Viewable Image	24 inch	23.8 inch	23.8 inch	23.8 Inch	23.8 inch
Integrated Web Camera (w/Microphone)	Yes	Yes	Yes	Yes	Yes
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	16:09	16:09	16:09	16:09
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
VGA Input		1	0	1	1
DisplayPort Input	Must inlcude at least 2 Total Inputs	1	1	1	1
HDMI Input	puto	11	1	1	1
USB-C Input					
Speakers	Integrated or Accessory Option	Integrated	Integrated	Integrated	Integrated
Height Adjustable (inches up/down)	Yes	5.1	5.9	4.8	5.9
Tilt Up (degrees)	Yes	40	21	35	23
Tilt Down (degrees)	Yes	5 178	5 178	5 178	5
Viewing Angle - Horizontal (degrees)	150 150	178	178	178	178 178
Viewing Angle - Vertical (degrees)	7	8	7	8	8
EnergyStar Level ePEAT Level	Bronze	Silver	Gold	Silver	Gold
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange
USB Hub (ports)	4 Teal NDD Advanced Exchange	1 (3.0)	4 (3.0)	2 (3.0)	4 (3.1)
Dot Pitch (.mm)		0.275	0.275	0.275	0.275
White Luminance (cd/m2)		250	250	250	250
Contrast		1000:1	1000:1	1000:1	1000:1
Pixel Response Rate (.ms)		5	6	4	5
Refresh Rate (Hz)		60	60	60	60
Swivel		Yes	Yes	Yes	Yes
Security Slot		Yes	Yes	Yes	Yes
VESA Wall Mount Compliant		Yes	Yes	Yes	Yes
Pivot Capable		Yes	Yes	Yes	Yes
Anti-Glare Coating		Yes	Yes	Yes	Yes
Anti-Static Coating					
Active/Operating Power (Watts)		10.3	12.6	13	22
Save/Sleep Power (Watts)		0.5	0.3	0.5	0.5
Dimensions w/Stand (inches W x D x H)		21.6 x 8.1 x 16.0	21.2 x 7.1 x 19.5 21.2 x 2.3 x 15.7	23.0 x 8.1 x 16.8	21.2 x 8.5 x 20.9
Dimensions w/o Stand (inches W x D x H)		21.6 x 2.0 x 13.8		23.0 x 1.9 x 13.6	21.2 x 1.9 x 17.8
Weight w/Stand (.lbs) Weight w/o Stand (.lbs)		13.3 7.9	13.3 8.4	13.1 7.7	14.3 8.6
UPGRADE OPTIONS (to be ord	ored at initial purchase)	1.9	0.4	1.1	8.0
Warranty		Additional 1 Veer Everence Evenence	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Vr. NRD Adv. Evaboration	Additional 1 Vr. NDD Adv. Evaluation
ACCESSORY OPTIONS (ordered	ed at initial purchase or at a		Additional 1 ff. NBD Adv. Exchange	Additional 1 11, NBD Adv. Exchange	Additional 1 ff. NBD Adv. Exchange
Speakers Display Adaptor	Attachable	DiaployBet to V/CA	DisplayBet to VCA	DisplayBet to V/CA	
Display Adapter Display Adapter	DisplayPort to VGA DisplayPort to HDMI	DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA DisplayPort to HDMI	
Display Adapter Display Adapter	HDMI to VGA		HDMI to VGA	HDMI to VGA	
Display Adapter	USB-C to VGA		USB-C to VGA	USB-C to VGA	
Display Adapter	USB-C to HDMI		USB-C to VGA	USB-C to VGA	
Display Adapter	USB-C to DisplayPort		USB-C to DisplayPort	USB-C to DisplayPort	
Mounting Bracket	Base Stand/Legs	Dual Monitor Mounting Arm	Single Monitor Arm - MSA20		
Mounting Bracket	Base Stand/Legs		Dual Monitor Arm - MDA20		
Mounting Bracket	VESA Plate/Bracket	Universal Mounting Kit	Height Adjustable Wall Mount		PC Mounting Bracket B300
Mounting Bracket	VESA Plate/Bracket		, <u></u>		PC Mounting Bracket B300 w/PS Holder
Filter	Anti-Glare/Privacy	Privacy Screen		23.8 Inch Privacy Filter	-
Filter	Anti-Glare/Privacy			·	

CONFIGURATION 3 24" TEAMS COMPARISON		Dell C2422HE \$351.69	HP No Offering No Offering	Lenovo No Offering No Offering	ViewSonic No Offering No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	IPS			
Viewable Image	24 inch	23.8 inch			
Integrated Web Camera (w/Microphone)	Yes	Yes			
Microsoft Teams Integration (Certified)	Yes	Yes			
Touchscreen					
Aspect Ratio	16:09 or greater	16:09			
Resolution Supported	1920 x 1080 or greater	1920 x 1080			
VGA Input	Į – – – – – – – – – – – – – – – – – – –				
DisplayPort Input	Must inlcude at least 2 Total Inputs	1			
HDMI Input USB-C Input	ł	1			
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)	Yes	5.5			
Tilt Up (degrees)	Yes	21			
Tilt Down (degrees)	Yes	5			
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	7			
ePEAT Level	Bronze	Gold			
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange			
USB Hub (ports)		4 (2 3.2 / 2 C)			
Dot Pitch (.mm)		0.275			
White Luminance (cd/m2)		250			
Contrast Pixel Response Rate (.ms)		1000:1			
Refresh Rate (Hz)		8 60			
Swivel		Yes			
Security Slot		Yes			
VESA Wall Mount Compliant		Yes			
Pivot Capable		Yes			
Anti-Glare Coating	And a second	Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		18			
Save/Sleep Power (Watts)		0.5			
Dimensions w/Stand (inches W x D x H)		21.2 x 7.3 x 15.9			
Dimensions w/o Stand (inches W x D x H)		21.2 x 2.5 x 13.4			
Weight w/Stand (.lbs) Weight w/o Stand (.lbs)		13.7 9.7			
UPGRADE OPTIONS (to be orc	lored at initial purchase)	9.7			
Warranty		Additional 1 Yr. NBD Adv. Exchange			
ACCESSORY OPTIONS (ordered					
ACCESSORT OPTIONS (ordered	Attachable				
Display Adapter	DisplayPort to VGA	DisplayPort to VGA			
Display Adapter	DisplayPort to HDMI	Bioplay, office vort			
Display Adapter	HDMI to VGA	HDMI to VGA			
Display Adapter	USB-C to VGA	USB-C to VGA			
Display Adapter	USB-C to HDMI	USB-C to HDMI			
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort			
Mounting Bracket	Base Stand/Legs	Single Monitor Arm - MSA20			
Mounting Bracket	Base Stand/Legs	Dual Monitor Arm - MDA20			
Mounting Bracket	VESA Plate/Bracket	Height Adjustable Wall Mount			
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				X

CONFIGURATION 4 24" TOUCHSCREEN COMPARISON		HP E24T G4 \$250.00	ViewSonic TD2430 \$330.10	Lenovo T24T-20 \$390.39	Dell No Offering No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	IPS	LED	IPS	
Viewable Image	24 inch	23.8 inch	23.8 Inch	23.8 Inch	
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)	, , , , , , , , , , , , , , , , , , ,				
Touchscreen	Yes	Yes	Yes	Yes	
Aspect Ratio Resolution Supported	16:09 or greater 1920 x 1080 or greater	16:09 1920 x 1080	16:09 1920 x 1080	16:09 1920 x 1080	
VGA Input	1920 X 1000 OF greater	1	1	1920 x 1080	
DisplayPort Input	t	1	1	1	
HDMI Input	Must inlcude at least 2 Total Inputs	1	1	1	
USB-C Input	† I				
Speakers	Integrated or Accessory Option	Accessory Option	Integrated	Integrated	
Height Adjustable (inches up/down)	Yes	21:36		4.8	
Tilt Up (degrees)	Yes	23	53	35	
Tilt Down (degrees)	Yes	5	20	5	
Viewing Angle - Horizontal (degrees)	150	178	178	178	
Viewing Angle - Vertical (degrees)	150	178	178	178	
EnergyStar Level	7	8	8	8	
ePEAT Level Warranty	Bronze 4 Year NBD Advanced Exchange	Gold 4 Year NBD Advanced Exchange	Bronze	Silver 4 Year NBD Advanced Exchange	
USB Hub (ports)	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange 4 (3.1)	4 Year Express Exchange 1 (3.0)	4 feal NBD Advanced Exchange 4 (3.0)	
Dot Pitch (.mm)		0.206	0.272	0.275	
White Luminance (cd/m2)		300	250	250	
Contrast		1000:1	1000:1	1000:1	
Pixel Response Rate (.ms)		5	25	4	
Refresh Rate (Hz)		60	60	60	
Swivel		Yes		Yes	
Security Slot		Yes	Yes	Yes	
VESA Wall Mount Compliant		Yes	Yes	Yes	
Pivot Capable		Yes	No	Yes	
Anti-Glare Coating		Yes	Yes	Yes	
Anti-Static Coating Active/Operating Power (Watts)		0 22	19	13	
Save/Sleep Power (Watts)		0.5	0.5	0.5	
Dimensions w/Stand (inches W x D x H)		21.2 x 8.2 x 19.5	22.6 x 1.9 x 13.9	23.0 x 8.1 x 16.8	
Dimensions w/o Stand (inches W x D x H)		21.2 x 1.9 x 12.7	22.6 x 1.9 x 13.9	23.0 x 1.9 x 13.6	
Weight w/Stand (.lbs)		12.8	12.2	13.1	
Weight w/o Stand (.lbs)		7.5	12.2	7.7	
UPGRADE OPTIONS (to be ord	lered at initial purchase)				
Warranty	1 Additional Year	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Year Express Exchange	Additional 1 Yr. NBD Adv. Exchange	
ACCESSORY OPTIONS (ordered	ed at initial purchase or at a	later time)			
Speakers	Attachable	Soundbar S101			
Display Adapter	DisplayPort to VGA		DisplayPort to VGA	DisplayPort to VGA	
Display Adapter	DisplayPort to HDMI			DisplayPort to HDMI	
Display Adapter	HDMI to VGA			HDMI to VGA	
Display Adapter	USB-C to VGA			USB-C to VGA	
Display Adapter	USB-C to HDMI			USB-C to HDMI	
Display Adapter	USB-C to DisplayPort Base Stand/Legs			USB-C to DisplayPort	
Mounting Bracket Mounting Bracket	Base Stand/Legs Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket	PC Mounting Bracket B300			
Mounting Bracket	VESA Plate/Bracket	PC Mounting Bracket B300 w/PS Holder			
Filter	Anti-Glare/Privacy	mounting Endotor Bood wit of 10/061		23.8 Inch Privacy Filter	
Filter	Anti-Glare/Privacy				

CONFIGURATION 5 27" STANDARD COMPARISON		HP P27H G4	ViewSonic	Lenovo S27E-20	Dell P2722H
		\$185.00	\$226.65	\$266.99	\$273.42
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	IPS	IPS	IPS	IPS
Viewable Image Integrated Web Camera (w/Microphone)	27 inch	27 Inch	27 inch	27 Inch	27 Inch
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	16:09	16:09	16:09	16:09
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
VGA Input		1	1		1
DisplayPort Input	Must inlcude at least 2 Total Inputs	1	1	1	1
HDMI Input	wust moute at least 2 Total inputs	1	1	1	1
USB-C Input					
Speakers	Integrated or Accessory Option	Integrated	Integrated	Accessory Option	Accessory Option
Height Adjustable (inches up/down)	Yes	5.9	5.3	5.31	5.9
Tilt Up (degrees)	Yes	23	40	35	21
Tilt Down (degrees)	Yes	5	5	5	5
Viewing Angle - Horizontal (degrees)	150	178	178	178	178
Viewing Angle - Vertical (degrees) EnergyStar Level	150 7	178 8	178 8	178 8	178 7
ePEAT Level	Bronze	Silver	Silver	Silver	Gold
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange
USB Hub (ports)	4 Total HBB / dvallood Excitalige		3 (3.0)		4 (3.2)
Dot Pitch (.mm)		0.311	0.311	0.233	0.275
White Luminance (cd/m2)		250	300	350	250
Contrast		1000:1	1000:1	1000:1	1000:1
Pixel Response Rate (.ms)		5	5	4	5
Refresh Rate (Hz)		60	60	60	60
Swivel		Yes	Yes	Yes	Yes
Security Slot		Yes	Yes	Yes	Yes
VESA Wall Mount Compliant		Yes	Yes	Yes	Yes
Pivot Capable		Yes	Yes	Yes	Yes
Anti-Glare Coating Anti-Static Coating		Yes	Yes	Yes	Yes
Active/Operating Power (Watts)		24	31.4	23	12
Save/Sleep Power (Watts)		0.3	0.5	0.5	0.3
Dimensions w/Stand (inches W x D x H)		24.4 x 8.3 x 20.1	24.4 x 8.1 x 16.0	24.1 x 7.2 x 18.7	21.7 x 7.1 x 19.5
Dimensions w/o Stand (inches W x D x H)		24.4 x 1.9 x 14.6	24.4 x 2.0 x 14.4	24.1 x 1.7 x 14.5	21.2 x 2.2 x 15.4
Weight w/Stand (.lbs)		11.5	16.1	14.2	12.3
Weight w/o Stand (.lbs)		6.8	10.8	7.9	7.5
UPGRADE OPTIONS (to be ord Warranty	lered at initial purchase) 1 Additional Year	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. Express Exchange	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange
ACCESSORY OPTIONS (ordered Speakers			. <u>,</u>	USB Soundbar	Slim Soundbar SB521A
Speakers Display Adapter	DisplayPort to VGA		DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA
Display Adapter	DisplayPort to HDMI			DisplayPort to HDMI	Displayi on to VOA
Display Adapter	HDMI to VGA			HDMI to VGA	HDMI to VGA
Display Adapter	USB-C to VGA			USB-C to VGA	USB-C to VGA
Display Adapter	USB-C to HDMI			USB-C to HDMI	USB-C to HDMI
Display Adapter	USB-C to DisplayPort			USB-C to DisplayPort	USB-C to DisplayPort
Mounting Bracket	Base Stand/Legs				Single Monitor Arm - MSA20
Mounting Bracket	Base Stand/Legs				Dual Monitor Arm - MDA20
Mounting Bracket	VESA Plate/Bracket	PC Mounting Bracket B250			Micro All-in-One Stand
Mounting Bracket	VESA Plate/Bracket	Quick Release Bracket 2			SFF All-in-One Stand
Filter	Anti-Glare/Privacy			27 Inch Privacy Filter	
Filter	Anti-Glare/Privacy				

....

Г

CONFIGURATION 6 27" WEBCAM COMPARISON		ViewSonic ViewSonic ViewSonic VG2740V	Dell C2723H	HP E27M G4	Lenovo T27HV-20
		\$249.40	\$320.06	\$410.00	\$498.99
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	IPS	IPS	IPS	IPS
Viewable Image	27 inch	27 inch	27 Inch	27 inch	27 Inch
Integrated Web Camera (w/Microphone)	Yes	Yes	Yes	Yes	Yes
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	16:09	16:09	16:09	16:09
Resolution Supported	1920 x 1080 or greater	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
VGA Input		1			
DisplayPort Input	Must inlcude at least 2 Total Inputs	1	1	1	1
HDMI Input	Must moude at least 2 Total inputs	1	1	1	1
USB-C Input					
Speakers	Integrated or Accessory Option	Integrated	Integrated	Integrated	Integrated
Height Adjustable (inches up/down)	Yes	2:24	5.9	21:36	5.9
Tilt Up (degrees)	Yes	40	21	23	35
Tilt Down (degrees)	Yes	5	5	5	5
Viewing Angle - Horizontal (degrees)	150	178	178	178	178
Viewing Angle - Vertical (degrees)	150	178	178	178	178
EnergyStar Level	7	8	7	8	8
ePEAT Level	Bronze	Silver	Gold	Gold	Silver
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange
USB Hub (ports)		3 (3.0)	4 (3.0)	4 (3.1)	4 (3 3.0 / 1 C)
Dot Pitch (.mm)		0.311	0.311	0.233	0.233
White Luminance (cd/m2)		300	300	300	350
White Luminance (cd/m2) Contrast		1000:1	1000:1	1000:1	1000:1
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms)		1000:1 5	1000:1 5	1000:1 5	1000:1 4
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz)		1000:1 5 60	1000:1 5 60	1000:1 5 60	1000:1 4 60
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel		1000:1 5 60 Yes	1000:1 5 60 Yes	1000:1 5 60 Yes	1000:1 4 60 Yes
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot		1000:1 5 60 Yes Yes	1000:1 5 60 Yes Yes	1000:1 5 60 Yes Yes	1000:1 4 60 Yes Yes
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant		1000:1 5 60 Yes Yes Yes	1000:1 5 60 Yes Yes Yes	1000:1 5 60 Yes Yes Yes	1000:1 4 60 Yes Yes Yes Yes
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable		1000:1 5 60 Yes Yes Yes Yes	1000:1 5 60 Yes Yes Yes Yes	1000:1 5 60 Yes Yes Yes Yes	1000:1 4 60 Yes Yes Yes Yes Yes
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Stot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating		1000:1 5 60 Yes Yes Yes	1000:1 5 60 Yes Yes Yes	1000:1 5 60 Yes Yes Yes	1000:1 4 60 Yes Yes Yes Yes
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating		1000:1 5 60 Yes Yes Yes Yes Yes Yes	1000:1 5 60 Yes Yes Yes Yes Yes	1000:1 5 60 Yes Yes Yes Yes Yes Yes	1000:1 4 60 Yes Yes Yes Yes Yes Yes
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Static Coating Anti-Static Coating Active/Operating Power (Watts)		1000:1 5 60 Yes Yes Yes Yes Yes 17.7	1000:1 5 60 Yes Yes Yes Yes Yes 13.2	1000:1 5 60 Yes Yes Yes Yes Yes 51	1000:1 4 60 Yes Yes Yes Yes Yes Yes 23
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Anti-Static Coating Save/Sleep Power (Watts)		1000:1 5 60 Yes Yes Yes Yes 17.7 0.5	1000:1 5 60 Yes Yes Yes Yes 13.2 0.3	1000:1 5 60 Yes Yes Yes Yes 51 0.6	1000:1 4 60 Yes Yes Yes Yes Yes 23 0.5
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Stot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H)		1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93	1000:1 5 60 Yes Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0	1000:1 5 60 Yes Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/o Stand (inches W x D x H)		1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3	1000:1 5 60 Yes Yes Yes Yes 3.2 0.3 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7	1000:1 5 60 Yes Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18 x 16.2
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Stot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H)		1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93	1000:1 5 60 Yes Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0	1000:1 5 60 Yes Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/o Stand (inches W x D x H) Weight w/Stand (.lbs)	ered at initial purchase)	1000:1 5 60 Yes Yes Yes 7 44.x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4	1000:1 5 60 Yes Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18.7 24.2 x 18.7 24.2 x 18.7
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord		1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18 x 16.2 16.2 10.7
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Stot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty	1 Additional Year	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18 x 16.2 16.2 10.7
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/o Stand (inches W x D x H) Weight w/o Stand (.lbs) UPGRADE OPTIONS (to be ord) Warranty ACCESSORY OPTIONS (ordered)	1 Additional Year ed at initial purchase or at a	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18 x 16.2 16.2 10.7
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) Weight w/ Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordered Speakers	1 Additional Year ed at initial purchase or at a Attachable	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18.7 24.2 x 18.7 16.2 10.7 Additional 1 Yr. NBD Adv. Exchange
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/o Stand (inches W x D x H) Dimensions w/o Stand (inches W x D x H) Weight w/o Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordere Speakers Display Adapter	1 Additional Year ed at initial purchase or at a Attachable DisplayPort to VGA	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18.7 16.2 10.7 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordered Speakers Display Adapter	1 Additional Year ed at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18 x 16.2 16.2 10.7 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA DisplayPort to HDMI
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Save/Sleep Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordered Speakers Display Adapter Display Adapter Display Adapter	1 Additional Year ad at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI HDMI to VGA	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordere Speakers Display Adapter Display Adapter Display Adapter	1 Additional Year ad at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to VGA	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA HDMI to VGA USB-C to VGA	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Weight w/Stand (Inches W x D x H) Dimensions w/o Stand (inches W x D x H) Weight w/Stand (Inches W x D x H) Dimensions w/o Stand (Inches W x D x H) Weight w/Stand (Inches W x D x H) Display Adapter Display Adapter Display Adapter Display Adapter	1 Additional Year ed at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to VGA USB-C to HDMI	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA USB-C to VGA USB-C to HDMI	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18.7 16.2 10.7 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to HDMI
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Stot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordere Speakers Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter	1 Additional Year ad at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to VGA USB-C to HDMI USB-C to DisplayPort	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA USB-C to VGA USB-C to HDMI USB-C to HDMI	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordered Speakers Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Mounting Bracket	1 Additional Year ad at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to VGA USB-C to HDMI USB-C to DisplayPort Base Stand/Legs	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA USB-C to VGA USB-C to HDMI USB-C to HDMI USB-C to HDMI USB-C to DisplayPort Single Monitor Arm - MSA20	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18.7 16.2 10.7 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to HDMI
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) Weight w/Stand (.lbs) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordered Speakers Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Mounting Bracket	1 Additional Year ad at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to VGA USB-C to HDMI USB-C to DisplayPort Base Stand/Legs Base Stand/Legs	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA USB-C to VGA USB-C to VGA USB-C to DAMI USB-C to DisplayPort Single Monitor Arm - MSA20 Dual Monitor Arm - MSA20	1000:1 5 60 Yes Yes Yes 51 0.0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13 Additional 1 Yr. NBD Adv. Exchange	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18.7 16.2 10.7 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to HDMI
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (ordered Speakers Display Adapter Display Adapter Mounting Bracket Mounting Bracket	1 Additional Year ad at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to VGA USB-C to HDMI USB-C to DisplayPort Base Stand/Legs Base Stand/Legs VESA Plate/Bracket	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA USB-C to VGA USB-C to HDMI USB-C to HDMI USB-C to HDMI USB-C to DisplayPort Single Monitor Arm - MSA20	1000:1 5 60 Yes Yes Yes 51 0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13 Additional 1 Yr. NBD Adv. Exchange	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18.7 16.2 10.7 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to HDMI
White Luminance (cd/m2) Contrast Pixel Response Rate (.ms) Refresh Rate (Hz) Swivel Security Slot VESA Wall Mount Compliant Pivot Capable Anti-Glare Coating Anti-Static Coating Anti-Static Coating Active/Operating Power (Watts) Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Dimensions w/Stand (inches W x D x H) Weight w/Stand (.lbs) UPGRADE OPTIONS (to be ord Warranty ACCESSORY OPTIONS (to be ord Speakers Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Display Adapter Mounting Bracket	1 Additional Year ad at initial purchase or at a Attachable DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to VGA USB-C to HDMI USB-C to DisplayPort Base Stand/Legs Base Stand/Legs	1000:1 5 60 Yes Yes Yes Yes 17.7 0.5 24.4 x 8.1 x 21.93 24.4 x 2.1 x 15.3 15.9 10.6 Additional 1 Yr. Express Exchange Iater time)	1000:1 5 60 Yes Yes Yes Yes 13.2 0.3 24.0 x 7.5 x 21.0 24.0 x 7.5 x 21.0 24.0 x 2.3 x 13.7 16.4 13.3 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA USB-C to VGA USB-C to VGA USB-C to DAMI USB-C to DisplayPort Single Monitor Arm - MSA20 Dual Monitor Arm - MSA20	1000:1 5 60 Yes Yes Yes 51 0.0.6 24.1 x 8.5 x 21.7 24.1 x 1.9 x 15.6 18.8 13 Additional 1 Yr. NBD Adv. Exchange	1000:1 4 60 Yes Yes Yes Yes 23 0.5 24.2 x 8.2 x 18.7 24.2 x 18.7 24.2 x 18.7 16.2 10.7 Additional 1 Yr. NBD Adv. Exchange DisplayPort to VGA DisplayPort to HDMI HDMI to VGA USB-C to HDMI

Filter

Anti-Glare/Privacy

(

CONFIGURATION 7 27" TEAMS COMPARISON		Dell C2722DE \$449.86	HP No Offering No Offering	Lenovo No Offering No Offering	ViewSonic No offering No offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	IPS			
Viewable Image	27 inch	27 inch			
Integrated Web Camera (w/Microphone)	Yes	Yes			
Microsoft Teams Integration (Certified)	Yes	Yes			
Touchscreen					
Aspect Ratio	16:09 or greater	16:09			
Resolution Supported	1920 x 1080 or greater	2560 x 1440			
VGA Input	l				
DisplayPort Input	Must inlcude at least 2 Total Inputs	1			
HDMI Input		1			
USB-C Input		1			
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)	Yes	4.7			
Tilt Up (degrees)	Yes	21			
Tilt Down (degrees)	Yes	5			
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	7			
ePEAT Level	Bronze	Gold			
Warranty USB Hub (ports)	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange 4 (2 3.2 / 2 C)			
Dot Pitch (.mm)		0.233			
White Luminance (cd/m2)		350			
Contrast		1000:1			
Pixel Response Rate (.ms)		8			
Refresh Rate (Hz)		60			
Swivel		Yes			
Security Slot		Yes			
VESA Wall Mount Compliant		Yes			
Pivot Capable		Yes			
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		26.5			
Save/Sleep Power (Watts)		0.5			
Dimensions w/Stand (inches W x D x H)		24.1 x 9.1 x 17.5			
Dimensions w/o Stand (inches W x D x H)		24.1 x 2.5 x 14.2			
Weight w/Stand (.lbs) Weight w/o Stand (.lbs)		16.7 12.7			
UPGRADE OPTIONS (to be orc	lorod at initial nurchase	12.7			
Warranty	1 Additional Year	Additional 1 Yr. NBD Adv. Exchange			
ACCESSORY OPTIONS (ordered	ed at initial purchase or at a				
Speakers	Attachable				
Display Adapter	DisplayPort to VGA	DisplayPort to VGA			
Display Adapter	DisplayPort to HDMI				
Display Adapter	HDMI to VGA	HDMI to VGA			
Display Adapter	USB-C to VGA	USB-C to VGA			
Display Adapter	USB-C to HDMI	USB-C to HDMI			
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort			
Mounting Bracket	Base Stand/Legs	Single Monitor Arm - MSA20			
Mounting Bracket	Base Stand/Legs	Dual Monitor Arm - MDA20			
Mounting Bracket	VESA Plate/Bracket	Height Adjustable Wall Mount			
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGURATION 8 27" TOUCHSCREEN COMPARISON

27"
民山

	ISCREEN	<u> </u>			
COMPA	RISON	ViewSonic	Dell No Offering	HP No Offerior	Lenovo
		TD2760	No Offering	No Offering	No Offering
		\$520.75	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	MVA			
Viewable Image	24 inch	27 Inch			
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen	Yes	Yes			
Aspect Ratio	16:09 or greater	16:09			
Resolution Supported	1920 x 1080 or greater	1920 x 1080			
VGA Input		1			
DisplayPort Input	Must inlcude at least 2 Total Inputs	1			
HDMI Input		1			
USB-C Input					
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)	Yes	5.3			
Tilt Up (degrees)	Yes	90			
Tilt Down (degrees)	Yes	4			
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	8			
ePEAT Level	Bronze	Bronze			
Warranty USB Hub (ports)	4 Year NBD Advanced Exchange	4 Year Express Exchange 2 (3.0)			
Dot Pitch (.mm)		0.311			
White Luminance (cd/m2)		230			
Contrast		1000:1			
Pixel Response Rate (.ms)		6			
Refresh Rate (Hz)		60			
Swivel					
Security Slot		Yes			
VESA Wall Mount Compliant		Yes			
Pivot Capable					
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		19			
Save/Sleep Power (Watts)		0.3			
Dimensions w/Stand (inches W x D x H)		26.0 x 9.4 x 17.5			
Dimensions w/o Stand (inches W x D x H)		26.0 x 2.3 x 16.2			
Weight w/Stand (.lbs)		17.4			
Weight w/o Stand (.lbs)		12.2			
UPGRADE OPTIONS (to be ord	ered at initial purchase) 1 Additional Year	Additional 1 Vr. Eveneous Eveneous			
Warranty ACCESSORY OPTIONS (ordered		Additional 1 Yr. Express Exchange			
Speakers	Attachable				
Display Adapter	DisplayPort to VGA	DisplayPort to VGA			
Display Adapter	DisplayPort to HDMI				
Display Adapter	HDMI to VGA				
Display Adapter	USB-C to VGA				
Display Adapter	USB-C to HDMI				
Display Adapter	USB-C to DisplayPort				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				
	,		•	•••••••••••••••••••••••••••••••••••••••	***************************************

CONFIGURATION 9 32" STANDARD COMPARISON		ViewSonic* 💒				
		ViewSonic VX3276-2K-MHD	Dell P3221D	HP P34HC G4	Lenovo T32P-20	
		\$197.20	\$409.44	\$430.00	\$596.99	
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details	
Display Type	LED	IPS	IPS	LED	IPS	
Viewable Image	32 inch	32 Inch	31.5 Inch	34 inch Curved	31.5 Inch	
Integrated Web Camera (w/Microphone)						
Microsoft Teams Integration (Certified)						
Touchscreen	10:00	40.00	40:00	01:00	40.00	
Aspect Ratio	16:09 or greater	16:09 1920 x 1080	16:09 2560 x 1440	21:09 3440 x 1440	16:09 1920 x 1080	
Resolution Supported VGA Input	1920 x 1080 or greater	1920 X 1080	2000 X 1440	3440 X 1440	1920 X 1080	
DisplayPort Input		1	1	1	1	
HDMI Input	Must inlcude at least 2 Total Inputs	1	1	1	1	
USB-C Input		-	1	· · ·	1	
Speakers	Integrated or Accessory Option	Integrated	Accessory Option	Integrated	Accessory Option	
Height Adjustable (inches up/down)		-	5.9	5.9	5.9	
Tilt Up (degrees)		15	21	21	35	
Tilt Down (degrees)		4	5	5	5	
Viewing Angle - Horizontal (degrees)	150	178	178	178	178	
Viewing Angle - Vertical (degrees)	150	178	178	178	178	
EnergyStar Level	7	8	5	8	8	
ePEAT Level	Bronze	Bronze	Gold	Gold	Silver	
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	
USB Hub (ports)		0.004	4 (3 3.2 / 1 C)	4 (3 3.1 / 1 C)	4 (3 3.0 / 1 C)	
Dot Pitch (.mm) White Luminance (cd/m2)		0.364 250	0.273 350	0.232	0.182 350	
Contrast		1200:1	1000:1	1000:1	1000:1	
Pixel Response Rate (.ms)		8	8	5	4	
Refresh Rate (Hz)		75	60	60	60	
Swivel			Yes	Yes	0	
Security Slot		Yes	Yes	Yes	Yes	
VESA Wall Mount Compliant		Yes	Yes	Yes	Yes	
Pivot Capable			Yes	Yes	Yes	
Anti-Glare Coating		Yes	Yes	Yes	Yes	
Anti-Static Coating						
Active/Operating Power (Watts)		36	50	48	23	
Save/Sleep Power (Watts)		0.5	0.3	0.5	0.5	
Dimensions w/Stand (inches W x D x H)		28.1 x 9.1 x 19.8	28.1 x 9.1 x 18.5	31.9 x 9.3 x 20.4	28.1 x 9.3 x 18.5	
Dimensions w/o Stand (inches W x D x H)		28.1 x 1.5 x 16.4 13.6	28.1 x 3.2 x 15.7 13.3	31.9 x 4.4 x 14.4 23.2	28.1 x 2.0 x 16.8 21.7	
Weight w/Stand (.lbs) Weight w/o Stand (.lbs)		13.6	13.3	23.2	21.7	
UPGRADE OPTIONS (to be ord						
Warranty ACCESSORY OPTIONS (ordere			Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange	, , , , , , , , , , , , , , , , , , ,	
Speakers	Attachable DisplayPort to VGA	DisplayBet to VCA	Slim Soundbar SB521A		USB Soundbar	
Display Adapter Display Adapter	DisplayPort to VGA DisplayPort to HDMI	DisplayPort to VGA	DisplayPort to VGA		DisplayPort to VGA DisplayPort to HDMI	
Display Adapter	HDMI to VGA		HDMI to VGA		HDMI to VGA	
Display Adapter	USB-C to VGA		USB-C to VGA		USB-C to VGA	
Display Adapter	USB-C to HDMI		USB-C to HDMI		USB-C to HDMI	
Display Adapter	USB-C to DisplayPort		USB-C to DisplayPort		USB-C to DisplayPort	
Mounting Bracket	Base Stand/Legs		Single Monitor Arm - MSA20			
Mounting Bracket	Base Stand/Legs					
Mounting Bracket	VESA Plate/Bracket		Height Adjustable Wall Mount	PC Mounting Bracket B250		
Mounting Bracket	VESA Plate/Bracket					
Filter	Anti-Glare/Privacy				32 Inch Privacy Filter	
Filter	Anti-Glare/Privacy					

CONFIGURATION 10 32" WEBCAM COMPARISON		HP E34M G4 \$548.00	Dell No Offering No Offering	Lenovo No Offering No Offering	ViewSonic No Offering No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LED	Troduct Details	Troduct Details	Troduct Details
Viewable Image	32 inch	34 inch Curved			
Integrated Web Camera (w/Microphone)	Yes	Yes			
Microsoft Teams Integration (Certified)					
Touchscreen					
Aspect Ratio	16:09 or greater	21:09			
Resolution Supported	1920 x 1080 or greater	3440 x 1440			
VGA Input					
DisplayPort Input	Must injourdo at least 2 Tatal least	1			
HDMI Input	Must inlcude at least 2 Total Inputs	1			
USB-C Input					
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)		5.9			
Tilt Up (degrees)		20			
Tilt Down (degrees)		5			
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	8			
ePEAT Level	Bronze	Gold			
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange			+
USB Hub (ports)		4 (3 3.1 / 1 C)			
Dot Pitch (.mm)		0.232 400			
White Luminance (cd/m2) Contrast		1000:1			
Pixel Response Rate (.ms)		5			
Refresh Rate (Hz)		75			
Swivel		Yes			
Security Slot		Yes			
VESA Wall Mount Compliant		Yes			
Pivot Capable		Yes			
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		65			
Save/Sleep Power (Watts)		0.5			
Dimensions w/Stand (inches W x D x H)		31.9 x 9.2 x 21.4			
Dimensions w/o Stand (inches W x D x H)		31.8 x 4.3 x 15.3			
Weight w/Stand (.lbs)		26.4			
Weight w/o Stand (.lbs)		18.2			
UPGRADE OPTIONS (to be ord Warranty	1 Additional Year	Additional 1 Yr. NBD Adv. Exchange			
ACCESSORY OPTIONS (ordered Speakers	ed at initial purchase or at a Attachable	later time)			
Display Adapter	DisplayPort to VGA				
Display Adapter	DisplayPort to HDMI				
Display Adapter	HDMI to VGA				
Display Adapter	USB-C to VGA				
Display Adapter	USB-C to HDMI				
Display Adapter	USB-C to DisplayPort				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket	PC Mounting Bracket B300			
Mounting Bracket	VESA Plate/Bracket	PC Mounting Bracket B300 w/PS Holder			
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGUR 32" TE COMPA	AMS	Dell C3422WE \$640.44	HP No Offering No Offering	Lenovo No Offering No Offering	ViewSonic No Offering No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	IPS			
Viewable Image	32 inch	34.1 inch Curved			
Integrated Web Camera (w/Microphone)	Yes	Yes			
Microsoft Teams Integration (Certified)	Yes	Yes			
Touchscreen					
Aspect Ratio	16:09 or greater	21:09			
Resolution Supported	1920 x 1080 or greater	3440 x 1440			
VGA Input		1			
DisplayPort Input HDMI Input	Must inlcude at least 2 Total Inputs	1			
USB-C Input		1			
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)	integrated of Accession option	4.7			
Tilt Up (degrees)		21			
Tilt Down (degrees)		5			
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	6			
ePEAT Level	Bronze	Gold			
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange			
USB Hub (ports)		4 (3 3.2 / 1 C)			
Dot Pitch (.mm)		0.233			
White Luminance (cd/m2)		300			
Contrast Pixel Response Rate (.ms)		1000:1 8			
Refresh Rate (Hz)		60			
Swivel		Yes			
Security Slot		Yes			
VESA Wall Mount Compliant		Yes			
Pivot Capable		Yes			
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		38			
Save/Sleep Power (Watts)		0.5			
Dimensions w/Stand (inches W x D x H)		32.1 x 9.3 x 18.0			
Dimensions w/o Stand (inches W x D x H)		32.1 x 3.2 x 15.3			
Weight w/Stand (.lbs)		20.6			
Weight w/o Stand (.lbs) UPGRADE OPTIONS (to be ord	lered at initial purchase)	10.1			
Warranty	. ,	Additional 1 Yr. NBD Adv. Exchange			
ACCESSORY OPTIONS (ordered	ed at initial purchase or at a				
Speakers Display Adapter	Attachable				
Display Adapter	DisplayPort to VGA	DisplayPort to VGA			
Display Adapter Display Adapter	DisplayPort to HDMI HDMI to VGA	HDMI to VGA			
Display Adapter Display Adapter	USB-C to VGA	USB-C to VGA			
Display Adapter	USB-C to HDMI	USB-C to HDMI			
Display Adapter	USB-C to DisplayPort	USB-C to DisplayPort			
Mounting Bracket	Base Stand/Legs	Single Monitor Arm - MSA20			
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket	Height Adjustable Wall Mount			
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				
		•••••••••••••••••••••••••••••••••••••••	•		•••••••••••••••••••••••••••••••••••••••

F					
CONFIGUR					
CONFIGUR	ATION 12				
32" TOUCH	ISCREEN				
COMPA	RISON				
		Dell	HP	Lenovo	ViewSonic
		No Offering	No Offering	No Offering	No Offering
		No Offering	No Offering	No Offering	No Offering
Features Display Type	Base Specifications LED	Product Details	Product Details	Product Details	Product Details
Viewable Image	32 inch				
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified) Touchscreen	Yes				
Aspect Ratio	16:09 or greater				
Resolution Supported	1920 x 1080 or greater				
VGA Input DisplayPort Input					
HDMI Input	Must inlcude at least 2 Total Inputs				
USB-C Input					
Speakers Height Adjustable (inches up/down)	Integrated or Accessory Option				
Tilt Up (degrees)					
Tilt Down (degrees)					
Viewing Angle - Horizontal (degrees) Viewing Angle - Vertical (degrees)	150 150				
EnergyStar Level	7				
ePEAT Level	Bronze				
Warranty USB Hub (ports)	4 Year NBD Advanced Exchange		+		
Dot Pitch (.mm)					
White Luminance (cd/m2)					
Contrast Pixel Response Rate (.ms)					
Refresh Rate (Hz)					
Swivel					
Security Slot VESA Wall Mount Compliant					
Pivot Capable					
Anti-Glare Coating Anti-Static Coating					
Active/Operating Power (Watts)					
Save/Sleep Power (Watts)					
Dimensions w/Stand (inches W x D x H) Dimensions w/o Stand (inches W x D x H)					
Weight w/Stand (.lbs)					
Weight w/o Stand (.lbs)					
UPGRADE OPTIONS (to be ord Warranty	lered at initial purchase) 1 Additional Year				
ACCESSORY OPTIONS (ordered		later time)			
Speakers	Attachable	,			
Display Adapter	DisplayPort to VGA				
Display Adapter Display Adapter	DisplayPort to HDMI HDMI to VGA				
Display Adapter	USB-C to VGA				
Display Adapter	USB-C to HDMI				
Display Adapter Mounting Bracket	USB-C to DisplayPort Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket Filter	VESA Plate/Bracket Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

CONFIGUR 40" STAN COMPAI	NDARD	43" ViewSonic			
		ViewSonic	Dell	Lenovo	HP
		VX4381-4K	U4320Q	P40W	No Offering
Features	Dess Crestilizations	\$625.75	\$757.48	\$1,390.99	No Offering
Display Type	Base Specifications LED	Product Details MVA	IPS	Product Details	Product Details
Viewable Image	40 inch	42.5 inch	42.5 Inch	40 inch Curved	
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen Aspect Ratio	16:09 or greater	16:09	16:09	21:09	
Resolution Supported	1920 x 1080 or greater	3840 x 2160	3840 x 2160	5120 x 2160	
VGA Input	, , , , , , , , , , , , , , , , , , ,				
DisplayPort Input	Must inlcude at least 2 Total Inputs	2 (1 Std./1 Mini)	2	1	
HDMI Input USB-C Input		2	2	1	
Speakers	Integrated or Accessory Option	Integrated	Integrated	Integrated	
Height Adjustable (inches up/down)		,	2.4	5	
Tilt Up (degrees)			10		
Tilt Down (degrees)	150	5	5 178	170	
Viewing Angle - Horizontal (degrees) Viewing Angle - Vertical (degrees)	150 150	178 178	178	178	
EnergyStar Level	7	7	5	8	
ePEAT Level	Bronze	Bronze	Bronze	Silver	
Warranty USB Hub (ports)	4 Year NBD Advanced Exchange	4 Year Express Exchange 4 (3.0)	4 Year NBD Advanced Exchange 4 (3 3.2 / 1 C)	4 Year NBD Advanced Exchange 4 (3 3.0 / 1 C)	
Dot Pitch (.mm)		0.248	0.245	0.274	
White Luminance (cd/m2) Contrast		450 3000:1	350 1000:1	350 3000:1	
Pixel Response Rate (.ms)		3	8	4	
Refresh Rate (Hz)		75	60	75	
Swivel			Yes		
Security Slot		Yes	Yes	Yes	
VESA Wall Mount Compliant Pivot Capable		Yes	Yes	Yes Yes	
Anti-Glare Coating		Yes	Yes	Yes	
Anti-Static Coating					
Active/Operating Power (Watts)		81	75	23	
Save/Sleep Power (Watts)		0.5	0.5	0.5	
Dimensions w/Stand (inches W x D x H) Dimensions w/o Stand (inches W x D x H)		38.5 x 13.6 x 26.0 38.5 x 2.3 x 22.3	38.1 x 9.8 x 23.4 28.1 x 3.6 x 21.3	37.3 x 11.0 x 25.2 37.3 x 4.0 x 16.9	
Weight w/Stand (.lbs)		37.5	38.8	32.2	
Weight w/o Stand (.lbs)		27.8	29.1	21.9	
UPGRADE OPTIONS (to be ord					
Warranty ACCESSORY OPTIONS (ordere	1 Additional Year ed at initial purchase or at a		Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange	
Speakers	Attachable	Rischer Berthe MOA		Disale Ded to VOA	
Display Adapter Display Adapter	DisplayPort to VGA DisplayPort to HDMI	DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA DisplayPort to HDMI	
Display Adapter	HDMI to VGA		HDMI to VGA	HDMI to VGA	
Display Adapter	USB-C to VGA		USB-C to VGA	USB-C to VGA	
Display Adapter	USB-C to HDMI		USB-C to HDMI	USB-C to HDMI	
Display Adapter	USB-C to DisplayPort		USB-C to DisplayPort	USB-C to DisplayPort	
Mounting Bracket Mounting Bracket	Base Stand/Legs Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

	_				
CONFIGUR	ATION 14				
40" WE	BCAM				
COMPA	DIGON				
COMPA	RIJUN	Dell	HP	Lanava	ViewSonic
		No Offering	No Offering	Lenovo No Offering	No Offering
		No Offering	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED				
Viewable Image Integrated Web Camera (w/Microphone)	40 inch Yes				
Microsoft Teams Integration (Certified)					
Touchscreen	10.00				
Aspect Ratio Resolution Supported	16:09 or greater 1920 x 1080 or greater				
VGA Input	1920 X 1000 OF greater				
DisplayPort Input	Must inlcude at least 2 Total Inputs				
HDMI Input	· · · · · · · · · · · · · · · · · · ·				
USB-C Input Speakers	Integrated or Accessory Option				
Height Adjustable (inches up/down)					
Tilt Up (degrees)					
Tilt Down (degrees) Viewing Angle - Horizontal (degrees)	150				
Viewing Angle - Vertical (degrees)	150				
EnergyStar Level	7				
ePEAT Level	Bronze				
Warranty USB Hub (ports)	4 Year NBD Advanced Exchange		+		
Dot Pitch (.mm)					
White Luminance (cd/m2)					
Contrast Pixel Response Rate (.ms)					
Refresh Rate (Hz)					
Swivel					
Security Slot VESA Wall Mount Compliant					
Pivot Capable					
Anti-Glare Coating					
Anti-Static Coating Active/Operating Power (Watts)					
Save/Sleep Power (Watts)					
Dimensions w/Stand (inches W x D x H)					
Dimensions w/o Stand (inches W x D x H)					
Weight w/Stand (.lbs) Weight w/o Stand (.lbs)					
UPGRADE OPTIONS (to be ord	lered at initial purchase)				
Warranty	1 Additional Year				
ACCESSORY OPTIONS (ordere		later time)			
Speakers Display Adapter	Attachable DisplayPort to VGA				
Display Adapter	DisplayPort to HDMI				
Display Adapter	HDMI to VGA				
Display Adapter	USB-C to VGA USB-C to HDMI				
Display Adapter Display Adapter	USB-C to HDMI USB-C to DisplayPort				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket Mounting Bracket	VESA Plate/Bracket VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

			•		
	ATION 45				
CONFIGUR	ATION 15				
40" TE	A M C				
40 1	ANIS				
COMPA	RISON				
		Dell	HP	Lenovo	ViewSonic
		No Offering	No Offering	No Offering	No Offering
		No Offering	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type Viewable Image	LED 40 inch				
Integrated Web Camera (w/Microphone)	Yes				
Microsoft Teams Integration (Certified)	Yes				
Touchscreen	10.00				
Aspect Ratio Resolution Supported	16:09 or greater 1920 x 1080 or greater				
VGA Input	1020 X 1000 01 greater				
DisplayPort Input	Must inlcude at least 2 Total Inputs				
HDMI Input USB-C Input					
Speakers	Integrated or Accessory Option				
Height Adjustable (inches up/down)					
Tilt Up (degrees)					
Tilt Down (degrees) Viewing Angle - Horizontal (degrees)	150				
Viewing Angle - Vertical (degrees)	150				
EnergyStar Level	7				
ePEAT Level	Bronze				
Warranty USB Hub (ports)	4 Year NBD Advanced Exchange		+		
Dot Pitch (.mm)					
White Luminance (cd/m2)					
Contrast Pixel Response Rate (.ms)					
Refresh Rate (Hz)					
Swivel					
Security Slot					
VESA Wall Mount Compliant Pivot Capable					
Anti-Glare Coating					
Anti-Static Coating					
Active/Operating Power (Watts) Save/Sleep Power (Watts)					
Dimensions w/Stand (inches W x D x H)					
Dimensions w/o Stand (inches W x D x H)					
Weight w/Stand (.lbs)					
Weight w/o Stand (.lbs) UPGRADE OPTIONS (to be orc	lered at initial purchase)				
Warranty	1 Additional Year				
ACCESSORY OPTIONS (order		later time)			
Speakers	Attachable				
Display Adapter Display Adapter	DisplayPort to VGA DisplayPort to HDMI				
Display Adapter	HDMI to VGA				
Display Adapter	USB-C to VGA				
Display Adapter	USB-C to HDMI				
Display Adapter Mounting Bracket	USB-C to DisplayPort Base Stand/Legs				
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket				
Mounting Bracket	VESA Plate/Bracket				
Filter Filter	Anti-Glare/Privacy Anti-Glare/Privacy				
F	/ init-Olare/T fivacy				

CONFIGURATION 16 40" TOUCHSCREEN COMPARISON

	ViewBoard 1336	
	A*18	
1		

COMPA	RISON	ViewSonic	Dell	HP	Lenovo
		IFP4320	No Offering	No Offering	No Offering
		\$920.00	No Offering	No Offering	No Offering
Features	Base Specifications	Product Details	Product Details	Product Details	Product Details
Display Type	LED	LCD			
Viewable Image	40 inch	43 inch			
Integrated Web Camera (w/Microphone)					
Microsoft Teams Integration (Certified)					
Touchscreen	Yes	Yes			
Aspect Ratio	16:09 or greater	16:09			
Resolution Supported	1920 x 1080 or greater	3840 x 2160			
VGA Input					
DisplayPort Input	Must inlcude at least 2 Total Inputs	1			
HDMI Input	maor moduo ar ioaor 2 i otar mpato	1			
USB-C Input					
Speakers	Integrated or Accessory Option	Integrated			
Height Adjustable (inches up/down)					
Tilt Up (degrees)					
Tilt Down (degrees)					
Viewing Angle - Horizontal (degrees)	150	178			
Viewing Angle - Vertical (degrees)	150	178			
EnergyStar Level	7	8			
ePEAT Level	Bronze	Bronze			
Warranty	4 Year NBD Advanced Exchange	4 Year Express Exchange			
USB Hub (ports)		1 (3.0)			
Dot Pitch (.mm)		0.375			
White Luminance (cd/m2)		350			
Contrast		1000:1			
Pixel Response Rate (.ms)		9			
Refresh Rate (Hz)		60			
Swivel					
Security Slot					
VESA Wall Mount Compliant		Yes			
Pivot Capable					
Anti-Glare Coating		Yes			
Anti-Static Coating					
Active/Operating Power (Watts)		120			
Save/Sleep Power (Watts)		0.5			
Dimensions w/Stand (inches W x D x H)		38.1 x 2.2 x 21.9			
Dimensions w/o Stand (inches W x D x H)		38.1 x 2.2 x 21.9			
Weight w/Stand (.lbs)		39.3			
Weight w/o Stand (.lbs)		39.3			
UPGRADE OPTIONS (to be ord	ered at initial purchase)				
Warranty	1 Additional Year	Additional 1 Yr. Express Exchange			
ACCESSORY OPTIONS (ordered					
Speakers	Attachable				
Display Adapter	DisplayPort to VGA	DisplayPort to VGA			
Display Adapter	DisplayPort to HDMI				
Display Adapter	HDMI to VGA				
Display Adapter	USB-C to VGA				
Display Adapter	USB-C to HDMI				
Display Adapter	USB-C to DisplayPort	<u></u>			
Mounting Bracket	Base Stand/Legs	Stand			
Mounting Bracket	Base Stand/Legs				
Mounting Bracket	VESA Plate/Bracket	Wall Mount			
Mounting Bracket	VESA Plate/Bracket				
Filter	Anti-Glare/Privacy				
Filter	Anti-Glare/Privacy				

DELL MONITORS

	CONFIGURATION 1	CONFIGURATION 2	CONFIGURATION 3	CONFIGURATION 4	CONFIGURATION 5	CONFIGURATION 6	CONFIGURATION 7	CONFIGURATION 8	CONFIGURATION 9	CONFIGURATION 10	CONFIGURATION 11	CONFIGURATION 12	CONFIGURATION 13	8 CONFIGURATION 14	CONFIGURATION 15	CONFIGURATION 16
	24" STANDARD	24" WEBCAM	24" TEAMS	24" TOUCHSCREEN	27" STANDARD	27" WEBCAM	27" TEAMS	27" TOUCHSCREEN	32" STANDARD	32" WEBCAM	32" TEAMS	32" TOUCHSCREEN	40" STANDARD	40" WEBCAM	40" TEAMS	40" TOUCHSCREEN
	24 GTAILBAILD	24 MEBOAM	24 124110	24 TOOONOONLEIN	21 OTAIDAID	21 HEBOAM	21 I LANO	27 TOOOTIOOREEN	OF GLANDARD		OL I LANO	DE TOUGHOUREEN	40 OTANDARD	TO TEBOAIN	40 1 2 400	40 TOCOMODILEIN
Starling					114	214-1 (21 22 / D-21) (21 /										
Sterling					de la						and the second se		The Joy			
Computers					Spanilli A 11/4-7								and the second sec			
Computers													Hilling and a second			
MA-IS-2240252													A.A.			
WA-13-2240252	- A - L II		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		and the second s		2 N.S. 3.a.				NAME OF ALL					
	51				19											
									0							
		Link														
Model	P2422H	C2423H	C2422HE	No Offering	P2722H	C2723H	C2722DE	No Offering	P3221D	No Offering	C3422WE	No Offering	U4320Q	No Offering	No Offering	No Offering
Cost		\$276.61	\$351.69	No Offering	\$273.42	\$320.06	\$449.86	No Offering	\$409.44	No Offering	\$640.44	No Offering	\$757.48	No Offering	No Offering	No Offering
								Product Details		Product Details					Product Details	
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	IPS 23.8 inch	IPS 23.8 inch	IPS 23.8 inch		IPS 27 Inch	IPS 27 Inch	IPS 27 inch		IPS 31.5 Inch		IPS 34.1 inch Curved		IPS 42.5 Inch			
Viewable Image Integrated Web Camera (w/Microphone)	23.0 mm	23.8 inch Yes	23.8 inch Yes		21 Incn	2/ Inch Yes	2/ inch Yes		31.5 mm		34.1 inch Curved Yes		42.5 IIICI			
Microsoft Teams Integration (Certified)			Yes				Yes				Yes					
Touchscreen																
Aspect Ratio	16:09	16:09	16:09		16:09	16:09	16:09		16:09		21:09		16:09			
Resolution Supported	1920 x 1080	1920 x 1080	1920 x 1080		1920 x 1080	1920 x 1080	2560 x 1440		2560 x 1440		3440 x 1440		3840 x 2160			
VGA Input	1				1											
DisplayPort Input	1	1	1		1	1	1		1		1		2			
HDMI Input USB-C Input			1		-		1		1		1		2 1			
Speakers	Accessory Option	Integrated	Integrated		Accessory Option	Integrated	Integrated		Accessory Option		Integrated		Integrated			
Height Adjustable (inches up/down)	<i>(</i>)	5.9	5.5		5.9	5.9	4.7		5.9		4.7		2.4			
Tilt Up (degrees)	21	21	21		21	21	21		21		21		10			
Tilt Down (degrees)	5	5	5		5	5	5		5		5		5			
Viewing Angle - Horizontal (degrees)	178	178	178		178	178	178		178		178		178			
Viewing Angle - Vertical (degrees)	1/8	1/8	1/8		1/8	1/8	1/8		1/8		1/8		1/8			
EnergyStar Level ePEAT Level	Gold	Gold	Gold		Gold	Gold	Gold		Gold		Gold		Bronze			
Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange			4 Year NBD Advanced Exchange				4 Year NBD Advanced Exchange		4 Year NBD Advanced Exchange					
USB Hub (ports)	4 (3.2)	4 (3.0)	4 (2 3.2 / 2 C)		4 (3.2)	4 (3.0)	4 (2 3.2 / 2 C)		4 (3 3.2 / 1 C)		4 (3 3.2 / 1 C)		4 (3 3.2 / 1 C)			
Dot Pitch (.mm)	0.275	0.275	0.275		0.275	0.311	0.233		0.273		0.233		0.245			
White Luminance (cd/m2)	250	250	250		250	300	350		350		300		350			
Contrast	1000:1	1000:1	1000:1		1000:1	1000:1	1000:1		1000:1		1000:1		1000:1			
Pixel Response Rate (.ms) Refresh Rate (Hz)	5	60	8		5	60	60		60		8		60			
Swivel	Yes	Yes	Yes		Yes	Yes	Yes		Yes		Yes		Yes			
Security Slot	Yes	Yes	Yes		Yes	Yes	Yes		Yes		Yes		Yes			
VESA Wall Mount Compliant	Yes	Yes	Yes		Yes	Yes	Yes		Yes		Yes		Yes			
Pivot Capable	Yes	Yes	Yes		Yes	Yes	Yes		Yes		Yes		Yes			
Anti-Glare Coating	Yes	Yes	Yes		Yes	Yes	Yes		Yes		Yes		Yes			A CONTRACTOR OF
Anti-Static Coating Active/Operating Power (Watts)	12	12.6	18		12	13.2	26.5		50		38		75			
Save/Sleep Power (Watts)	0.3	0.3	0.5		0.3	0.3	0.5		0.3		0.5		0.5			
Dimensions w/Stand (inches W x D x H)	21.2 x 7.1 x 19.5	21.2 x 7.1 x 19.5	21.2 x 7.3 x 15.9		21.7 x 7.1 x 19.5	24.0 x 7.5 x 21.0	24.1 x 9.1 x 17.5		28.1 x 9.1 x 18.5		32.1 x 9.3 x 18.0		38.1 x 9.8 x 23.4			
Dimensions w/o Stand (inches W x D x H)		21.2 x 2.3 x 15.7	21.2 x 2.5 x 13.4		21.2 x 2.2 x 15.4	24.0 x 2.3 x 13.7	24.1 x 2.5 x 14.2		28.1 x 3.2 x 15.7		32.1 x 3.2 x 15.3		28.1 x 3.6 x 21.3			
Weight w/Stand (lbs.)	12.3	13.3	13.7		12.3	16.4	16.7		13.3		20.6		38.8			
Weight w/o Stand (lbs.)	7.5	8.4	9.7		7.5	13.3	12.7		8.4		16.1		29.1			11 X 1111111111111111111111111111111111
UPGRADE OPTIONS (to be ord										_		_		_		
	Additional 1 Yr. NBD Adv. Exchange		Additional 1 Yr. NBD Adv. Exchange	ре ////////////////////////////////////	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange	e ////////////////////////////////////	Additional 1 Yr. NBD Adv. Exchange	ge ////////////////////////////////////	Additional 1 Yr. NBD Adv. Exchange		Additional 1 Yr. NBD Adv. Exchang	ne ////////////////////////////////////		
ACCESSORY OPTIONS (order		later time)														
Speakers - Attachable	Slim Soundbar SB521A				Slim Soundbar SB521A				Slim Soundbar SB521A							
Display Adapter - DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA		DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA		DisplayPort to VGA		DisplayPort to VGA		DisplayPort to VGA			
Display Adapter - DisplayPort to HDMI Display Adapter - HDMI to VGA	HDMI to VGA	HDMI to VGA	HDMI to VGA		HDMI to VGA	HDMI to VGA	HDMI to VGA		HDMI to VGA		HDMI to VGA		HDMI to VGA			
Display Adapter - HDMi to VGA Display Adapter - USB-C to VGA	USB-C to VGA	USB-C to VGA	USB-C to VGA		USB-C to VGA	USB-C to VGA	USB-C to VGA		USB-C to VGA		USB-C to VGA		USB-C to VGA			X
Display Adapter - USB-C to HDMI	USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI		USB-C to HDMI		USB-C to HDMI			
Display Adapter - USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort		USB-C to DisplayPort		USB-C to DisplayPort		USB-C to DisplayPort			
Mounting Bracket - Base Stand/Legs	Single Monitor Arm - MSA20	Single Monitor Arm - MSA20	Single Monitor Arm - MSA20		Single Monitor Arm - MSA20	Single Monitor Arm - MSA20	Single Monitor Arm - MSA20		Single Monitor Arm - MSA20		Single Monitor Arm - MSA20					
Mounting Bracket - Base Stand/Legs	Dual Monitor Arm - MDA20	Dual Monitor Arm - MDA20	Dual Monitor Arm - MDA20		Dual Monitor Arm - MDA20	Dual Monitor Arm - MDA20	Dual Monitor Arm - MDA20									
Mounting Bracket - VESA Plate/Bracket	Height Adjustable Wall Mount	Height Adjustable Wall Mount	Height Adjustable Wall Mount		Micro All-in-One Stand	Height Adjustable Wall Mount	Height Adjustable Wall Mount		Height Adjustable Wall Mount		Height Adjustable Wall Mount					
Mounting Bracket - VESA Plate/Bracket Filter - Anti-Glare/Privacy	V	1	*		SFF All-in-One Stand		¥ WWWWWWWWWWWWWWW	1			1	¥				
Filter - Anti-Glare/Privacy	Participant and a second s	¥	<u> </u>			¥	¥ ····································	1			¥	*				
e and a second of theory													***************************************			

HP MONITORS

							••									
	CONFIGURATION 1	CONFIGURATION 2	CONFIGURATION 3	CONFIGURATION 4	CONFIGURATION 5	CONFIGURATION 6	CONFIGURATION 7	CONFIGURATION 8	CONFIGURATION 9	CONFIGURATION 10	CONFIGURATION 11	CONFIGURATION 12	CONFIGURATION 13	CONFIGURATION 14	CONFIGURATION 1	5 CONFIGURATION 16
	24" STANDARD	24" WEBCAM	24" TEAMS	24" TOUCHSCREEN		27" WEBCAM	27" TEAMS	27" TOUCHSCREEN	32" STANDARD	32" WEBCAM	32" TEAMS	32" TOUCHSCREEN		40" WEBCAM	40" TEAMS	40" TOUCHSCREEN
	24 STANDARD		24 TEANIS	24 TOUCHSCREEN	21 STANDARD	27 WEBCAW	27 TEAWIS	27 TOUCHSCREEN	32 STANDARD	32 WEBCAW	JZ TEANIJ	32 TOUCHSCREEN	40 STANDARD	40 WEBCAW	40 I EANIS	40 TOUCH3CREEN
O a lata a Ota a										1						
Golden Star		A United														
Technolows		1000 1000 2.				the second se				11						
Technology	minitial "	Date a la								Lac D HOR					¥ ////////////////////////////////////	
MA-IS-2240253				Mill Sugar		And a state of the state of the state of the										
WA-13-2240255				SERCARARS C						A ALEN A						
	and the second se					CONTRACTOR OF THE OWNER OF THE OWNER									¥ ////////////////////////////////////	
		ftee				- Aut										
Mode	P24H G4	E24MV G4	No Offering	E24T G4	P27H G4	E27M G4	No Offering	No Offering	P34HC G4	E34M G4	No Offering	No Offering	No Offering	No Offering	No Offering	No Offering
Cost		\$341.00	No Offering	\$250.00	\$185.00	\$410.00	No Offering	No Offering	\$430.00	\$548.00	No Offering	No Offering	No Offering		No Offering	No Offering
														No Offering		
Features	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Display Type	IPS	IPS		IPS	IPS	IPS			LED	LED						
Viewable Image	23.8 inch	23.8 inch Yes		23.8 inch	27 Inch	27 inch Yes			34 inch Curved	34 inch Curved Yes		<u>.</u>	¥	<u> </u>	¥	
Integrated Web Camera (w/Microphone) Microsoft Teams Integration (Certified)		105		terre and the second	terre and the second	ies				105		X	X	\$	¥ manual and a second se	
Touchscreen				Yes							¥	¥	V	¥/////////////////////////////////////	V	
Aspect Ratio	16:09	16:09		16:09	16:09	16:09			21:09	21:09						
Resolution Supported	1920 x 1080	1920 x 1080		1920 x 1080	1920 x 1080	1920 x 1080			3440 x 1440	3440 x 1440						
VGA Input DisplayPort Input	1	1		1	1					<u>x</u>		<u>x</u>				
DisplayPort Input	1	1		1	1	1		4	1	1						
HDMI Input USB-C Input	1	1		1	1	1			1	1		¥/////////////////////////////////////	¥/////////////////////////////////////	\$	¥/////////////////////////////////////	
Speakers	Integrated	Integrated		Accessory Option	Integrated	Integrated			Integrated	Integrated						
Height Adjustable (inches up/down)	5.9	5.9		5.9	5.9	5.9			5.9	5.9			1		1	
Tilt Up (degrees)	23	23		23	23	23			21	20						
Tilt Down (degrees)	5	5		5	5	5			5	5						
Viewing Angle - Horizontal (degrees)	178	178		178	178	178			178	178						
Viewing Angle - Vertical (degrees) EnergyStar Level ePEAT Level	178	178		178	178	178			178	178						
energyStar Level	8 Silver	8 Gold		8 Gold	8 Silver	Gold			8 Gold	8 Gold			£		£	
Warranty USB Hub (ports)		4 (3.1)		4 (3.1)		4 (3.1)			4 (3 3.1 / 1 C)	4 (3 3.1 / 1 C)	- ~~~~~~~~~~~	+	+	+	+	
Dot Pitch (.mm)	0.275	0.275		0.206	0.311	0.233			0.232	0.232						
White Luminance (cd/m2)	250	250		300	250	300			250	400						
Contrast	1000:1	1000:1		1000:1	1000:1	1000:1			1000:1	1000:1						
Pixel Response Rate (.ms) Refresh Rate (Hz)	5 60	5		5	5	5			5	5					1	
Refresh Kate (HZ)	60 Yes	60 Yes		60 Yes	60 Yes	60 Yes			50 Yes	75 Yes			£		£	
Security Slot	Yes	Yes		Yes	Yes	Yes			Yes	Yes						
VESA Wall Mount Compliant	Yes	Yes		Yes	Yes	Yes			Yes	Yes						
Pivot Capable	Yes	Yes		Yes	Yes	Yes			Yes	Yes						
Anti-Glare Coating	Yes	Yes		Yes	Yes	Yes			Yes	Yes						
Anti-Static Coating			¥/////////////////////////////////////					<i></i>						<u> </u>		
Active/Operating Power (Watts)	22	22		22	24	51		A CONTRACTOR OF A CONTRACTOR OFTA A	48	65			¥ Marine Mari		¥ Marine and the second se	
Save/Sleep Power (Watts) Dimensions w/Stand (inches W x D x H)	21.2 x 8.3 x 18.3	0.5 21.2 x 8.5 x 20.9		0.5 21.2 x 8.2 x 19.5	0.3 24.4 x 8.3 x 20.1	0.6 24.1 x 8.5 x 21.7			0.5 31.9 x 9.3 x 20.4	0.5 31.9 x 9.2 x 21.4			the second s		¥ management and the second	
Dimensions w/o Stand (inches W x D x H) Dimensions w/o Stand (inches W x D x H)		21.2 x 0.5 x 20.9 21.2 x 1.9 x 17.8		21.2 x 0.2 x 19.5 21.2 x 1.9 x 12.7	24.4 x 0.3 x 20.1 24.4 x 1.9 x 14.6	24.1 x 1.9 x 15.6		1	31.9 x 9.3 x 20.4 31.9 x 4.4 x 14.4	31.8 x 4.3 x 15.3		\$	¥	X	¥	X
Weight w/Stand (lbs.)	9.94	14.3		12.8	11.5	18.8		1	23.2	26.4		1	1	1	1	
Weight w/o Stand (lbs.)	5.56	8.6		7.5	6.8	13			17.3	18.2						
UPGRADE OPTIONS (to be or	rdered at initial purchase)															
Warranty - 1 Additional Year	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange		Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange	e ////////////////////////////////////		Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange					¥/////////////////////////////////////	
ACCESSORY OPTIONS (order																
Speakers - Attachable			¥/////////////////////////////////////	Soundbar S101												
Display Adapter - DisplayPort to VGA																
Display Adapter - DisplayPort to VGA Display Adapter - DisplayPort to HDMI																
Display Adapter - HDMI to VGA														8		
Display Adapter - USB-C to VGA			¥										¥ Marine Andrew Andr		¥ ////////////////////////////////////	
Display Adapter - USB-C to HDMI			¥										ł do na kalendar w star w s		ł	
Display Adapter - USB-C to DisplayPort Mounting Bracket - Base Stand/Legs	Int. Work Center Desktop Mini/Thin Client		¥					A CONTRACTOR OF A CONTRACTOR OFTA A CONTRACTOR OFT		<u> </u>	X	Na				
Mounting Bracket - Base Stand/Legs Mounting Bracket - Base Stand/Legs	In the contract of Ship Nill Thir Cient		1	¥	¥		1	1		1	*	*	¥		the second s	
Mounting Bracket - VESA Plate/Bracket	PC Mounting Bracket B250	PC Mounting Bracket B300		PC Mounting Bracket B300	PC Mounting Bracket B250	PC Mounting Bracket B300			PC Mounting Bracket B250	PC Mounting Bracket B300			1	*	1	
Mounting Bracket - VESA Plate/Bracket		PC Mounting Bracket B300 w/PS Holder		PC Mounting Bracket B300 w/PS Holder	PC Mounting Bracket B250 Quick Release Bracket 2	PC Mounting Bracket B300 w/PS Holde	s (////////////////////////////////////			PC Mounting Bracket B300 w/PS Holder						
Filter - Anti-Glare/Privacy																
Filter - Anti-Glare/Privacy			¥/////////////////////////////////////	X/////////////////////////////////////	X/////////////////////////////////////		1X////////////////////////////////////	2011/11/11/11/11/11/11/11/11/11/11/11/11/		X/////////////////////////////////////	X	X				

LENOVO MONITORS

			CONFIGURATION 4															
			CONFIGURATION I	CONFIGURATION 2	CONFIGURATION 3	CONFIGURATION 4	CONFIGURATION 5	CONFIGURATION 6	CONFIGURATION 7	CONFIGURATION 8	CONFIGURATION 9	CONFIGURATION 10	CONFIGURATION 11	CONFIGURATION 12	CONFIGURATION 13	CONFIGURATION 14	CONFIGURATION 15	CONFIGURATION 16
			24" STANDARD	24" WEBCAM	24" TEAMS	24" TOUCHSCREEN	27" STANDARD	27" WEBCAM	27" TEAMS	27" TOUCHSCREEN	32" STANDARD	32" WEBCAM	32" TEAMS	32" TOUCHSCREEN	40" STANDARD	40" WEBCAM	40" TEAMS	40" TOUCHSCREEN
								211 July 100										
		Technology																
		roomology									F BREE				=			
		Integration Group					the second second second second	1 110										
		MA 10 0040054					Concession and the still first a to								🗐 (1 8 £ 🛹 🔾 -			
Cond Base and bas	CostS10.9S00.000S00.200S0	WA-15-2240254					Contraction of the second											
Cond Base and bas	CostS10.9S00.000S00.200S0		C AL HEHORD															
CertExpanNo.04cmingStab.30Stab.30Stab.30Stab.30Stab.30No.04cming <th>CostSTA2STA2StA2StA2StA2StA2Nothering ParticleNothering Pa</th> <th></th> <th>•</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	CostSTA2STA2StA2StA2StA2StA2Nothering ParticleNothering Pa											•						
Cond Base and bas	CostS10.9S00.000S00.200S0																	
NameN	Marcial Stands Stands <tban< th=""> <tban< th=""> <tban< td=""> St</tban<></tban<></tban<>	Mod	el E24-28	T24V-20	No Offering	T24T-20	S27E-20	T27HV-20	No Offering	No Offering	T32P-20	No Offering	No Offering	No Offering	P40W	No Offering	No Offering	No Offering
Note of the state of the st	Name Standard Standard <tttandard< tt=""> <ttt>Standard <tt< th=""><th>Co</th><th>st \$270.99</th><th>\$306.99</th><th>No Offering</th><th>\$390.39</th><th>\$266.99</th><th>\$498.99</th><th>No Offering</th><th>No Offering</th><th>\$596.99</th><th>No Offering</th><th>No Offering</th><th>No Offering</th><th>\$1.390.99</th><th>No Offering</th><th>No Offering</th><th>No Offering</th></tt<></ttt></tttandard<>	Co	st \$270.99	\$306.99	No Offering	\$390.39	\$266.99	\$498.99	No Offering	No Offering	\$596.99	No Offering	No Offering	No Offering	\$1.390.99	No Offering	No Offering	No Offering
Name	Name	Features		Product Details			Product Details					Product Details						
Name	Normal with the second of	Display Type		IPS											IPS			
Normal Normal </td <td>Name Name Name</td> <td>Viewable Image</td> <td>23.8 Inch</td> <td></td> <td></td> <td>23.8 Inch</td> <td>27 Inch</td> <td></td> <td></td> <td></td> <td>31.5 Inch</td> <td></td> <td></td> <td></td> <td>40 inch Curved</td> <td></td> <td></td> <td></td>	Name	Viewable Image	23.8 Inch			23.8 Inch	27 Inch				31.5 Inch				40 inch Curved			
Name	Name	Integrated Web Camera (w/Microphone)		Yes	1	1		Yes				1				1		
nm nm <	Norm					Yes			1							1		
Name11	Name11	Aspect Ratio	16:09			16:09												
nind11	nind 1			1920 x 1080		1920 x 1080	1920 x 1080	1920 x 1080			1920 x 1080				5120 x 2160			
Name Bane	Name	VGA Input		1		1												
man man </td <td>numbernumb</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>1</td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td>	numbernumb						1	1			1				1			
Share of the state Share of the	Nome The state of the s										1				1			
Normal Normal </td <td>Sharp Sharp Sharp</td> <td></td> <td>Accessory Option</td> <td>Integrated</td> <td></td> <td>Integrated</td> <td>Accessory Option</td> <td>Integrated</td> <td></td> <td></td> <td>Accessory Option</td> <td></td> <td></td> <td></td> <td>Integrated</td> <td></td> <td></td> <td></td>	Sharp		Accessory Option	Integrated		Integrated	Accessory Option	Integrated			Accessory Option				Integrated			
Image 1 <th< td=""><td></td><td></td><td>6.1</td><td>4.8</td><td></td><td>4.8</td><td>5.31</td><td>5.9</td><td></td><td></td><td>5.9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>			6.1	4.8		4.8	5.31	5.9			5.9							
Markamental Mar	Markament		22	35		35	35	35			35							
Non-state <td>Name Name Name</td> <td></td> <td>178</td> <td>5</td> <td></td> <td>5</td> <td>179</td> <td>5</td> <td></td> <td></td> <td>5</td> <td></td> <td></td> <td></td> <td>179</td> <td><u> </u></td> <td></td> <td></td>	Name		178	5		5	179	5			5				179	<u> </u>		
main	NormN				<u> </u>									1				
norm	normn	EnergyStar Level	8	8		8	8	8			8				8			
1 1	min 0	ePEAT Level																
DiamOpenO	Name Constraint	Warranty	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange		4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange	4 Year NBD Advanced Exchange			4 Year NBD Advanced Exchange				4 Year NBD Advanced Exchange			
Number with with with with with with with with	Maximum (and a)30<	USB Hub (ports)	0.275	2 (3.0)		4 (3.0)	0.222	4 (3 3.0 / 1 C)			4 (3 3.0 / 1 C)		{	£				
NoticeNoti	NormN			250	1		350	350			350							
New SeriesOne <td>New New New New New New New New New New</td> <td></td> <td>1000:1</td> <td>1000:1</td> <td></td> <td>1000:1</td> <td>1000:1</td> <td>1000:1</td> <td></td> <td></td> <td>1000:1</td> <td></td> <td></td> <td></td> <td>3000:1</td> <td></td> <td></td> <td></td>	New		1000:1	1000:1		1000:1	1000:1	1000:1			1000:1				3000:1			
NameN	See 1NoNaNaNaNaNaUSA 16 MontalYaYaYaYaYaYaUSA 16 MontalUSA 16 MontalYaYaYaYa			4			4	4			4				4			
NormYee	No. 10 MaNa <t< td=""><td>Refresh Rate (Hz)</td><td>60</td><td></td><td></td><td></td><td>60</td><td></td><td></td><td></td><td>60</td><td></td><td></td><td></td><td>75</td><td></td><td></td><td></td></t<>	Refresh Rate (Hz)	60				60				60				75			
Name Yea Yea <td>And Agendamie Net Net</td> <td>Security Slot</td> <td>Vee</td> <td></td> <td>Vao</td> <td><u> </u></td> <td></td> <td></td>	And Agendamie Net	Security Slot	Vee												Vao	<u> </u>		
bit Clastic Yes Yes <th< td=""><td>Photogram Yea Y</td><td></td><td></td><td></td><td><u> </u></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td></th<>	Photogram Yea Y				<u> </u>									1				
Alter Control 13	Alter Control Main			Yes			Yes								Yes			
Actor Quart 13 14 13 14 13 14 13 14 13 14 13 14 13 14 13 14 13 14 13 14 13 14 13 14 13 14 13 14 <	Advolumine 18 13 13 23	Anti-Glare Coating	Yes	Yes		Yes	Yes	Yes			Yes				Yes			
SameSige Description 100 0.5 0.5	Selen Deam (Math) 0.5	Anti-Static Coating																
Demonitorie Wilder Wild VII 21 2 1 2 1 2 1 1 0 1 1 0 2 2 1 2 0 1 1 1 0 2 0 1 1 1 0 2 0 1 0 1	Demonitive signard (no.b. W 30.2 M) 21.3.7.2.5.1.0.1 20.4.8.1.4.1.0.0 24.3.4.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.8.2.1.0.7 24.3.8.2.1.0.7 <td></td> <td>18</td> <td>13</td> <td></td> <td>13</td> <td>23</td> <td>23</td> <td></td> <td></td> <td>23</td> <td></td> <td></td> <td></td> <td>23</td> <td></td> <td></td> <td></td>		18	13		13	23	23			23				23			
Demonstra do Stad (low 2 x 0 x 1) 213 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.9 x 1.5 x 1.6 x 1/2 3 2.0 x 1.0 x	Image: Note Stand (lob.) 213.14 (5.12) 20.14 (3.13) 21.14 (5.14) 22.0.19 (3.1) <th< td=""><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>t</td><td>t</td><td></td><td></td><td></td><td></td></th<>				1								t	t				
Wight wite Studie (iii) 6.8 7.7 7.9 10.7 7.9 10.7 15 21.9 <td>Weight wild (bit) 6.6 7.7 7.7 7.9 10.7 7.9 10.7<td>Dimensions w/o Stand (inches W x D x H</td><td>) 21.3 x 1.6 x 12.9</td><td>23.0 x 1.9 x 13.6</td><td></td><td>23.0 x 1.9 x 13.6</td><td>24.1 x 1.7 x 14.5</td><td>24.2 x 18 x 16.2</td><td></td><td></td><td>28.1 x 2.0 x 16.8</td><td></td><td></td><td></td><td>37.3 x 4.0 x 16.9</td><td></td><td></td><td></td></td>	Weight wild (bit) 6.6 7.7 7.7 7.9 10.7 7.9 10.7 <td>Dimensions w/o Stand (inches W x D x H</td> <td>) 21.3 x 1.6 x 12.9</td> <td>23.0 x 1.9 x 13.6</td> <td></td> <td>23.0 x 1.9 x 13.6</td> <td>24.1 x 1.7 x 14.5</td> <td>24.2 x 18 x 16.2</td> <td></td> <td></td> <td>28.1 x 2.0 x 16.8</td> <td></td> <td></td> <td></td> <td>37.3 x 4.0 x 16.9</td> <td></td> <td></td> <td></td>	Dimensions w/o Stand (inches W x D x H) 21.3 x 1.6 x 12.9	23.0 x 1.9 x 13.6		23.0 x 1.9 x 13.6	24.1 x 1.7 x 14.5	24.2 x 18 x 16.2			28.1 x 2.0 x 16.8				37.3 x 4.0 x 16.9			
UPGRADE OP T/ONS (to be ordered at Initial purchase) Non Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Address 1 vs Rob A lestings Balagebra to VsA DisplayAdger to VsA DisplayAdger to VsA DisplayAdger to VsA Display Adger - Display for to VsA DisplayAdger to VsA DisplayAdger to VsA DisplayAdger to VsA DisplayAdger to VsA Display Adger - SDR VSA HOM Is VSA Display Adger - LSB C to VSA Display Adger - LSB C to VSA Display Adger - LSB C to VSA LSB C to VSA LSB C to VSA LSB C to VSA LSB C to VSA <td>UPGRADE OPTIONS (to be ordered at Initial purchase) In In</td> <td>Weight w/Stand (lbs.)</td> <td></td> <td>13.1</td> <td></td> <td>13.1</td> <td></td> <td></td> <td></td> <td></td> <td>21.7</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	UPGRADE OPTIONS (to be ordered at Initial purchase) In	Weight w/Stand (lbs.)		13.1		13.1					21.7							
Wrate/ Additional YV, NBD Adv. Exchange Additional YV, NBD Adv. Exchange <th< td=""><td>Mathew Additional Yv. NBD Ako. Exchange Addition Yv. NBD Ako. Exchange Addition Yv. NBD Ako. Excha</td><td></td><td></td><td>7.7</td><td>¥/////////////////////////////////////</td><td>7.7</td><td>7.9</td><td>10.7</td><td></td><td>811111111111111111111111111111111111111</td><td>15</td><td></td><td>X</td><td>$\mathbf{x}_{11111111111111111111111111111111111$</td><td>21.9</td><td></td><td>8</td><td></td></th<>	Mathew Additional Yv. NBD Ako. Exchange Addition Yv. NBD Ako. Exchange Addition Yv. NBD Ako. Excha			7.7	¥/////////////////////////////////////	7.7	7.9	10.7		811111111111111111111111111111111111111	15		X	$\mathbf{x}_{11111111111111111111111111111111111$	21.9		8	
ACCESSORY OPTIONS (ordered at hittle) purchases or at a lator time) UBB Soundar Speaker - Statubility USB Soundar DisplayPett to VGA DisplayPett to VGA DisplayPett to VGA Display Adapter - DisplayPett to VGA Display Adapter - DisplayPett to VGA DisplayPett to VGA DisplayPett to VGA DisplayPett to VGA Display Adapter - DisplayPett to VGA DisplayPett to VGA DisplayPett to VGA DisplayPett to VGA Display Adapter - ISBE OV GA USB Soundar DisplayPett to VGA DisplayPett to VGA DisplayPett to VGA USB Soundar DisplayPett to VGA DisplayPett to VGA DisplayPett to VGA USB Soundar DisplayPett to VGA DisplayPett to VGA DisplayPett to VGA USB Soundar IDMI to VGA DisplayPett to VGA DisplayPett to VGA USB Soundar IDMI to VGA IDMI to VGA DisplayPett to VGA USB Soundar IDMI to VGA IDMI to VGA DisplayPett to VGA USB Soundar IDMI to VGA IDMI to VGA DisplayPett to VGA USB Soundar USB Soundar IDMI to VGA USB Soundar	ACCESSORY OF IONS (ordered a thild) purchase or at a later time) Seeders - Michaele UBS Sounder Usgin Adapter - Disguin Port to VGA Disguin Port t												*	×				
Speakers - Matchable USB Soundbar USB Soundbar USB Soundbar USB Soundbar Dapidy Adpler - DapidyPhot VXA DapidyPhot IV VGA USBC IV V	Speakers - Altachable UBS Boundar UBS Boundar<					Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange	Additional 1 Yr. NBD Adv. Exchange			Additional 1 Yr. NBD Adv. Exchange	e	\mathbf{x}	\mathbf{x}	Additional 1 Yr. NBD Adv. Exchange		X/////////////////////////////////////	
Daplay Adapter - DaplayPort to VGA DaplayPort to VGA DisplayPort to VGA DisplayPort to VGA DisplayPort to VGA DisplayPort to VGA Display Adapter - DolghoPt to VGA DisplayPort to VGA	bigly Adgle* - DiglyPht to VGA DiglsPht to VGA DiglsPht to VGA			later time)			100.0				100 0			X				
Display Adapter - FUNI: to VGA HOM to VGA HOM to VGA HOM to VGA HOM to VGA Display Adapter - FUNI: to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA C to VG	Display Adapter - FUMI to VGA HOMI to VGA HOMI to VGA HOMI to VGA HOMI to VGA Display Adapter - FUMI - USB-C to FUGAI USB-C to VGA USB-C to VGA USB-C to VGA USB-C to VGA Display Adapter - LOBE C to VGA USB-C to VGA USB-C to VGA USB-C to VGA USB-C to VGA Display Adapter - LOBE C to VGA USB-C to VGA USB-C to VGA USB-C to VGA USB-C to VGA Display Adapter - LOBE C to DisplayTot USB-C to FOMI UBB-C to DisplayTot USB-C to DisplayTot USB	Dienlay Adapter - DienlayPort to VCA	DisplayPort to VGA	DisplayPort to VGA		DienlayPort to VGA	DisplayPort to VGA	DienlayPort to VCA	1		DienlayPort to VGA				DieplayPort to VCA	1		
Display Adapter - FUNI: to VGA HOM to VGA HOM to VGA HOM to VGA HOM to VGA Display Adapter - FUNI: to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA LIBA C to VGA Display Adapter - LIBE C to VGA C to VG	Display Adapter - FUMI to VGA HOMI to VGA HOMI to VGA HOMI to VGA HOMI to VGA Display Adapter - FUMI - USB-C to FUGAI USB-C to VGA USB-C to VGA USB-C to VGA USB-C to VGA Display Adapter - LOBE C to VGA USB-C to VGA USB-C to VGA USB-C to VGA USB-C to VGA Display Adapter - LOBE C to VGA USB-C to VGA USB-C to VGA USB-C to VGA USB-C to VGA Display Adapter - LOBE C to DisplayTot USB-C to FOMI UBB-C to DisplayTot USB-C to DisplayTot USB	Display Adapter - Display of to VGA	DisplayPort to HDMI	DisplayPort to HDMI		DisplayPort to HDMI	DisplayPort to HDMI	DisplayPort to HDMI			DisplayPort to HDMI		X	X	DisplayPort to HDMI			
Dagly Adgier - USB-C to VGA Dagly Adgier - USB-C to VGA	Daply Adgler - USB-C to VGA Daply Adgler - USB-C to Dista USB-C to Dista USB-C to Dista USB-C to VGA USB-C to VGA Daply Adgler - USB-C to Dista Daply Adgler - USB-C to Dista Daply Adgler - USB-C to Dista Mounting Backet - Base StandLeg Mounting Backet - VSB-R DeBacket Nouting Backet - VSB-R DeBacket <td< td=""><td>Display Adapter - HDMI to VGA</td><td>HDMI to VGA</td><td>HDMI to VGA</td><td></td><td>HDMI to VGA</td><td>HDMI to VGA</td><td>HDMI to VGA</td><td></td><td></td><td>HDMI to VGA</td><td></td><td></td><td></td><td>HDMI to VGA</td><td></td><td></td><td></td></td<>	Display Adapter - HDMI to VGA	HDMI to VGA	HDMI to VGA		HDMI to VGA	HDMI to VGA	HDMI to VGA			HDMI to VGA				HDMI to VGA			
Diplay Adapter - USB-C to DiplayPort Mounting Backet - Base StandLeg	DeployAdger - USB-C to DisplayPort	Display Adapter - USB-C to VGA	USB-C to VGA	USB-C to VGA		USB-C to VGA		USB-C to VGA			USB-C to VGA				USB-C to VGA			
Nouring Backet - USA PateBacket	Nouring Backet - VESA Pate Backet Mouring Backet - VESA Pate Backet Mouring Backet - VESA Pate Backet Mouring Backet - VESA Pate Backet Pater - And-Backet Starter Backet Description of the start of th	Display Adapter - USB-C to HDMI	USB-C to HDMI	USB-C to HDMI		USB-C to HDMI	USB-C to HDMI	USB-C to HDMI			USB-C to HDMI				USB-C to HDMI			
Norring Baddet - Base S Bard Lega	Nouring Backet - NESS BardLegs Nouring Backet - VESS PlateBacket Nouring Backet - VE	Mounting Bracket - Base Stand/Lage	USB-C to DisplayPort	USB-C to DisplayPort	¥ WWWWWWWWWWWWWWWWW	USB-C to DisplayPort	USB-C to DisplayPort	USB-C to DisplayPort			USB-C to DisplayPort		¥	¥	USB-C to DisplayPort			
Mounting Bracket - VESA Pate/Bracket	Nouring Backet - VESA Pale/Backet Nouring Backet - VESA Pale/Backet Filter - Arti-GarePhacy Filter - Arti-GarePhacy S2 8 Inch Phacy Filter 23 8 Inch Phacy Filter 27 Inch Phacy Filter 27 Inch Phacy Filter 27 Inch Phacy Filter			¥	1	1	1		1			1	¥	¥		1	1	
	Mounting Backet - VESA PlateBacket 23.8 Inch Privacy Filter 221 Inch Privacy Filter 271 Inch Privacy Filter Filter - And LeverPrivacy 23.8 Inch Privacy Filter 271 Inch Privacy Filter 321 Inch Privacy Filter	Mounting Bracket - VESA Plate/Bracket																
Mourling Backet - VESA Pate Backet		Mounting Bracket - VESA Plate/Bracket																
			23.8 Inch Privacy Filter	23.8 Inch Privacy Filter	<u> Para anti anti anti anti anti anti anti ant</u>	23.8 Inch Privacy Filter	27 Inch Privacy Filter	27 Inch Privacy Filter			32 Inch Privacy Filter		¥ Marine Andrew Andr	¥ MARINA AND AND AND AND AND AND AND AND AND A		¥		
	piter - Arti-Gareinvacy	Filter - Anti-Glare/Privacy		<u>x</u>	x	<u>x</u>	X/////////////////////////////////////		<u>x</u>			<u></u>	<u>x</u>	X/////////////////////////////////////		<u>x</u>	8	(X))))))))))))))))))))))))))))))))))))

VIEWSONIC MONITORS

							VIEVVSC		UKS							
	CONFIGURATION 1	CONFIGURATION 2	CONFIGURATION 3	CONFIGURATION 4	CONFIGURATION 5	CONFIGURATION 6	CONFIGURATION 7	CONFIGURATION 8	CONFIGURATION 9	CONFIGURATION 10	CONFIGURATION 11	CONFIGURATION 12	CONFIGURATION 13	CONFIGURATION 14	CONFIGURATION 15	CONFIGURATION 16
	24" STANDARD	24" WEBCAM	24" TEAMS	24" TOUCHSCREEN	27" STANDARD	27" WEBCAM	27" TEAMS	27" TOUCHSCREEN	32" STANDARD	32" WEBCAM	32" TEAMS	32" TOUCHSCREEN		40" WEBCAM	40" TEAMS	40" TOUCHSCREEN
	24 01/11/2/11/2	21 11280/01		21 1000100112211	2. 01/11/2/11/2	2		2	02 01/010/010				40 01101010			-to reconcent
	24"	24"			27"	27"							4247			
Zones LLC	THE A AVE			24"	17-0-1-0-5			27"								ViewBoard on
MA-IS-2240256	ViewSonic 🗱	ViewSonic 🛸		ViewSonic 🚟	ViewSonic 🛼	ViewSonic 🗱		March Comment Sector	ViewSonic' ##				ViewSonic 🚟			
MA-IS-2240256	*			viewSonic Mar				ViewSonic Mark					viewoonic Mee			
								and the second s								
	u							0.44					ik Hute			
																<u></u>
Model	VG2440	VG2440V	No Offering	TD2430	VG2748	VG2740V	No offering	TD2760	VX3276-2K-MHD	No Offering	No Offering	No Offering	VX4381-4K	No Offering	No Offering	IFP4320
Cost		\$205.75	No Offering	\$330.10	\$226.65	\$249.40	No offering	\$520.75	\$197.20	No Offering	No Offering	No Offering	\$625.75	No Offering	No Offering	\$920.00
Features Display Type	Product Details LED	Product Details	Product Details	Product Details LED	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details	Product Details
Viewable Image	23.8 inch	23.8 inch		23.8 Inch	27 inch	1PS 27 inch		27 Inch	32 Inch				42.5 inch			43 inch
Integrated Web Camera (w/Microphone)		Yes				Yes										
Microsoft Teams Integration (Certified)																Yes
Touchscreen Aspect Ratio	16:09	16:09		Yes 16:09	16:09	16:09		Yes 16:09	16:09				16:09			16:09
Resolution Supported	1920 x 1080	1920 x 1080		1920 x 1080	1920 x 1080	1920 x 1080		1920 x 1080	1920 x 1080				3840 x 2160			3840 x 2160
VGA Input	1	1		1	1	1		1	1							
DisplayPort Input HDMI Input	1	1		1	1	1		1	1				2 (1 Std./1 Mini)			1
USB-C Input	-							-								²
Speakers	Integrated	Integrated		Integrated	Integrated	Integrated		Integrated	Integrated				Integrated			Integrated
Height Adjustable (inches up/down)	5.1	5.1			5.3	5.1		5.3								
Tilt Up (degrees) Tilt Down (degrees)	40	40		53	40	40		90	15				23			
Viewing Angle - Horizontal (degrees)	178	178		178	178	178		178	178		£		178			178
Viewing Angle - Vertical (degrees)	178	178		178	178	178		178	178				178			178
EnergyStar Level ePEAT Level	8 Silver	8 Silver		8 Bronze	8 Silver	8 Silver		8 Bronze	8 Bronze				7 Bronze			8 Bronze
Warranty				4 Year Express Exchange				4 Year Express Exchange					4 Year Express Exchange			4 Year Express Exchange
USB Hub (ports)	3 (3.0)	1 (3.0)		1 (3.0)	3 (3.0)	3 (3.0)		2 (3.0)					4 (3.0)			1 (3.0)
Dot Pitch (.mm)	0.272	0.275		0.272	0.311	0.311		0.311	0.364				0.248			0.375
White Luminance (cd/m2) Contrast	250	250		250	300	300		230	250				450 3000:1			350
Pixel Response Rate (.ms)	5	5		25	5	5		6	8				3000.1			9
Refresh Rate (Hz)	60	60		60	60	60		60	75				75			60
Swivel	Yes	Yes			Yes	Yes										
Security Slot VESA Wall Mount Compliant	Yes Yes	Yes		Yes Yes	Yes	Yes Yes		Yes Yes	Yes				Yes			Vec
Pivot Capable	Yes	Yes			Yes	Yes										
Anti-Glare Coating	Yes	Yes		Yes	Yes	Yes		Yes	Yes				Yes			Yes
Anti-Static Coaling Active/Operating Power (Watts)	11.8	10.3		10	31.4	17.7					1				+	200000000000000000000000000000000000000
Save/Sleep Power (Watts)	0.5	0.5		0.5	0.5	0.5		0.3	0.5				0.5			0.5
Dimensions w/Stand (inches W x D x H)	21.6 x 8.1 x 15.1	21.6 x 8.1 x 16.0		22.6 x 1.9 x 13.9	24.4 x 8.1 x 16.0	24.4 x 8.1 x 21.93		26.0 x 9.4 x 17.5	28.1 x 9.1 x 19.8				38.5 x 13.6 x 26.0			38.1 x 2.2 x 21.9
Dimensions w/o Stand (inches W x D x H)	21.6 x 2.0 x 12.9	21.6 x 2.0 x 13.8		22.6 x 1.9 x 13.9	24.4 x 2.0 x 14.4	24.4 x 2.1 x 15.3		26.0 x 2.3 x 16.2	28.1 x 1.5 x 16.4				38.5 x 2.3 x 22.3			38.1 x 2.2 x 21.9
Weight w/Stand (lbs.) Weight w/o Stand (lbs.)	12.9	13.3		12.2	10.8	15.9		17.4	13.6				37.5		<u> </u>	39.3 39.3
UPGRADE OPTIONS (to be ordered	at initial purchase)	1.5		14.4	10.0	10.0		14-4	12.0			******	27.0			A 00.0
	Additional 1 Year Express Exchange	Additional 1 Year Express Exchange	ge	Additional 1 Year Express Exchange	Additional 1 Yr. Express Exchange	Additional 1 Yr. Express Exchange		Additional 1 Yr. Express Exchange	Additional 1 Yr. Express Exchange				Additional 1 Yr. Express Exchange			Additional 1 Yr. Express Exchange
ACCESSORY OPTIONS (ordered at																
Speakers - Attachable															X	
Display Adapter - DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA		DisplayPort to VGA	DisplayPort to VGA	DisplayPort to VGA		DisplayPort to VGA	DisplayPort to VGA				DisplayPort to VGA			DisplayPort to VGA
Display Adapter - DisplayPort to HDMI Display Adapter - HDMI to VGA										+					A CONTRACTOR OF A CONTRACTOR OFTA CONTRACTOR O	X
Display Adapter - USB-C to VGA						1				1	1			1	1	X
Display Adapter - USB-C to HDMI																
Display Adapter - USB-C to DisplayPort	Dual Magitar Mausting *	Dual Monitor Mounting Arm				1				1					4	Stand
Mounting Bracket - Base Stand/Legs Mounting Bracket - Base Stand/Legs	Dual Monitor Mounting Arm	Dual Monitor Mounting Arm		1				1		1	£				¥ ·····	a stand
Mounting Bracket - VESA Plate/Bracket	Universal Mounting Kit	Universal Mounting Kit				1				1	V			1	1	Wall Mount
Mounting Bracket - VESA Plate/Bracket																
Filter - Anti-Glare/Privacy	Privacy Screen	Privacy Screen						1			¥				4	<u> </u>
Filter - Anti-Glare/Privacy			x			X ////////////////////////////////////						x ////////////////////////////////////		X ////////////////////////////////////		181111111111111111111111111111111111111

	OPTIONAL SERVICES - MONITORS
On the net Open inc	Ourseiffentier
Optional Service	Specification Tasks to be provided by 3rd party vendor prior to delivery of equipment include the following:
Asset Tagging - 3RD PARTY	1) Affix asset tag to device as directed and/or provided by the department.
	2) Enter asset tag into system BIOS as directed and provided by the department.
	3) Provide a full inventory report of equipment asset tags, serial numbers, and other identifying information as requested by the department.
	4) Coordinate and oversee all purchase deliveries to a central department location.
Asset Tagging -	Tasks to be provided by manufacturer prior to shipment of equipment include the following:
MANUFACTURER	1) Affix asset tag to device as directed and/or provided by the department. 2) Enter asset tag into system BIOS as directed and provided by the department.
	3) Provide a full inventory report of equipment asset tags, serial numbers, and other identifying information as requested by the department.
	4) Coordinate and oversee all purchase deliveries to a central department location.
Delivery w/Unpacking -	General County weekday peak hours are 9am to 3:30pm.
WEEKDAY	All delivery/drop times shall be dictated by ordering department.
	Tasks to include the following:
	1) Deliver and unpack devices (removing all packing materials) to regional locations as directed by the department. 2) Coordinate and oversee all purchase deliveries to a central department location.
Delivery w/Unpacking -	General County weekend peak hours are 9am to 3:30pm.
WEEKEND	All delivery/drop times shall be dictated by ordering department.
	Tasks to include the following:
	1) Deliver and unpack devices (removing all packing materials) to regional locations as directed by the department.
	2) Coordinate and oversee all purchase deliveries to a central department location.
Staggered Delivery -	General County weekday peak hours are 9am to 3:30pm.
WEEKDAY	All delivery/drop times shall be dictated by ordering department. Tasks to include the following:
	1) Warehousing of devices up to three (3) months as needed; starts from date goods are warehoused (not from the date of PO) Vendor shall transfer all warranty and title/ownership for devices to the department prior to delivery (F.O.B. Destination).
	Department takes title/ownership at F.O.B. Destination.
	2) Coordinate and oversee all purchase deliveries to regional locations as directed by the department.
	General County weekend peak hours are 9am to 3:30pm.
WEEKEND	All delivery/drop times shall be dictated by ordering department. Tasks to include the following:
	1) Warehousing of devices up to three (3) months as needed; starts from date goods are warehoused (not from the date of PO) Vendor shall transfer all warranty and title/ownership for devices to the department prior to delivery (F.O.B. Destination).
	Department takes title/ownership at F.O.B. Destination.
	2) Coordinate and oversee all purchase deliveries to regional locations as directed by the department.
	General County weekday peak hours are 9am to 3:30pm.
w/Unpacking - WEEKDAY	All delivery/drop times shall be dictated by ordering department.
	Tasks to include the following: 1) Warehousing of devices up to three (3) months as needed; starts from date goods are warehoused (not from the date of PO) Vendor shall transfer all warranty and title/ownership for devices to the department prior to delivery (F.O.B. Destination).
	Department takes title/ownership to The devices to the department provide goods are warehoused (not norm the date of 1.0) vendor shall transler all warranty and the/ownership to devices to the department provide delivery (1.0.D. Destination).
	2) Coordinate and oversee the purchase deliveries and unpacking of devices (removing all packing materials) to regional locations as directed by the department.
Microsoft Teams	
Integration (Certified)	
	General County weekend peak hours are 9am to 3:30pm.
w/Unpacking - WEEKEND	All delivery/drop times shall be dictated by ordering department. Tasks to include the following:
	1) Warehousing of devices up to three (3) months as needed; starts from date goods are warehoused (not from the date of PO) Vendor shall transfer all warranty and title/ownership for devices to the department prior to delivery (F.O.B. Destination).
	Department takes title/ownership at F.O.B. Destination.
	2) Coordinate and oversee the purchase deliveries and unpacking of devices (removing all packing materials) to regional locations as directed by the department.

OPTIONAL SERVICES - MONITORS	
Optional Service	Specification
Install & Relocate -	General County weekday peak hours are 9am to 3:30pm.
WEEKDAY	All service times shall be dictated by ordering department.
	Tasks to include the following:
	1) Deliver device to final destination within one (1) facility, as directed by the ordering department and unpack, removing all packing material. 2) Disconnect and remove existing equipment to a temporary on-site location as directed by department.
	3) Install device including connection of CPU and peripherals, including but not limited to, system cables, security cables/locking mechanism, mouse, and keyboard or as directed by department.
	4) Boot up system and report any Operating System issues to department.
	5) Coordinate and oversee all purchases deliveries to a central department location.
Install & Relocate -	General County weekend peak hours are 9am to 3:30pm.
WEEKEND	All service times shall be dictated by ordering department.
	Tasks to include the following:
	1) Deliver device to final destination within one (1) facility, as directed by the ordering department and unpack, removing all packing material.
	 2) Disconnect and remove existing equipment to a temporary on-site location as directed by department. 3) Install device including connection of CPU and peripherals, including but not limited to, system cables, security cables/locking mechanism, mouse, and keyboard or as directed by department.
	4) Boot up system and report any Operating System issues to department.
	5) Coordinate and oversee all purchase deliveries to a central department location.